

ANALYTICAL REPORT

PREPARED FOR

Attn: Mr. Erwin Kawata
City & County of Honolulu
630 South Beretania Street
Public Service Bldg. Room 310
Honolulu, Hawaii 96843

Generated 12/22/2025 5:21:59 PM

JOB DESCRIPTION

RED-HILL
PFAS: Ka'amilo Wells P1
RUSH Weekly Red Hill

JOB NUMBER

380-188443-1

Eurofins Eaton Analytical Pomona

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Eaton Analytical, LLC Project Manager.

Compliance Statement

1. Laboratory is accredited in accordance with TNI 2016 Standards and ISO/IEC 17025:2017.
2. Laboratory certifies that the test results meet all TNI 2016 and ISO/IEC 17025:2017 requirements unless noted under the individual analysis
3. Test results relate only to the sample(s) tested.
4. This report shall not be reproduced except in full, without the written approval of the laboratory.
5. Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.
(DW, Water matrices)

Authorization



Authorized for release by
Maria Lopez, Project Manager
Maria.Lopez@et.eurofinsus.com
(626)386-1100

Generated
12/22/2025 5:21:59 PM

Table of Contents

Cover Page 1

Table of Contents 3

Definitions/Glossary 4

Case Narrative 5

Detection Summary 6

Client Sample Results 7

Action Limit Summary 11

Surrogate Summary 12

Isotope Dilution Summary 13

QC Sample Results 14

QC Association Summary 25

Lab Chronicle 26

Certification Summary 27

Method Summary 28

Sample Summary 29

Chain of Custody 30

Receipt Checklists 31



Definitions/Glossary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-188443-1
SDG: PFAS: Ka'amilo Wells P1

Qualifiers

LCMS

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: City & County of Honolulu
Project: RED-HILL

Job ID: 380-188443-1

Job ID: 380-188443-1

Eurofins Eaton Analytical Pomona

Job Narrative 380-188443-1

The analytical test results presented in this report meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page, unless otherwise noted. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable. Regulated compliance samples (e.g. SDWA, NPDES) must comply with associated agency requirements/permits.

- Matrix-specific batch QC (e.g., MS, MSD, SD) may not be reported when insufficient sample volume is available or when site-specific QC samples are not submitted. In such cases, a Laboratory Control Sample Duplicate (LCSD) may be analyzed to provide precision data for the batch.
- For samples analyzed using surrogate and/or isotope dilution analytes, any recoveries falling outside of established acceptance criteria are re-prepared and/or re-analyzed to confirm results, unless the deviation is due to sample dilution or otherwise explained in the case narrative.

Receipt

The samples were received on 12/17/2025 10:30 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 1.5°C.

PFAS

EPA 537.1 and EPA 533 are two distinct methods for the analysis of PFAS in drinking water. The analyses are conducted on differing instrumentation, with calibrations, extraction solvents and sample preservatives being dissimilar among the two methods. Therefore it is probable and not unexpected to see the methods having slight variations in analytical results: Ka'amilo Wells P1 (380-188443-1). (XWB4)

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Detection Summary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-188443-1
SDG: PFAS: Ka'amilo Wells P1

Client Sample ID: Ka'amilo Wells P1

Lab Sample ID: 380-188443-1

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Perfluorobutanesulfonic acid (PFBS)	3.0		2.0	ng/L	1		533	Total/NA
Perfluorohexanesulfonic acid (PFHxS)	3.4		2.0	ng/L	1		533	Total/NA
Perfluorohexanoic acid (PFHxA)	3.8		2.0	ng/L	1		533	Total/NA
Perfluorooctanesulfonic acid (PFOS)	4.5		2.0	ng/L	1		533	Total/NA
Perfluorooctanoic acid (PFOA)	3.6		2.0	ng/L	1		533	Total/NA
Perfluoropentanoic acid (PFPeA)	3.9		2.0	ng/L	1		533	Total/NA
Perfluorooctanesulfonic acid (PFOS)	5.3		2.0	ng/L	1		537.1	Total/NA
Perfluorohexanoic acid (PFHxA)	4.1		2.0	ng/L	1		537.1	Total/NA
Perfluorooctanoic acid (PFOA)	4.3		2.0	ng/L	1		537.1	Total/NA
Perfluorohexanesulfonic acid (PFHxS)	4.0		2.0	ng/L	1		537.1	Total/NA
Perfluorobutanesulfonic acid (PFBS)	3.4		2.0	ng/L	1		537.1	Total/NA
Perfluoroheptanoic acid (PFHpA)	2.2		2.0	ng/L	1		537.1	Total/NA

Client Sample ID: FB Ka'amilo Wells P1

Lab Sample ID: 380-188443-2

No Detections.

This Detection Summary does not include radiochemical test results.

Eurofins Eaton Analytical Pomona

Client Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-188443-1
SDG: PFAS: Ka'amilo Wells P1

Client Sample ID: Ka'amilo Wells P1

Lab Sample ID: 380-188443-1

Date Collected: 12/15/25 12:14

Matrix: Water

Date Received: 12/17/25 10:30

Method: EPA 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
11-Chloroeicosafluoro-3-oxaundecan e-1-sulfonic acid (11CI-PF3OUdS)	<2.0		2.0	ng/L		12/18/25 19:05	12/19/25 15:49	1
9-Chlorohexadecafluoro-3-oxanonan e-1-sulfonic acid(9CI-PF3ONS)	<2.0		2.0	ng/L		12/18/25 19:05	12/19/25 15:49	1
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	<2.0		2.0	ng/L		12/18/25 19:05	12/19/25 15:49	1
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		2.0	ng/L		12/18/25 19:05	12/19/25 15:49	1
Perfluorobutanesulfonic acid (PFBS)	3.0		2.0	ng/L		12/18/25 19:05	12/19/25 15:49	1
Perfluorodecanoic acid (PFDA)	<2.0		2.0	ng/L		12/18/25 19:05	12/19/25 15:49	1
Perfluorododecanoic acid (PFDoA)	<2.0		2.0	ng/L		12/18/25 19:05	12/19/25 15:49	1
Perfluoroheptanoic acid (PFHpA)	<2.0		2.0	ng/L		12/18/25 19:05	12/19/25 15:49	1
Perfluorohexanesulfonic acid (PFHxS)	3.4		2.0	ng/L		12/18/25 19:05	12/19/25 15:49	1
Perfluorohexanoic acid (PFHxA)	3.8		2.0	ng/L		12/18/25 19:05	12/19/25 15:49	1
Perfluorononanoic acid (PFNA)	<2.0		2.0	ng/L		12/18/25 19:05	12/19/25 15:49	1
Perfluorooctanesulfonic acid (PFOS)	4.5		2.0	ng/L		12/18/25 19:05	12/19/25 15:49	1
Perfluorooctanoic acid (PFOA)	3.6		2.0	ng/L		12/18/25 19:05	12/19/25 15:49	1
Perfluoroundecanoic acid (PFUnA)	<2.0		2.0	ng/L		12/18/25 19:05	12/19/25 15:49	1
Perfluorobutanoic acid (PFBA)	<2.0		2.0	ng/L		12/18/25 19:05	12/19/25 15:49	1
1H,1H,2H,2H-Perfluorodecane sulfonic acid (8:2 FTS)	<2.0		2.0	ng/L		12/18/25 19:05	12/19/25 15:49	1
1H,1H,2H,2H-Perfluorohexane sulfonic acid (4:2 FTS)	<2.0		2.0	ng/L		12/18/25 19:05	12/19/25 15:49	1
1H,1H,2H,2H-Perfluorooctane sulfonic acid (6:2 FTS)	<2.0		2.0	ng/L		12/18/25 19:05	12/19/25 15:49	1
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)	<2.0		2.0	ng/L		12/18/25 19:05	12/19/25 15:49	1
Perfluoro (2-ethoxyethane) sulfonic acid (PFEESA)	<2.0		2.0	ng/L		12/18/25 19:05	12/19/25 15:49	1
Perfluoro-3-methoxypropanoic acid (PFMPA)	<2.0		2.0	ng/L		12/18/25 19:05	12/19/25 15:49	1
Perfluoro-4-methoxybutanoic acid (PFMBA)	<2.0		2.0	ng/L		12/18/25 19:05	12/19/25 15:49	1
Perfluoropentanoic acid (PFPeA)	3.9		2.0	ng/L		12/18/25 19:05	12/19/25 15:49	1
Perfluoroheptanesulfonic acid (PFHpS)	<2.0		2.0	ng/L		12/18/25 19:05	12/19/25 15:49	1
Perfluoropentanesulfonic acid (PFPeS)	<2.0		2.0	ng/L		12/18/25 19:05	12/19/25 15:49	1

Isotope Dilution	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
13C3 HFPO-DA	77		50 - 200	12/18/25 19:05	12/19/25 15:49	1
13C6 PFDA	71		50 - 200	12/18/25 19:05	12/19/25 15:49	1
13C5 PFHxA	82		50 - 200	12/18/25 19:05	12/19/25 15:49	1
13C4 PFHpA	84		50 - 200	12/18/25 19:05	12/19/25 15:49	1
13C8 PFOA	80		50 - 200	12/18/25 19:05	12/19/25 15:49	1
13C9 PFNA	76		50 - 200	12/18/25 19:05	12/19/25 15:49	1
13C7 PFUnA	73		50 - 200	12/18/25 19:05	12/19/25 15:49	1
13C2 PFDoA	77		50 - 200	12/18/25 19:05	12/19/25 15:49	1
13C4 PFBA	89		50 - 200	12/18/25 19:05	12/19/25 15:49	1
13C5 PFPeA	92		50 - 200	12/18/25 19:05	12/19/25 15:49	1
13C3 PFBS	112		50 - 200	12/18/25 19:05	12/19/25 15:49	1

Eurofins Eaton Analytical Pomona

Client Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-188443-1
SDG: PFAS: Ka'amilo Wells P1

Client Sample ID: Ka'amilo Wells P1

Lab Sample ID: 380-188443-1

Date Collected: 12/15/25 12:14

Matrix: Water

Date Received: 12/17/25 10:30

Method: EPA 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water (Continued)

Isotope Dilution	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
13C3 PFHxS	113		50 - 200	12/18/25 19:05	12/19/25 15:49	1
13C8 PFOS	111		50 - 200	12/18/25 19:05	12/19/25 15:49	1
13C2-4:2-FTS	130		50 - 200	12/18/25 19:05	12/19/25 15:49	1
13C2-6:2-FTS	113		50 - 200	12/18/25 19:05	12/19/25 15:49	1
13C2-8:2-FTS	110		50 - 200	12/18/25 19:05	12/19/25 15:49	1

Method: EPA 537.1 - Perfluorinated Alkyl Acids (LC/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		2.0	ng/L		12/18/25 02:00	12/19/25 13:41	1
Perfluorooctanesulfonic acid (PFOS)	5.3		2.0	ng/L		12/18/25 02:00	12/19/25 13:41	1
Perfluoroundecanoic acid (PFUnA)	<2.0		2.0	ng/L		12/18/25 02:00	12/19/25 13:41	1
N-methylperfluorooctanesulfonamidoacetic acid (NMeFOSAA)	<2.0		2.0	ng/L		12/18/25 02:00	12/19/25 13:41	1
N-ethylperfluorooctanesulfonamidoacetic acid (NEtFOSAA)	<2.0		2.0	ng/L		12/18/25 02:00	12/19/25 13:41	1
Perfluorohexanoic acid (PFHxA)	4.1		2.0	ng/L		12/18/25 02:00	12/19/25 13:41	1
Perfluorododecanoic acid (PFDoA)	<2.0		2.0	ng/L		12/18/25 02:00	12/19/25 13:41	1
Perfluorooctanoic acid (PFOA)	4.3		2.0	ng/L		12/18/25 02:00	12/19/25 13:41	1
Perfluorodecanoic acid (PFDA)	<2.0		2.0	ng/L		12/18/25 02:00	12/19/25 13:41	1
Perfluorohexanesulfonic acid (PFHxS)	4.0		2.0	ng/L		12/18/25 02:00	12/19/25 13:41	1
Perfluorobutanesulfonic acid (PFBS)	3.4		2.0	ng/L		12/18/25 02:00	12/19/25 13:41	1
Perfluoroheptanoic acid (PFHpA)	2.2		2.0	ng/L		12/18/25 02:00	12/19/25 13:41	1
Perfluorononanoic acid (PFNA)	<2.0		2.0	ng/L		12/18/25 02:00	12/19/25 13:41	1
Perfluorotetradecanoic acid (PFTA)	<2.0		2.0	ng/L		12/18/25 02:00	12/19/25 13:41	1
Perfluorotridecanoic acid (PFTrDA)	<2.0		2.0	ng/L		12/18/25 02:00	12/19/25 13:41	1
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid(9Cl-PF3ONS)	<2.0		2.0	ng/L		12/18/25 02:00	12/19/25 13:41	1
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	<2.0		2.0	ng/L		12/18/25 02:00	12/19/25 13:41	1
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	<2.0		2.0	ng/L		12/18/25 02:00	12/19/25 13:41	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
d5-NEtFOSAA	108		70 - 130	12/18/25 02:00	12/19/25 13:41	1
13C2 PFHxA	111		70 - 130	12/18/25 02:00	12/19/25 13:41	1
13C2 PFDA	110		70 - 130	12/18/25 02:00	12/19/25 13:41	1
13C3-GenX	105		70 - 130	12/18/25 02:00	12/19/25 13:41	1

Client Sample ID: FB Ka'amilo Wells P1

Lab Sample ID: 380-188443-2

Date Collected: 12/15/25 12:14

Matrix: Water

Date Received: 12/17/25 10:30

Method: EPA 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	<2.0		2.0	ng/L		12/18/25 19:05	12/19/25 15:59	1
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid(9Cl-PF3ONS)	<2.0		2.0	ng/L		12/18/25 19:05	12/19/25 15:59	1

Eurofins Eaton Analytical Pomona

Client Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-188443-1
SDG: PFAS: Ka'amilo Wells P1

Client Sample ID: FB Ka'amilo Wells P1

Lab Sample ID: 380-188443-2

Date Collected: 12/15/25 12:14

Matrix: Water

Date Received: 12/17/25 10:30

Method: EPA 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water (Continued)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	<2.0		2.0	ng/L		12/18/25 19:05	12/19/25 15:59	1
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		2.0	ng/L		12/18/25 19:05	12/19/25 15:59	1
Perfluorobutanesulfonic acid (PFBS)	<2.0		2.0	ng/L		12/18/25 19:05	12/19/25 15:59	1
Perfluorodecanoic acid (PFDA)	<2.0		2.0	ng/L		12/18/25 19:05	12/19/25 15:59	1
Perfluorododecanoic acid (PFDoA)	<2.0		2.0	ng/L		12/18/25 19:05	12/19/25 15:59	1
Perfluoroheptanoic acid (PFHpA)	<2.0		2.0	ng/L		12/18/25 19:05	12/19/25 15:59	1
Perfluorohexanesulfonic acid (PFHxS)	<2.0		2.0	ng/L		12/18/25 19:05	12/19/25 15:59	1
Perfluorohexanoic acid (PFHxA)	<2.0		2.0	ng/L		12/18/25 19:05	12/19/25 15:59	1
Perfluorononanoic acid (PFNA)	<2.0		2.0	ng/L		12/18/25 19:05	12/19/25 15:59	1
Perfluorooctanesulfonic acid (PFOS)	<2.0		2.0	ng/L		12/18/25 19:05	12/19/25 15:59	1
Perfluorooctanoic acid (PFOA)	<2.0		2.0	ng/L		12/18/25 19:05	12/19/25 15:59	1
Perfluoroundecanoic acid (PFUnA)	<2.0		2.0	ng/L		12/18/25 19:05	12/19/25 15:59	1
Perfluorobutanoic acid (PFBA)	<2.0		2.0	ng/L		12/18/25 19:05	12/19/25 15:59	1
1H,1H,2H,2H-Perfluorodecane sulfonic acid (8:2 FTS)	<2.0		2.0	ng/L		12/18/25 19:05	12/19/25 15:59	1
1H,1H,2H,2H-Perfluorohexane sulfonic acid (4:2 FTS)	<2.0		2.0	ng/L		12/18/25 19:05	12/19/25 15:59	1
1H,1H,2H,2H-Perfluorooctane sulfonic acid (6:2 FTS)	<2.0		2.0	ng/L		12/18/25 19:05	12/19/25 15:59	1
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)	<2.0		2.0	ng/L		12/18/25 19:05	12/19/25 15:59	1
Perfluoro (2-ethoxyethane) sulfonic acid (PFEEESA)	<2.0		2.0	ng/L		12/18/25 19:05	12/19/25 15:59	1
Perfluoro-3-methoxypropanoic acid (PFMPA)	<2.0		2.0	ng/L		12/18/25 19:05	12/19/25 15:59	1
Perfluoro-4-methoxybutanoic acid (PFMBA)	<2.0		2.0	ng/L		12/18/25 19:05	12/19/25 15:59	1
Perfluoropentanoic acid (PFPeA)	<2.0		2.0	ng/L		12/18/25 19:05	12/19/25 15:59	1
Perfluoroheptanesulfonic acid (PFHpS)	<2.0		2.0	ng/L		12/18/25 19:05	12/19/25 15:59	1
Perfluoropentanesulfonic acid (PFPeS)	<2.0		2.0	ng/L		12/18/25 19:05	12/19/25 15:59	1

Isotope Dilution	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
13C3 HFPO-DA	108		50 - 200	12/18/25 19:05	12/19/25 15:59	1
13C6 PFDA	107		50 - 200	12/18/25 19:05	12/19/25 15:59	1
13C5 PFHxA	114		50 - 200	12/18/25 19:05	12/19/25 15:59	1
13C4 PFHpA	115		50 - 200	12/18/25 19:05	12/19/25 15:59	1
13C8 PFOA	114		50 - 200	12/18/25 19:05	12/19/25 15:59	1
13C9 PFNA	113		50 - 200	12/18/25 19:05	12/19/25 15:59	1
13C7 PFUnA	110		50 - 200	12/18/25 19:05	12/19/25 15:59	1
13C2 PFDoA	108		50 - 200	12/18/25 19:05	12/19/25 15:59	1
13C4 PFBA	112		50 - 200	12/18/25 19:05	12/19/25 15:59	1
13C5 PFPeA	119		50 - 200	12/18/25 19:05	12/19/25 15:59	1
13C3 PFBS	111		50 - 200	12/18/25 19:05	12/19/25 15:59	1
13C3 PFHxS	113		50 - 200	12/18/25 19:05	12/19/25 15:59	1
13C8 PFOS	113		50 - 200	12/18/25 19:05	12/19/25 15:59	1
13C2-4:2-FTS	128		50 - 200	12/18/25 19:05	12/19/25 15:59	1
13C2-6:2-FTS	113		50 - 200	12/18/25 19:05	12/19/25 15:59	1
13C2-8:2-FTS	109		50 - 200	12/18/25 19:05	12/19/25 15:59	1

Eurofins Eaton Analytical Pomona

Client Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-188443-1
SDG: PFAS: Ka'amilo Wells P1

Client Sample ID: FB Ka'amilo Wells P1

Lab Sample ID: 380-188443-2

Date Collected: 12/15/25 12:14

Matrix: Water

Date Received: 12/17/25 10:30

Method: EPA 537.1 - Perfluorinated Alkyl Acids (LC/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		2.0	ng/L		12/18/25 02:00	12/19/25 14:48	1
Perfluorooctanesulfonic acid (PFOS)	<2.0		2.0	ng/L		12/18/25 02:00	12/19/25 14:48	1
Perfluoroundecanoic acid (PFUnA)	<2.0		2.0	ng/L		12/18/25 02:00	12/19/25 14:48	1
N-methylperfluorooctanesulfonamidoacetic acid (NMeFOSAA)	<2.0		2.0	ng/L		12/18/25 02:00	12/19/25 14:48	1
N-ethylperfluorooctanesulfonamidoacetic acid (NEtFOSAA)	<2.0		2.0	ng/L		12/18/25 02:00	12/19/25 14:48	1
Perfluorohexanoic acid (PFHxA)	<2.0		2.0	ng/L		12/18/25 02:00	12/19/25 14:48	1
Perfluorododecanoic acid (PFDoA)	<2.0		2.0	ng/L		12/18/25 02:00	12/19/25 14:48	1
Perfluorooctanoic acid (PFOA)	<2.0		2.0	ng/L		12/18/25 02:00	12/19/25 14:48	1
Perfluorodecanoic acid (PFDA)	<2.0		2.0	ng/L		12/18/25 02:00	12/19/25 14:48	1
Perfluorohexanesulfonic acid (PFHxS)	<2.0		2.0	ng/L		12/18/25 02:00	12/19/25 14:48	1
Perfluorobutanesulfonic acid (PFBS)	<2.0		2.0	ng/L		12/18/25 02:00	12/19/25 14:48	1
Perfluoroheptanoic acid (PFHpA)	<2.0		2.0	ng/L		12/18/25 02:00	12/19/25 14:48	1
Perfluorononanoic acid (PFNA)	<2.0		2.0	ng/L		12/18/25 02:00	12/19/25 14:48	1
Perfluorotetradecanoic acid (PFTA)	<2.0		2.0	ng/L		12/18/25 02:00	12/19/25 14:48	1
Perfluorotridecanoic acid (PFTrDA)	<2.0		2.0	ng/L		12/18/25 02:00	12/19/25 14:48	1
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid(9Cl-PF3ONS)	<2.0		2.0	ng/L		12/18/25 02:00	12/19/25 14:48	1
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	<2.0		2.0	ng/L		12/18/25 02:00	12/19/25 14:48	1
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	<2.0		2.0	ng/L		12/18/25 02:00	12/19/25 14:48	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
d5-NEtFOSAA	101		70 - 130			12/18/25 02:00	12/19/25 14:48	1
13C2 PFHxA	104		70 - 130			12/18/25 02:00	12/19/25 14:48	1
13C2 PFDA	106		70 - 130			12/18/25 02:00	12/19/25 14:48	1
13C3-GenX	96		70 - 130			12/18/25 02:00	12/19/25 14:48	1

Action Limit Summary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-188443-1
SDG: PFAS: Ka'amilo Wells P1

Client Sample ID: Ka'amilo Wells P1

Lab Sample ID: 380-188443-1

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL Limit	RL	Method	Prep Type
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		ng/L	10	2.0	533	Total/NA
Perfluorohexanesulfonic acid (PFHxS)	3.4		ng/L	10	2.0	533	Total/NA
Perfluorononanoic acid (PFNA)	<2.0		ng/L	10	2.0	533	Total/NA
Perfluorooctanesulfonic acid (PFOS)	4.5		ng/L	4	2.0	533	Total/NA
Perfluorooctanoic acid (PFOA)	3.6		ng/L	4	2.0	533	Total/NA
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		ng/L	10	2.0	537.1	Total/NA
Perfluorooctanesulfonic acid (PFOS)	5.3		ng/L	4	2.0	537.1	Total/NA
Perfluorooctanoic acid (PFOA)	4.3		ng/L	4	2.0	537.1	Total/NA
Perfluorohexanesulfonic acid (PFHxS)	4.0		ng/L	10	2.0	537.1	Total/NA
Perfluorononanoic acid (PFNA)	<2.0		ng/L	10	2.0	537.1	Total/NA

Client Sample ID: FB Ka'amilo Wells P1

Lab Sample ID: 380-188443-2

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL Limit	RL	Method	Prep Type
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		ng/L	10	2.0	533	Total/NA
Perfluorohexanesulfonic acid (PFHxS)	<2.0		ng/L	10	2.0	533	Total/NA
Perfluorononanoic acid (PFNA)	<2.0		ng/L	10	2.0	533	Total/NA
Perfluorooctanesulfonic acid (PFOS)	<2.0		ng/L	4	2.0	533	Total/NA
Perfluorooctanoic acid (PFOA)	<2.0		ng/L	4	2.0	533	Total/NA
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		ng/L	10	2.0	537.1	Total/NA
Perfluorooctanesulfonic acid (PFOS)	<2.0		ng/L	4	2.0	537.1	Total/NA
Perfluorooctanoic acid (PFOA)	<2.0		ng/L	4	2.0	537.1	Total/NA
Perfluorohexanesulfonic acid (PFHxS)	<2.0		ng/L	10	2.0	537.1	Total/NA
Perfluorononanoic acid (PFNA)	<2.0		ng/L	10	2.0	537.1	Total/NA

Surrogate Summary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-188443-1
SDG: PFAS: Ka'amilo Wells P1

Method: 537.1 - Perfluorinated Alkyl Acids (LC/MS)

Matrix: Water

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)			
Lab Sample ID	Client Sample ID	d5NEFOS (70-130)	PFHxA (70-130)	PFDA (70-130)	GenX (70-130)
380-188443-1	Ka'amilo Wells P1	108	111	110	105
380-188443-1 MS	Ka'amilo Wells P1	105	108	108	105
380-188443-1 MSD	Ka'amilo Wells P1	105	104	105	102
380-188443-2	FB Ka'amilo Wells P1	101	104	106	96
LCS 380-193202/22-A	Lab Control Sample	104	105	112	96
MBL 380-193202/20-A	Method Blank	105	97	106	90
MRL 380-193202/21-A	Lab Control Sample	107	105	109	103

Surrogate Legend

d5NEFOS = d5-NEtFOSAA

PFHxA = 13C2 PFHxA

PFDA = 13C2 PFDA

GenX = 13C3-GenX

Isotope Dilution Summary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-188443-1
SDG: PFAS: Ka'amilo Wells P1

Method: 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water

Matrix: Water

Prep Type: Total/NA

Percent Isotope Dilution Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	HFPODA (50-200)	C6PFDA (50-200)	13C5PHA (50-200)	C4PFHA (50-200)	C8PFOA (50-200)	C9PFNA (50-200)	13C7PUA (50-200)	PFDaA (50-200)
380-188387-B-2-A MSD	Matrix Spike Duplicate	106	109	111	111	108	112	109	108
380-188387-C-2-A MS	Matrix Spike	104	111	113	115	113	115	113	110
380-188443-1	Ka'amilo Wells P1	77	71	82	84	80	76	73	77
380-188443-2	FB Ka'amilo Wells P1	108	107	114	115	114	113	110	108
LCS 380-193399/21-A	Lab Control Sample	101	108	112	113	111	111	111	110
MBL 380-193399/19-A	Method Blank	97	109	116	115	113	115	111	110
MRL 380-193399/20-A	Lab Control Sample	95	105	111	108	106	108	107	107

Percent Isotope Dilution Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	PFBA (50-200)	PFPeA (50-200)	C3PFBS (50-200)	C3PFHS (50-200)	C8PFOS (50-200)	42FTS (50-200)	62FTS (50-200)	82FTS (50-200)
380-188387-B-2-A MSD	Matrix Spike Duplicate	111	113	111	111	116	126	120	117
380-188387-C-2-A MS	Matrix Spike	111	114	112	113	110	126	117	118
380-188443-1	Ka'amilo Wells P1	89	92	112	113	111	130	113	110
380-188443-2	FB Ka'amilo Wells P1	112	119	111	113	113	128	113	109
LCS 380-193399/21-A	Lab Control Sample	111	116	116	115	114	129	122	118
MBL 380-193399/19-A	Method Blank	112	116	117	116	118	134	123	116
MRL 380-193399/20-A	Lab Control Sample	109	112	108	108	110	118	115	110

Surrogate Legend

HFPODA = 13C3 HFPO-DA
C6PFDA = 13C6 PFDA
13C5PHA = 13C5 PFHxA
C4PFHA = 13C4 PFHpA
C8PFOA = 13C8 PFOA
C9PFNA = 13C9 PFNA
13C7PUA = 13C7 PFUnA
PFDaA = 13C2 PFDaA
PFBA = 13C4 PFBA
PFPeA = 13C5 PFPeA
C3PFBS = 13C3 PFBS
C3PFHS = 13C3 PFHxS
C8PFOS = 13C8 PFOS
42FTS = 13C2-4:2-FTS
62FTS = 13C2-6:2-FTS
82FTS = 13C2-8:2-FTS

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-188443-1
SDG: PFAS: Ka'amilo Wells P1

Method: 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water

Lab Sample ID: MBL 380-193399/19-A

Matrix: Water

Analysis Batch: 193601

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 193399

Analyte	MBL Result	MBL Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
11-Chloroeicosafluoro-3-oxaundecan e-1-sulfonic acid (11Cl-PF3OUdS)	<0.30		2.0	ng/L		12/18/25 19:05	12/19/25 12:57	1
9-Chlorohexadecafluoro-3-oxanonan e-1-sulfonic acid(9Cl-PF3ONS)	<0.30		2.0	ng/L		12/18/25 19:05	12/19/25 12:57	1
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	<0.60		2.0	ng/L		12/18/25 19:05	12/19/25 12:57	1
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<1.0		2.0	ng/L		12/18/25 19:05	12/19/25 12:57	1
Perfluorobutanesulfonic acid (PFBS)	<0.37		2.0	ng/L		12/18/25 19:05	12/19/25 12:57	1
Perfluorodecanoic acid (PFDA)	<0.31		2.0	ng/L		12/18/25 19:05	12/19/25 12:57	1
Perfluorododecanoic acid (PFDoA)	<0.54		2.0	ng/L		12/18/25 19:05	12/19/25 12:57	1
Perfluoroheptanoic acid (PFHpA)	<0.39		2.0	ng/L		12/18/25 19:05	12/19/25 12:57	1
Perfluorohexanesulfonic acid (PFHxS)	<0.32		2.0	ng/L		12/18/25 19:05	12/19/25 12:57	1
Perfluorohexanoic acid (PFHxA)	<0.46		2.0	ng/L		12/18/25 19:05	12/19/25 12:57	1
Perfluorononanoic acid (PFNA)	<0.40		2.0	ng/L		12/18/25 19:05	12/19/25 12:57	1
Perfluorooctanesulfonic acid (PFOS)	<0.43		2.0	ng/L		12/18/25 19:05	12/19/25 12:57	1
Perfluorooctanoic acid (PFOA)	<0.38		2.0	ng/L		12/18/25 19:05	12/19/25 12:57	1
Perfluoroundecanoic acid (PFUnA)	<0.42		2.0	ng/L		12/18/25 19:05	12/19/25 12:57	1
Perfluorobutanoic acid (PFBA)	<0.69		2.0	ng/L		12/18/25 19:05	12/19/25 12:57	1
1H,1H,2H,2H-Perfluorodecane sulfonic acid (8:2 FTS)	<0.38		2.0	ng/L		12/18/25 19:05	12/19/25 12:57	1
1H,1H,2H,2H-Perfluorohexane sulfonic acid (4:2 FTS)	<0.37		2.0	ng/L		12/18/25 19:05	12/19/25 12:57	1
1H,1H,2H,2H-Perfluorooctane sulfonic acid (6:2 FTS)	<0.48		2.0	ng/L		12/18/25 19:05	12/19/25 12:57	1
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)	<0.47		2.0	ng/L		12/18/25 19:05	12/19/25 12:57	1
Perfluoro (2-ethoxyethane) sulfonic acid (PFEEESA)	<0.25		2.0	ng/L		12/18/25 19:05	12/19/25 12:57	1
Perfluoro-3-methoxypropanoic acid (PFMPA)	<0.46		2.0	ng/L		12/18/25 19:05	12/19/25 12:57	1
Perfluoro-4-methoxybutanoic acid (PFMBA)	<0.15		2.0	ng/L		12/18/25 19:05	12/19/25 12:57	1
Perfluoropentanoic acid (PFPeA)	<0.38		2.0	ng/L		12/18/25 19:05	12/19/25 12:57	1
Perfluoroheptanesulfonic acid (PFHpS)	<0.36		2.0	ng/L		12/18/25 19:05	12/19/25 12:57	1
Perfluoropentanesulfonic acid (PFPeS)	<0.39		2.0	ng/L		12/18/25 19:05	12/19/25 12:57	1

Isotope Dilution	MBL %Recovery	MBL Qualifier	Limits	Prepared	Analyzed	Dil Fac
13C3 HFPO-DA	97		50 - 200	12/18/25 19:05	12/19/25 12:57	1
13C6 PFDA	109		50 - 200	12/18/25 19:05	12/19/25 12:57	1
13C5 PFHxA	116		50 - 200	12/18/25 19:05	12/19/25 12:57	1
13C4 PFHpA	115		50 - 200	12/18/25 19:05	12/19/25 12:57	1
13C8 PFOA	113		50 - 200	12/18/25 19:05	12/19/25 12:57	1
13C9 PFNA	115		50 - 200	12/18/25 19:05	12/19/25 12:57	1
13C7 PFUnA	111		50 - 200	12/18/25 19:05	12/19/25 12:57	1
13C2 PFDoA	110		50 - 200	12/18/25 19:05	12/19/25 12:57	1
13C4 PFBA	112		50 - 200	12/18/25 19:05	12/19/25 12:57	1
13C5 PFPeA	116		50 - 200	12/18/25 19:05	12/19/25 12:57	1
13C3 PFBS	117		50 - 200	12/18/25 19:05	12/19/25 12:57	1
13C3 PFHxS	116		50 - 200	12/18/25 19:05	12/19/25 12:57	1

Eurofins Eaton Analytical Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-188443-1
SDG: PFAS: Ka'amilo Wells P1

Method: 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water (Continued)

Lab Sample ID: MBL 380-193399/19-A

Matrix: Water

Analysis Batch: 193601

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 193399

Isotope Dilution	MBL %Recovery	MBL Qualifier	Limits	Prepared	Analyzed	Dil Fac
13C8 PFOS	118		50 - 200	12/18/25 19:05	12/19/25 12:57	1
13C2-4:2-FTS	134		50 - 200	12/18/25 19:05	12/19/25 12:57	1
13C2-6:2-FTS	123		50 - 200	12/18/25 19:05	12/19/25 12:57	1
13C2-8:2-FTS	116		50 - 200	12/18/25 19:05	12/19/25 12:57	1

Lab Sample ID: LCS 380-193399/21-A

Matrix: Water

Analysis Batch: 193601

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 193399

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
11-Chloroeicosfluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	60.2	53.1		ng/L		88	70 - 130
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid (9Cl-PF3ONS)	60.2	54.6		ng/L		91	70 - 130
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	60.2	54.2		ng/L		90	70 - 130
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	60.2	54.1		ng/L		90	70 - 130
Perfluorobutanesulfonic acid (PFBS)	60.2	55.1		ng/L		91	70 - 130
Perfluorodecanoic acid (PFDA)	60.2	56.3		ng/L		93	70 - 130
Perfluorododecanoic acid (PFDaA)	60.2	53.5		ng/L		89	70 - 130
Perfluoroheptanoic acid (PFHpA)	60.2	52.7		ng/L		88	70 - 130
Perfluorohexanesulfonic acid (PFHxS)	60.2	55.6		ng/L		92	70 - 130
Perfluorohexanoic acid (PFHxA)	60.2	54.6		ng/L		91	70 - 130
Perfluorononanoic acid (PFNA)	60.2	55.6		ng/L		92	70 - 130
Perfluorooctanesulfonic acid (PFOS)	60.2	54.0		ng/L		90	70 - 130
Perfluorooctanoic acid (PFOA)	60.2	55.3		ng/L		92	70 - 130
Perfluoroundecanoic acid (PFUnA)	60.2	54.6		ng/L		91	70 - 130
Perfluorobutanoic acid (PFBA)	60.2	54.8		ng/L		91	70 - 130
1H,1H,2H,2H-Perfluorodecane sulfonic acid (8:2 FTS)	60.2	55.9		ng/L		93	70 - 130
1H,1H,2H,2H-Perfluorohexane sulfonic acid (4:2 FTS)	60.2	54.2		ng/L		90	70 - 130
1H,1H,2H,2H-Perfluorooctane sulfonic acid (6:2 FTS)	60.2	55.4		ng/L		92	70 - 130
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)	60.2	51.0		ng/L		85	70 - 130
Perfluoro (2-ethoxyethane) sulfonic acid (PFEEA)	60.2	57.1		ng/L		95	70 - 130
Perfluoro-3-methoxypropanoic acid (PFMPA)	60.2	56.6		ng/L		94	70 - 130
Perfluoro-4-methoxybutanoic acid (PFMBA)	60.2	55.5		ng/L		92	70 - 130
Perfluoropentanoic acid (PFPeA)	60.2	54.9		ng/L		91	70 - 130
Perfluoroheptanesulfonic acid (PFHpS)	60.2	55.1		ng/L		91	70 - 130

Eurofins Eaton Analytical Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-188443-1
SDG: PFAS: Ka'amilo Wells P1

Method: 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water (Continued)

Lab Sample ID: LCS 380-193399/21-A

Matrix: Water

Analysis Batch: 193601

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 193399

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Perfluoropentanesulfonic acid (PFPeS)	60.2	55.6		ng/L		92	70 - 130
		LCS	LCS				
Isotope Dilution	%Recovery	Qualifier	Limits				
13C3 HFPO-DA	101		50 - 200				
13C6 PFDA	108		50 - 200				
13C5 PFHxA	112		50 - 200				
13C4 PFHpA	113		50 - 200				
13C8 PFOA	111		50 - 200				
13C9 PFNA	111		50 - 200				
13C7 PFUnA	111		50 - 200				
13C2 PFDoA	110		50 - 200				
13C4 PFBA	111		50 - 200				
13C5 PFPeA	116		50 - 200				
13C3 PFBS	116		50 - 200				
13C3 PFHxS	115		50 - 200				
13C8 PFOS	114		50 - 200				
13C2-4:2-FTS	129		50 - 200				
13C2-6:2-FTS	122		50 - 200				
13C2-8:2-FTS	118		50 - 200				

Lab Sample ID: MRL 380-193399/20-A

Matrix: Water

Analysis Batch: 193601

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 193399

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	2.01	1.86	J	ng/L		93	50 - 150
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid (9Cl-PF3ONS)	2.01	1.89	J	ng/L		94	50 - 150
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	2.01	2.03	J	ng/L		101	50 - 150
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	2.01	2.10	J	ng/L		105	50 - 150
Perfluorobutanesulfonic acid (PFBS)	2.01	2.06	J	ng/L		102	50 - 150
Perfluorodecanoic acid (PFDA)	2.01	2.08	J	ng/L		104	50 - 150
Perfluorododecanoic acid (PFDoA)	2.01	2.04	J	ng/L		101	50 - 150
Perfluoroheptanoic acid (PFHpA)	2.01	2.10	J	ng/L		105	50 - 150
Perfluorohexanesulfonic acid (PFHxS)	2.01	2.01	J	ng/L		100	50 - 150
Perfluorohexanoic acid (PFHxA)	2.01	1.96	J	ng/L		98	50 - 150
Perfluorononanoic acid (PFNA)	2.01	2.09	J	ng/L		104	50 - 150
Perfluorooctanesulfonic acid (PFOS)	2.01	2.03	J	ng/L		101	50 - 150
Perfluorooctanoic acid (PFOA)	2.01	2.00	J	ng/L		100	50 - 150
Perfluoroundecanoic acid (PFUnA)	2.01	2.11	J	ng/L		105	50 - 150
Perfluorobutanoic acid (PFBA)	2.01	2.09	J	ng/L		104	50 - 150

Eurofins Eaton Analytical Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-188443-1
SDG: PFAS: Ka'amilo Wells P1

Method: 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water (Continued)

Lab Sample ID: MRL 380-193399/20-A

Matrix: Water

Analysis Batch: 193601

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 193399

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
1H,1H,2H,2H-Perfluorodecane sulfonic acid (8:2 FTS)	2.01	2.02	J	ng/L		100	50 - 150
1H,1H,2H,2H-Perfluorohexane sulfonic acid (4:2 FTS)	2.01	2.33	J	ng/L		116	50 - 150
1H,1H,2H,2H-Perfluorooctane sulfonic acid (6:2 FTS)	2.01	2.37	J	ng/L		118	50 - 150
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)	2.01	1.79	J	ng/L		89	50 - 150
Perfluoro (2-ethoxyethane) sulfonic acid (PFEESA)	2.01	2.03	J	ng/L		101	50 - 150
Perfluoro-3-methoxypropanoic acid (PFMPA)	2.01	2.00	J	ng/L		100	50 - 150
Perfluoro-4-methoxybutanoic acid (PFMBA)	2.01	2.03	J	ng/L		101	50 - 150
Perfluoropentanoic acid (PFPeA)	2.01	2.12	J	ng/L		106	50 - 150
Perfluoroheptanesulfonic acid (PFHpS)	2.01	1.92	J	ng/L		96	50 - 150
Perfluoropentanesulfonic acid (PFPeS)	2.01	2.02	J	ng/L		101	50 - 150

Isotope Dilution	MRL %Recovery	MRL Qualifier	MRL Limits
13C3 HFPO-DA	95		50 - 200
13C6 PFDA	105		50 - 200
13C5 PFHxA	111		50 - 200
13C4 PFHpA	108		50 - 200
13C8 PFOA	106		50 - 200
13C9 PFNA	108		50 - 200
13C7 PFUnA	107		50 - 200
13C2 PFDoA	107		50 - 200
13C4 PFBA	109		50 - 200
13C5 PFPeA	112		50 - 200
13C3 PFBS	108		50 - 200
13C3 PFHxS	108		50 - 200
13C8 PFOS	110		50 - 200
13C2-4:2-FTS	118		50 - 200
13C2-6:2-FTS	115		50 - 200
13C2-8:2-FTS	110		50 - 200

Lab Sample ID: 380-188387-B-2-A MSD

Matrix: Water

Analysis Batch: 193601

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 193399

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
11-Chloroeicosfluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	<2.0		60.2	54.0		ng/L		90	70 - 130	4	30
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid(9Cl-PF3ONS)	<2.0		60.2	53.4		ng/L		89	70 - 130	5	30
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	<2.0		60.2	56.3		ng/L		93	70 - 130	2	30

Eurofins Eaton Analytical Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-188443-1
SDG: PFAS: Ka'amilo Wells P1

Method: 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water (Continued)

Lab Sample ID: 380-188387-B-2-A MSD

Matrix: Water

Analysis Batch: 193601

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 193399

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Hexafluoropropylene Oxide	<2.0		60.2	54.4		ng/L		90	70 - 130	4	30
Dimer Acid (HFPO-DA/GenX)											
Perfluorobutanesulfonic acid (PFBS)	<2.0		60.2	56.9		ng/L		95	70 - 130	2	30
Perfluorodecanoic acid (PFDA)	<2.0		60.2	57.9		ng/L		96	70 - 130	3	30
Perfluorododecanoic acid (PFDoA)	<2.0		60.2	57.2		ng/L		95	70 - 130	1	30
Perfluoroheptanoic acid (PFHpA)	<2.0		60.2	55.7		ng/L		93	70 - 130	3	30
Perfluorohexanesulfonic acid (PFHxS)	<2.0		60.2	56.0		ng/L		92	70 - 130	1	30
Perfluorohexanoic acid (PFHxA)	<2.0		60.2	57.0		ng/L		95	70 - 130	1	30
Perfluorononanoic acid (PFNA)	<2.0		60.2	56.8		ng/L		94	70 - 130	1	30
Perfluorooctanesulfonic acid (PFOS)	<2.0		60.2	54.3		ng/L		89	70 - 130	5	30
Perfluorooctanoic acid (PFOA)	<2.0		60.2	58.5		ng/L		96	70 - 130	3	30
Perfluoroundecanoic acid (PFUnA)	<2.0		60.2	57.3		ng/L		95	70 - 130	3	30
Perfluorobutanoic acid (PFBA)	<2.0		60.2	55.1		ng/L		91	70 - 130	2	30
1H,1H,2H,2H-Perfluorodecane sulfonic acid (8:2 FTS)	<2.0		60.2	57.3		ng/L		95	70 - 130	1	30
1H,1H,2H,2H-Perfluorohexane sulfonic acid (4:2 FTS)	<2.0		60.2	57.3		ng/L		95	70 - 130	2	30
1H,1H,2H,2H-Perfluorooctane sulfonic acid (6:2 FTS)	<2.0		60.2	55.2		ng/L		92	70 - 130	5	30
Nonafluoro-3,6-dioxahexanoic acid (NFDHA)	<2.0		60.2	54.9		ng/L		91	70 - 130	2	30
Perfluoro (2-ethoxyethane) sulfonic acid (PFEEESA)	<2.0		60.2	58.6		ng/L		97	70 - 130	1	30
Perfluoro-3-methoxypropanoic acid (PFMPA)	<2.0		60.2	56.1		ng/L		93	70 - 130	1	30
Perfluoro-4-methoxybutanoic acid (PFMBA)	<2.0		60.2	58.1		ng/L		97	70 - 130	1	30
Perfluoropentanoic acid (PFPeA)	<2.0		60.2	56.3		ng/L		93	70 - 130	2	30
Perfluoroheptanesulfonic acid (PFHpS)	<2.0		60.2	53.9		ng/L		89	70 - 130	3	30
Perfluoropentanesulfonic acid (PFPeS)	<2.0		60.2	56.6		ng/L		94	70 - 130	2	30

Isotope Dilution	MSD %Recovery	MSD Qualifier	Limits
13C3 HFPO-DA	106		50 - 200
13C6 PFDA	109		50 - 200
13C5 PFHxA	111		50 - 200
13C4 PFHpA	111		50 - 200
13C8 PFOA	108		50 - 200
13C9 PFNA	112		50 - 200
13C7 PFUnA	109		50 - 200
13C2 PFDoA	108		50 - 200
13C4 PFBA	111		50 - 200
13C5 PFPeA	113		50 - 200
13C3 PFBS	111		50 - 200
13C3 PFHxS	111		50 - 200
13C8 PFOS	116		50 - 200

Eurofins Eaton Analytical Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-188443-1
SDG: PFAS: Ka'amilo Wells P1

Method: 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water (Continued)

Lab Sample ID: 380-188387-B-2-A MSD

Matrix: Water

Analysis Batch: 193601

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 193399

Isotope Dilution	MSD %Recovery	MSD Qualifier	Limits
13C2-4:2-FTS	126		50 - 200
13C2-6:2-FTS	120		50 - 200
13C2-8:2-FTS	117		50 - 200

Lab Sample ID: 380-188387-C-2-A MS

Matrix: Water

Analysis Batch: 193601

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 193399

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	<2.0		60.4	56.4		ng/L		93	70 - 130
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid (9Cl-PF3ONS)	<2.0		60.4	56.1		ng/L		93	70 - 130
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	<2.0		60.4	55.0		ng/L		91	70 - 130
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		60.4	56.4		ng/L		93	70 - 130
Perfluorobutanesulfonic acid (PFBS)	<2.0		60.4	56.1		ng/L		93	70 - 130
Perfluorodecanoic acid (PFDA)	<2.0		60.4	56.3		ng/L		93	70 - 130
Perfluorododecanoic acid (PFDaA)	<2.0		60.4	57.6		ng/L		95	70 - 130
Perfluoroheptanoic acid (PFHpA)	<2.0		60.4	54.0		ng/L		90	70 - 130
Perfluorohexanesulfonic acid (PFHxS)	<2.0		60.4	55.5		ng/L		91	70 - 130
Perfluorohexanoic acid (PFHxA)	<2.0		60.4	56.7		ng/L		94	70 - 130
Perfluorononanoic acid (PFNA)	<2.0		60.4	56.1		ng/L		93	70 - 130
Perfluorooctanesulfonic acid (PFOS)	<2.0		60.4	57.1		ng/L		93	70 - 130
Perfluorooctanoic acid (PFOA)	<2.0		60.4	56.6		ng/L		93	70 - 130
Perfluoroundecanoic acid (PFUnA)	<2.0		60.4	55.6		ng/L		92	70 - 130
Perfluorobutanoic acid (PFBA)	<2.0		60.4	56.0		ng/L		93	70 - 130
1H,1H,2H,2H-Perfluorodecane sulfonic acid (8:2 FTS)	<2.0		60.4	56.8		ng/L		94	70 - 130
1H,1H,2H,2H-Perfluorohexane sulfonic acid (4:2 FTS)	<2.0		60.4	56.3		ng/L		93	70 - 130
1H,1H,2H,2H-Perfluorooctane sulfonic acid (6:2 FTS)	<2.0		60.4	57.9		ng/L		96	70 - 130
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)	<2.0		60.4	55.8		ng/L		93	70 - 130
Perfluoro (2-ethoxyethane) sulfonic acid (PFEEA)	<2.0		60.4	59.2		ng/L		98	70 - 130
Perfluoro-3-methoxypropanoic acid (PFMPA)	<2.0		60.4	56.9		ng/L		94	70 - 130
Perfluoro-4-methoxybutanoic acid (PFMBA)	<2.0		60.4	58.7		ng/L		97	70 - 130
Perfluoropentanoic acid (PFPeA)	<2.0		60.4	57.3		ng/L		95	70 - 130
Perfluoroheptanesulfonic acid (PFHpS)	<2.0		60.4	55.6		ng/L		92	70 - 130
Perfluoropentanesulfonic acid (PFPeS)	<2.0		60.4	55.6		ng/L		92	70 - 130

Eurofins Eaton Analytical Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-188443-1
SDG: PFAS: Ka'amilo Wells P1

Method: 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water (Continued)

Isotope Dilution	MS MS %Recovery	Qualifier	Limits
13C3 HFPO-DA	104		50 - 200
13C6 PFDA	111		50 - 200
13C5 PFHxA	113		50 - 200
13C4 PFHpA	115		50 - 200
13C8 PFOA	113		50 - 200
13C9 PFNA	115		50 - 200
13C7 PFUnA	113		50 - 200
13C2 PFDoA	110		50 - 200
13C4 PFBA	111		50 - 200
13C5 PFPeA	114		50 - 200
13C3 PFBS	112		50 - 200
13C3 PFHxS	113		50 - 200
13C8 PFOS	110		50 - 200
13C2-4:2-FTS	126		50 - 200
13C2-6:2-FTS	117		50 - 200
13C2-8:2-FTS	118		50 - 200

Method: 537.1 - Perfluorinated Alkyl Acids (LC/MS)

Lab Sample ID: MBL 380-193202/20-A
Matrix: Water
Analysis Batch: 193638

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 193202

Analyte	MBL Result	MBL Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<1.0		2.0	ng/L		12/18/25 02:00	12/19/25 13:10	1
Perfluorooctanesulfonic acid (PFOS)	<0.43		2.0	ng/L		12/18/25 02:00	12/19/25 13:10	1
Perfluoroundecanoic acid (PFUnA)	<0.42		2.0	ng/L		12/18/25 02:00	12/19/25 13:10	1
N-methylperfluorooctanesulfonamidoacetic acid (NMeFOSAA)	<0.58		2.0	ng/L		12/18/25 02:00	12/19/25 13:10	1
N-ethylperfluorooctanesulfonamidoacetic acid (NEtFOSAA)	<0.42		2.0	ng/L		12/18/25 02:00	12/19/25 13:10	1
Perfluorohexanoic acid (PFHxA)	<0.46		2.0	ng/L		12/18/25 02:00	12/19/25 13:10	1
Perfluorododecanoic acid (PFDoA)	<0.54		2.0	ng/L		12/18/25 02:00	12/19/25 13:10	1
Perfluorooctanoic acid (PFOA)	<0.38		2.0	ng/L		12/18/25 02:00	12/19/25 13:10	1
Perfluorodecanoic acid (PFDA)	<0.31		2.0	ng/L		12/18/25 02:00	12/19/25 13:10	1
Perfluorohexanesulfonic acid (PFHxS)	<0.32		2.0	ng/L		12/18/25 02:00	12/19/25 13:10	1
Perfluorobutanesulfonic acid (PFBS)	<0.37		2.0	ng/L		12/18/25 02:00	12/19/25 13:10	1
Perfluoroheptanoic acid (PFHpA)	<0.39		2.0	ng/L		12/18/25 02:00	12/19/25 13:10	1
Perfluorononanoic acid (PFNA)	<0.40		2.0	ng/L		12/18/25 02:00	12/19/25 13:10	1
Perfluorotetradecanoic acid (PFTA)	<0.54		2.0	ng/L		12/18/25 02:00	12/19/25 13:10	1
Perfluorotridecanoic acid (PFTrDA)	<0.36		2.0	ng/L		12/18/25 02:00	12/19/25 13:10	1
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid(9Cl-PF3ONS)	<0.30		2.0	ng/L		12/18/25 02:00	12/19/25 13:10	1
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	<0.30		2.0	ng/L		12/18/25 02:00	12/19/25 13:10	1
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	<0.60		2.0	ng/L		12/18/25 02:00	12/19/25 13:10	1
Surrogate	MBL %Recovery	MBL Qualifier	Limits			Prepared	Analyzed	Dil Fac
d5-NEtFOSAA	105		70 - 130			12/18/25 02:00	12/19/25 13:10	1
13C2 PFHxA	97		70 - 130			12/18/25 02:00	12/19/25 13:10	1
13C2 PFDA	106		70 - 130			12/18/25 02:00	12/19/25 13:10	1

Eurofins Eaton Analytical Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-188443-1
SDG: PFAS: Ka'amilo Wells P1

Method: 537.1 - Perfluorinated Alkyl Acids (LC/MS) (Continued)

Lab Sample ID: MBL 380-193202/20-A
Matrix: Water
Analysis Batch: 193638

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 193202

Surrogate	MBL %Recovery	MBL Qualifier	Limits	Prepared	Analyzed	Dil Fac
13C3-GenX	90		70 - 130	12/18/25 02:00	12/19/25 13:10	1

Lab Sample ID: LCS 380-193202/22-A
Matrix: Water
Analysis Batch: 193638

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 193202

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Hexafluoropropylene Oxide	25.1	21.6		ng/L		86	70 - 130
Dimer Acid (HFPO-DA/GenX)							
Perfluorooctanesulfonic acid (PFOS)	25.1	26.6		ng/L		106	70 - 130
Perfluoroundecanoic acid (PFUnA)	25.1	26.5		ng/L		106	70 - 130
N-methylperfluorooctanesulfonamidoacetic acid (NMeFOSAA)	25.1	24.2		ng/L		96	70 - 130
N-ethylperfluorooctanesulfonamidoacetic acid (NEtFOSAA)	25.1	23.5		ng/L		93	70 - 130
Perfluorohexanoic acid (PFHxA)	25.1	24.3		ng/L		97	70 - 130
Perfluorododecanoic acid (PFDoA)	25.1	26.5		ng/L		105	70 - 130
Perfluorooctanoic acid (PFOA)	25.1	25.7		ng/L		102	70 - 130
Perfluorodecanoic acid (PFDA)	25.1	25.8		ng/L		103	70 - 130
Perfluorohexanesulfonic acid (PFHxS)	25.1	27.1		ng/L		108	70 - 130
Perfluorobutanesulfonic acid (PFBS)	25.1	24.9		ng/L		99	70 - 130
Perfluoroheptanoic acid (PFHpA)	25.1	25.2		ng/L		100	70 - 130
Perfluorononanoic acid (PFNA)	25.1	25.7		ng/L		102	70 - 130
Perfluorotetradecanoic acid (PFTA)	25.1	24.6		ng/L		98	70 - 130
Perfluorotridecanoic acid (PFTrDA)	25.1	26.5		ng/L		106	70 - 130
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid(9Cl-PF3ONS)	25.1	26.1		ng/L		104	70 - 130
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	25.1	25.4		ng/L		101	70 - 130
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	25.1	23.9		ng/L		95	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
d5-NEtFOSAA	104		70 - 130
13C2 PFHxA	105		70 - 130
13C2 PFDA	112		70 - 130
13C3-GenX	96		70 - 130

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-188443-1
SDG: PFAS: Ka'amilo Wells P1

Method: 537.1 - Perfluorinated Alkyl Acids (LC/MS) (Continued)

Lab Sample ID: MRL 380-193202/21-A

Matrix: Water

Analysis Batch: 193638

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 193202

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	2.01	2.00	J	ng/L		100	50 - 150
Perfluorooctanesulfonic acid (PFOS)	2.01	2.15	J	ng/L		107	50 - 150
Perfluoroundecanoic acid (PFUnA)	2.01	2.13	J	ng/L		106	50 - 150
N-methylperfluorooctanesulfonamidoacetic acid (NMeFOSAA)	2.01	1.88	J	ng/L		94	50 - 150
N-ethylperfluorooctanesulfonamidoacetic acid (NEtFOSAA)	2.01	2.01	J	ng/L		100	50 - 150
Perfluorohexanoic acid (PFHxA)	2.01	2.11	J	ng/L		105	50 - 150
Perfluorododecanoic acid (PFDoA)	2.01	2.11	J	ng/L		105	50 - 150
Perfluorooctanoic acid (PFOA)	2.01	2.09	J	ng/L		104	50 - 150
Perfluorodecanoic acid (PFDA)	2.01	2.18	J	ng/L		109	50 - 150
Perfluorohexanesulfonic acid (PFHxS)	2.01	2.21	J	ng/L		110	50 - 150
Perfluorobutanesulfonic acid (PFBS)	2.01	2.04	J	ng/L		102	50 - 150
Perfluoroheptanoic acid (PFHpA)	2.01	2.08	J	ng/L		104	50 - 150
Perfluorononanoic acid (PFNA)	2.01	2.16	J	ng/L		108	50 - 150
Perfluorotetradecanoic acid (PFTA)	2.01	1.87	J	ng/L		93	50 - 150
Perfluorotridecanoic acid (PFTrDA)	2.01	2.05	J	ng/L		102	50 - 150
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid(9Cl-PF3ONS)	2.01	2.14	J	ng/L		107	50 - 150
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	2.01	1.95	J	ng/L		97	50 - 150
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	2.01	2.00	J	ng/L		99	50 - 150

Surrogate	MRL %Recovery	MRL Qualifier	Limits
d5-NEtFOSAA	107		70 - 130
13C2 PFHxA	105		70 - 130
13C2 PFDA	109		70 - 130
13C3-GenX	103		70 - 130

Lab Sample ID: 380-188443-1 MS

Matrix: Water

Analysis Batch: 193638

Client Sample ID: Ka'amilo Wells P1

Prep Type: Total/NA

Prep Batch: 193202

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		25.2	25.9		ng/L		103	70 - 130
Perfluorooctanesulfonic acid (PFOS)	5.3		25.2	32.0		ng/L		106	70 - 130
Perfluoroundecanoic acid (PFUnA)	<2.0		25.2	26.9		ng/L		107	70 - 130
N-methylperfluorooctanesulfonamidoacetic acid (NMeFOSAA)	<2.0		25.2	25.9		ng/L		103	70 - 130

Eurofins Eaton Analytical Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-188443-1
SDG: PFAS: Ka'amilo Wells P1

Method: 537.1 - Perfluorinated Alkyl Acids (LC/MS) (Continued)

Lab Sample ID: 380-188443-1 MS

Matrix: Water

Analysis Batch: 193638

Client Sample ID: Ka'amilo Wells P1

Prep Type: Total/NA

Prep Batch: 193202

Analyte	Sample	Sample	Spike	MS	MS	Unit	D	%Rec	%Rec	Limits		
	Result	Qualifier	Added	Result	Qualifier				Limits			
N-ethylperfluorooctanesulfonamidoacetic acid (NEtFOSAA)	<2.0		25.2	26.3		ng/L		105	70 - 130			
Perfluorohexanoic acid (PFHxA)	4.1		25.2	30.7		ng/L		106	70 - 130			
Perfluorododecanoic acid (PFDoA)	<2.0		25.2	27.3		ng/L		109	70 - 130			
Perfluorooctanoic acid (PFOA)	4.3		25.2	30.6		ng/L		105	70 - 130			
Perfluorodecanoic acid (PFDA)	<2.0		25.2	27.2		ng/L		108	70 - 130			
Perfluorohexanesulfonic acid (PFHxS)	4.0		25.2	32.0		ng/L		112	70 - 130			
Perfluorobutanesulfonic acid (PFBS)	3.4		25.2	30.2		ng/L		106	70 - 130			
Perfluoroheptanoic acid (PFHpA)	2.2		25.2	29.4		ng/L		108	70 - 130			
Perfluorononanoic acid (PFNA)	<2.0		25.2	27.2		ng/L		108	70 - 130			
Perfluorotetradecanoic acid (PFTA)	<2.0		25.2	25.4		ng/L		101	70 - 130			
Perfluorotridecanoic acid (PFTrDA)	<2.0		25.2	28.0		ng/L		111	70 - 130			
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid(9Cl-PF3ONS)	<2.0		25.2	26.6		ng/L		106	70 - 130			
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	<2.0		25.2	26.4		ng/L		105	70 - 130			
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	<2.0		25.2	26.6		ng/L		106	70 - 130			
		MS	MS									
Surrogate	%Recovery	Qualifier	Limits									
d5-NEtFOSAA	105		70 - 130									
13C2 PFHxA	108		70 - 130									
13C2 PFDA	108		70 - 130									
13C3-GenX	105		70 - 130									

Lab Sample ID: 380-188443-1 MSD

Matrix: Water

Analysis Batch: 193638

Client Sample ID: Ka'amilo Wells P1

Prep Type: Total/NA

Prep Batch: 193202

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	Limit
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		25.1	23.7		ng/L		95	70 - 130	9	30
Perfluorooctanesulfonic acid (PFOS)	5.3		25.1	31.3		ng/L		104	70 - 130	2	30
Perfluoroundecanoic acid (PFUnA)	<2.0		25.1	25.1		ng/L		100	70 - 130	7	30
N-methylperfluorooctanesulfonamidoacetic acid (NMeFOSAA)	<2.0		25.1	25.2		ng/L		100	70 - 130	3	30
N-ethylperfluorooctanesulfonamidoacetic acid (NEtFOSAA)	<2.0		25.1	25.1		ng/L		100	70 - 130	5	30
Perfluorohexanoic acid (PFHxA)	4.1		25.1	28.2		ng/L		96	70 - 130	8	30
Perfluorododecanoic acid (PFDoA)	<2.0		25.1	25.8		ng/L		103	70 - 130	6	30
Perfluorooctanoic acid (PFOA)	4.3		25.1	29.4		ng/L		100	70 - 130	4	30
Perfluorodecanoic acid (PFDA)	<2.0		25.1	25.6		ng/L		102	70 - 130	6	30

Eurofins Eaton Analytical Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-188443-1
SDG: PFAS: Ka'amilo Wells P1

Method: 537.1 - Perfluorinated Alkyl Acids (LC/MS) (Continued)

Lab Sample ID: 380-188443-1 MSD

Matrix: Water

Analysis Batch: 193638

Client Sample ID: Ka'amilo Wells P1

Prep Type: Total/NA

Prep Batch: 193202

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Perfluorohexanesulfonic acid (PFHxS)	4.0		25.1	29.7		ng/L		103	70 - 130	7	30
Perfluorobutanesulfonic acid (PFBS)	3.4		25.1	28.8		ng/L		101	70 - 130	5	30
Perfluoroheptanoic acid (PFHpA)	2.2		25.1	26.9		ng/L		99	70 - 130	9	30
Perfluorononanoic acid (PFNA)	<2.0		25.1	25.3		ng/L		101	70 - 130	7	30
Perfluorotetradecanoic acid (PFTA)	<2.0		25.1	23.0		ng/L		91	70 - 130	10	30
Perfluorotridecanoic acid (PFTTrDA)	<2.0		25.1	26.3		ng/L		105	70 - 130	6	30
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid(9Cl-PF3ONS)	<2.0		25.1	25.3		ng/L		101	70 - 130	5	30
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	<2.0		25.1	24.0		ng/L		96	70 - 130	9	30
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	<2.0		25.1	24.8		ng/L		99	70 - 130	7	30

Surrogate	MSD %Recovery	MSD Qualifier	Limits
d5-NEtFOSAA	105		70 - 130
13C2 PFHxA	104		70 - 130
13C2 PFDA	105		70 - 130
13C3-GenX	102		70 - 130

QC Association Summary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-188443-1
SDG: PFAS: Ka'amilo Wells P1

LCMS

Prep Batch: 193202

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-188443-1	Ka'amilo Wells P1	Total/NA	Water	537.1 DW	
380-188443-2	FB Ka'amilo Wells P1	Total/NA	Water	537.1 DW	
MBL 380-193202/20-A	Method Blank	Total/NA	Water	537.1 DW	
LCS 380-193202/22-A	Lab Control Sample	Total/NA	Water	537.1 DW	
MRL 380-193202/21-A	Lab Control Sample	Total/NA	Water	537.1 DW	
380-188443-1 MS	Ka'amilo Wells P1	Total/NA	Water	537.1 DW	
380-188443-1 MSD	Ka'amilo Wells P1	Total/NA	Water	537.1 DW	

Prep Batch: 193399

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-188443-1	Ka'amilo Wells P1	Total/NA	Water	533	
380-188443-2	FB Ka'amilo Wells P1	Total/NA	Water	533	
MBL 380-193399/19-A	Method Blank	Total/NA	Water	533	
LCS 380-193399/21-A	Lab Control Sample	Total/NA	Water	533	
MRL 380-193399/20-A	Lab Control Sample	Total/NA	Water	533	
380-188387-B-2-A MSD	Matrix Spike Duplicate	Total/NA	Water	533	
380-188387-C-2-A MS	Matrix Spike	Total/NA	Water	533	

Analysis Batch: 193601

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-188443-1	Ka'amilo Wells P1	Total/NA	Water	533	193399
380-188443-2	FB Ka'amilo Wells P1	Total/NA	Water	533	193399
MBL 380-193399/19-A	Method Blank	Total/NA	Water	533	193399
LCS 380-193399/21-A	Lab Control Sample	Total/NA	Water	533	193399
MRL 380-193399/20-A	Lab Control Sample	Total/NA	Water	533	193399
380-188387-B-2-A MSD	Matrix Spike Duplicate	Total/NA	Water	533	193399
380-188387-C-2-A MS	Matrix Spike	Total/NA	Water	533	193399

Analysis Batch: 193638

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-188443-1	Ka'amilo Wells P1	Total/NA	Water	537.1	193202
380-188443-2	FB Ka'amilo Wells P1	Total/NA	Water	537.1	193202
MBL 380-193202/20-A	Method Blank	Total/NA	Water	537.1	193202
LCS 380-193202/22-A	Lab Control Sample	Total/NA	Water	537.1	193202
MRL 380-193202/21-A	Lab Control Sample	Total/NA	Water	537.1	193202
380-188443-1 MS	Ka'amilo Wells P1	Total/NA	Water	537.1	193202
380-188443-1 MSD	Ka'amilo Wells P1	Total/NA	Water	537.1	193202

Lab Chronicle

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-188443-1
SDG: PFAS: Ka'amilo Wells P1

Client Sample ID: Ka'amilo Wells P1

Lab Sample ID: 380-188443-1

Date Collected: 12/15/25 12:14

Matrix: Water

Date Received: 12/17/25 10:30

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	533			193399	E2HD	EA POM	12/18/25 19:05
Total/NA	Analysis	533		1	193601	Y5FM	EA POM	12/19/25 15:49
Total/NA	Prep	537.1 DW			193202	G9MN	EA POM	12/18/25 02:00
Total/NA	Analysis	537.1		1	193638	Y5FM	EA POM	12/19/25 13:41

Client Sample ID: FB Ka'amilo Wells P1

Lab Sample ID: 380-188443-2

Date Collected: 12/15/25 12:14

Matrix: Water

Date Received: 12/17/25 10:30

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	533			193399	E2HD	EA POM	12/18/25 19:05
Total/NA	Analysis	533		1	193601	Y5FM	EA POM	12/19/25 15:59
Total/NA	Prep	537.1 DW			193202	G9MN	EA POM	12/18/25 02:00
Total/NA	Analysis	537.1		1	193638	Y5FM	EA POM	12/19/25 14:48

Laboratory References:

EA POM = Eurofins Eaton Analytical Pomona, 941 Corporate Center Drive, Pomona, CA 91768-2642, TEL (626)386-1100

Accreditation/Certification Summary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-188443-1
SDG: PFAS: Ka'amilo Wells P1

Laboratory: Eurofins Eaton Analytical Pomona

The accreditations/certifications listed below are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Hawaii	State	CA00006	01-31-26

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17

Method Summary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-188443-1
SDG: PFAS: Ka'amilo Wells P1

Method	Method Description	Protocol	Laboratory
533	Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water	EPA	EA POM
537.1	Perfluorinated Alkyl Acids (LC/MS)	EPA	EA POM
533	Extraction of Perfluorinated and Polyfluorinated Alkyl Acids	EPA	EA POM
537.1 DW	Extraction of Perfluorinated Alkyl Acids	EPA	EA POM

Protocol References:

EPA = US Environmental Protection Agency

Laboratory References:

EA POM = Eurofins Eaton Analytical Pomona, 941 Corporate Center Drive, Pomona, CA 91768-2642, TEL (626)386-1100

Sample Summary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-188443-1
SDG: PFAS: Ka'amilo Wells P1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Sample Origin
380-188443-1	Ka'amilo Wells P1	Water	12/15/25 12:14	12/17/25 10:30	Hawaii
380-188443-2	FB Ka'amilo Wells P1	Water	12/15/25 12:14	12/17/25 10:30	Hawaii

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17

Login Sample Receipt Checklist

Client: City & County of Honolulu

Job Number: 380-188443-1

SDG Number: PFAS: Ka'amilo Wells P1

Login Number: 188443

List Number: 1

Creator: Ngo, Theodore

List Source: Eurofins Eaton Analytical Pomona

Question	Answer	Comment
The coolers custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
Samples were received on ice.	True	
Cooler(s) Temperature is acceptable.	True	
Cooler(s) Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and is legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
CIO4 headspace requirement met (>50% for CA, >30% for other states).	N/A	
Samples do not require splitting or compositing.	True	
Container provided by EEA	True	