

ANALYTICAL REPORT

PREPARED FOR

Attn: Mr. Erwin Kawata
City & County of Honolulu
630 South Beretania Street
Public Service Bldg. Room 310
Honolulu, Hawaii 96843

Generated 6/25/2025 12:51:48 PM

JOB DESCRIPTION

RED-HILL
Weekly: Aiea Wells P2/Moanalua Wells P3
RUSH Weekly Red Hill

JOB NUMBER

380-154969-1

Eurofins Eaton Analytical Pomona

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Eaton Analytical, LLC Project Manager.

Compliance Statement

1. Laboratory is accredited in accordance with TNI 2016 Standards and ISO/IEC 17025:2017.
2. Laboratory certifies that the test results meet all TNI 2016 and ISO/IEC 17025:2017 requirements unless noted under the individual analysis
3. Test results relate only to the sample(s) tested.
4. This report shall not be reproduced except in full, without the written approval of the laboratory.
5. Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.
(DW, Water matrices)

Authorization



Authorized for release by
Maria Lopez, Project Manager
Maria.Lopez@et.eurofinsus.com
(626)386-1100

Generated
6/25/2025 12:51:48 PM

Table of Contents

Cover Page 1

Table of Contents 3

Definitions/Glossary 4

Case Narrative 5

Detection Summary 6

Client Sample Results 7

Action Limit Summary 14

Surrogate Summary 15

QC Sample Results 18

QC Association Summary 34

Lab Chronicle 36

Certification Summary 37

Method Summary 39

Sample Summary 40

Chain of Custody 41

Receipt Checklists 44



Definitions/Glossary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-154969-1
SDG: Weekly: Aiea Wells P2/Moanalua Wells P3

Qualifiers

GC/MS Semi VOA

Qualifier	Qualifier Description
F1	MS and/or MSD recovery exceeds control limits.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

GC/MS Semi VOA TICs

Qualifier	Qualifier Description
J	Indicates an Estimated Value for TICs
N	Presumptive evidence of material.
T	Result is a tentatively identified compound (TIC) and an estimated value.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: City & County of Honolulu
Project: RED-HILL

Job ID: 380-154969-1

Job ID: 380-154969-1

Eurofins Eaton Analytical Pomona

Job Narrative 380-154969-1

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable.

- Matrix QC may not be reported if insufficient sample is provided or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Receipt

The samples were received on 6/11/2025 9:26 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperatures of the 2 coolers at receipt time were 2.5°C and 3.4°C.

GC/MS Semi VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Gasoline Range Organics

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Diesel Range Organics

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Eaton Analytical Pomona

Detection Summary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-154969-1
SDG: Weekly: Aiea Wells P2/Moanalua Wells P3

**Client Sample ID: AIEA WELLS PUMPS 1&2 (260) P2
(331-203-TP400)**
PWSID Number: HI0000331

Lab Sample ID: 380-154969-1

☐ No Detections.

Client Sample ID: MOANALUA WELLS P3 (331-223-TP202)
PWSID Number: HI0000331

Lab Sample ID: 380-154969-2

☐ No Detections.

**Client Sample ID: TB: AIEA WELLS PUMPS 1&2 (260)
(331-203-TP400)**

Lab Sample ID: 380-154969-3

☐ No Detections.

Client Sample ID: TB:MOANALUA WELLS (331-223-TP202)

Lab Sample ID: 380-154969-4

☐ No Detections.

This Detection Summary does not include radiochemical test results.

Eurofins Eaton Analytical Pomona

Client Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-154969-1
SDG: Weekly: Aiea Wells P2/Moanalua Wells P3

**Client Sample ID: AIEA WELLS PUMPS 1&2 (260) P2
(331-203-TP400)**

Lab Sample ID: 380-154969-1

Date Collected: 06/09/25 10:45

Matrix: Drinking Water

Date Received: 06/11/25 09:26

PWSID Number: HI0000331

Method: EPA 525.2 - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
1-Methylnaphthalene	<0.098		0.098	ug/L		06/13/25 13:19	06/15/25 18:57	1
2,4'-DDD	<0.098		0.098	ug/L		06/13/25 13:19	06/15/25 18:57	1
2,4'-DDE	<0.098		0.098	ug/L		06/13/25 13:19	06/15/25 18:57	1
2,4'-DDT	<0.098		0.098	ug/L		06/13/25 13:19	06/15/25 18:57	1
2,4-Dinitrotoluene	<0.098		0.098	ug/L		06/13/25 13:19	06/15/25 18:57	1
2,6-Dinitrotoluene	<0.098		0.098	ug/L		06/13/25 13:19	06/15/25 18:57	1
2-Methylnaphthalene	<0.098		0.098	ug/L		06/13/25 13:19	06/15/25 18:57	1
4,4'-DDD	<0.098		0.098	ug/L		06/13/25 13:19	06/15/25 18:57	1
4,4'-DDE	<0.098		0.098	ug/L		06/13/25 13:19	06/15/25 18:57	1
4,4'-DDT	<0.098		0.098	ug/L		06/13/25 13:19	06/15/25 18:57	1
Acenaphthene	<0.098		0.098	ug/L		06/13/25 13:19	06/15/25 18:57	1
Acenaphthylene	<0.098		0.098	ug/L		06/13/25 13:19	06/15/25 18:57	1
Acetochlor	<0.098		0.098	ug/L		06/13/25 13:19	06/15/25 18:57	1
Alachlor	<0.049		0.049	ug/L		06/13/25 13:19	06/15/25 18:57	1
alpha-BHC	<0.098		0.098	ug/L		06/13/25 13:19	06/15/25 18:57	1
alpha-Chlordane	<0.049		0.049	ug/L		06/13/25 13:19	06/15/25 18:57	1
Anthracene	<0.020		0.020	ug/L		06/13/25 13:19	06/15/25 18:57	1
Atrazine	<0.049		0.049	ug/L		06/13/25 13:19	06/15/25 18:57	1
Benz(a)anthracene	<0.049		0.049	ug/L		06/13/25 13:19	06/15/25 18:57	1
Benzo[a]pyrene	<0.020		0.020	ug/L		06/13/25 13:19	06/15/25 18:57	1
Benzo[b]fluoranthene	<0.020		0.020	ug/L		06/13/25 13:19	06/15/25 18:57	1
Benzo[g,h,i]perylene	<0.049		0.049	ug/L		06/13/25 13:19	06/15/25 18:57	1
Benzo[k]fluoranthene	<0.020		0.020	ug/L		06/13/25 13:19	06/15/25 18:57	1
beta-BHC	<0.098		0.098	ug/L		06/13/25 13:19	06/15/25 18:57	1
Bis(2-ethylhexyl) phthalate	<0.59		0.59	ug/L		06/13/25 13:19	06/15/25 18:57	1
Bromacil	<0.098		0.098	ug/L		06/13/25 13:19	06/15/25 18:57	1
Butachlor	<0.049		0.049	ug/L		06/13/25 13:19	06/15/25 18:57	1
Butylbenzylphthalate	<0.49		0.49	ug/L		06/13/25 13:19	06/15/25 18:57	1
Chlorobenzilate	<0.098		0.098	ug/L		06/13/25 13:19	06/15/25 18:57	1
Chloroneb	<0.098		0.098	ug/L		06/13/25 13:19	06/15/25 18:57	1
Chlorothalonil (Draconil, Bravo)	<0.098		0.098	ug/L		06/13/25 13:19	06/15/25 18:57	1
Chlorpyrifos	<0.049		0.049	ug/L		06/13/25 13:19	06/15/25 18:57	1
Chrysene	<0.020		0.020	ug/L		06/13/25 13:19	06/15/25 18:57	1
delta-BHC	<0.098		0.098	ug/L		06/13/25 13:19	06/15/25 18:57	1
Di(2-ethylhexyl)adipate	<0.59		0.59	ug/L		06/13/25 13:19	06/15/25 18:57	1
Dibenz(a,h)anthracene	<0.049		0.049	ug/L		06/13/25 13:19	06/15/25 18:57	1
Diclorvos (DDVP)	<0.049		0.049	ug/L		06/13/25 13:19	06/15/25 18:57	1
Dieldrin	<0.0098		0.0098	ug/L		06/13/25 13:19	06/15/25 18:57	1
Diethylphthalate	<0.49		0.49	ug/L		06/13/25 13:19	06/15/25 18:57	1
Dimethylphthalate	<0.49		0.49	ug/L		06/13/25 13:19	06/15/25 18:57	1
Di-n-butyl phthalate	<0.98		0.98	ug/L		06/13/25 13:19	06/15/25 18:57	1
Di-n-octyl phthalate	<0.098		0.098	ug/L		06/13/25 13:19	06/15/25 18:57	1
Endosulfan I (Alpha)	<0.098		0.098	ug/L		06/13/25 13:19	06/15/25 18:57	1
Endosulfan II (Beta)	<0.098		0.098	ug/L		06/13/25 13:19	06/15/25 18:57	1
Endosulfan sulfate	<0.098		0.098	ug/L		06/13/25 13:19	06/15/25 18:57	1
Endrin	<0.0098		0.0098	ug/L		06/13/25 13:19	06/15/25 18:57	1
Endrin aldehyde	<0.098		0.098	ug/L		06/13/25 13:19	06/15/25 18:57	1
EPTC	<0.098		0.098	ug/L		06/13/25 13:19	06/15/25 18:57	1

Eurofins Eaton Analytical Pomona

Client Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-154969-1
SDG: Weekly: Aiea Wells P2/Moanalua Wells P3

**Client Sample ID: AIEA WELLS PUMPS 1&2 (260) P2
(331-203-TP400)**

Lab Sample ID: 380-154969-1

Date Collected: 06/09/25 10:45

Matrix: Drinking Water

Date Received: 06/11/25 09:26

PWSID Number: HI0000331

Method: EPA 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Fluoranthene	<0.098		0.098	ug/L		06/13/25 13:19	06/15/25 18:57	1
Fluorene	<0.049		0.049	ug/L		06/13/25 13:19	06/15/25 18:57	1
gamma-Chlordane	<0.049		0.049	ug/L		06/13/25 13:19	06/15/25 18:57	1
Heptachlor	<0.0098		0.0098	ug/L		06/13/25 13:19	06/15/25 18:57	1
Heptachlor epoxide (isomer B)	<0.0098		0.0098	ug/L		06/13/25 13:19	06/15/25 18:57	1
Hexachlorobenzene	<0.049		0.049	ug/L		06/13/25 13:19	06/15/25 18:57	1
Hexachlorocyclopentadiene	<0.049		0.049	ug/L		06/13/25 13:19	06/15/25 18:57	1
Indeno[1,2,3-cd]pyrene	<0.049		0.049	ug/L		06/13/25 13:19	06/15/25 18:57	1
Isophorone	<0.098		0.098	ug/L		06/13/25 13:19	06/15/25 18:57	1
Lindane	<0.0098		0.0098	ug/L		06/13/25 13:19	06/15/25 18:57	1
Malathion	<0.098		0.098	ug/L		06/13/25 13:19	06/15/25 18:57	1
Methoxychlor	<0.049		0.049	ug/L		06/13/25 13:19	06/15/25 18:57	1
Metolachlor	<0.049		0.049	ug/L		06/13/25 13:19	06/15/25 18:57	1
Molinate	<0.098		0.098	ug/L		06/13/25 13:19	06/15/25 18:57	1
Naphthalene	<0.098		0.098	ug/L		06/13/25 13:19	06/15/25 18:57	1
Parathion	<0.098		0.098	ug/L		06/13/25 13:19	06/15/25 18:57	1
Pendimethalin (Penoxaline)	<0.098		0.098	ug/L		06/13/25 13:19	06/15/25 18:57	1
Phenanthrene	<0.039		0.039	ug/L		06/13/25 13:19	06/15/25 18:57	1
Propachlor	<0.049		0.049	ug/L		06/13/25 13:19	06/15/25 18:57	1
Pyrene	<0.049		0.049	ug/L		06/13/25 13:19	06/15/25 18:57	1
Simazine	<0.049		0.049	ug/L		06/13/25 13:19	06/15/25 18:57	1
Terbacil	<0.098		0.098	ug/L		06/13/25 13:19	06/15/25 18:57	1
Terbutylazine	<0.098		0.098	ug/L		06/13/25 13:19	06/15/25 18:57	1
Thiobencarb	<0.098		0.098	ug/L		06/13/25 13:19	06/15/25 18:57	1
Total Permethrin (mixed isomers)	<0.20		0.20	ug/L		06/13/25 13:19	06/15/25 18:57	1
trans-Nonachlor	<0.049		0.049	ug/L		06/13/25 13:19	06/15/25 18:57	1
Trifluralin	<0.098		0.098	ug/L		06/13/25 13:19	06/15/25 18:57	1

Tentatively Identified Compound	Est. Result	Qualifier	Unit	D	RT	CAS No.	Prepared	Analyzed	Dil Fac
Tentatively Identified Compound	None		ug/L			N/A	06/13/25 13:19	06/15/25 18:57	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2-Nitro-m-xylene	100		70 - 130	06/13/25 13:19	06/15/25 18:57	1
Perylene-d12	92		70 - 130	06/13/25 13:19	06/15/25 18:57	1
Triphenylphosphate	97		70 - 130	06/13/25 13:19	06/15/25 18:57	1

Method: EPA 625.1 SIM - Semivolatile Organic Compounds GC/MS (SIM)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
1-Methylnaphthalene	<0.19		0.19	ug/L		06/12/25 16:14	06/20/25 13:14	1
2-Methylnaphthalene	<0.19		0.19	ug/L		06/12/25 16:14	06/20/25 13:14	1
Acenaphthene	<0.19		0.19	ug/L		06/12/25 16:14	06/20/25 13:14	1
Acenaphthylene	<0.19		0.19	ug/L		06/12/25 16:14	06/20/25 13:14	1
Anthracene	<0.19		0.19	ug/L		06/12/25 16:14	06/20/25 13:14	1
Benzo[a]anthracene	<0.19		0.19	ug/L		06/12/25 16:14	06/20/25 13:14	1
Benzo[a]pyrene	<0.19		0.19	ug/L		06/12/25 16:14	06/20/25 13:14	1
Benzo[b]fluoranthene	<0.19		0.19	ug/L		06/12/25 16:14	06/20/25 13:14	1
Benzo[g,h,i]perylene	<0.19		0.19	ug/L		06/12/25 16:14	06/20/25 13:14	1
Benzo[k]fluoranthene	<0.19		0.19	ug/L		06/12/25 16:14	06/20/25 13:14	1
Chrysene	<0.19		0.19	ug/L		06/12/25 16:14	06/20/25 13:14	1

Eurofins Eaton Analytical Pomona

Client Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-154969-1
SDG: Weekly: Aiea Wells P2/Moanalua Wells P3

**Client Sample ID: AIEA WELLS PUMPS 1&2 (260) P2
(331-203-TP400)**

Lab Sample ID: 380-154969-1

Date Collected: 06/09/25 10:45

Matrix: Drinking Water

Date Received: 06/11/25 09:26

PWSID Number: HI0000331

Method: EPA 625.1 SIM - Semivolatile Organic Compounds GC/MS (SIM) (Continued)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Dibenz(a,h)anthracene	<0.19		0.19	ug/L		06/12/25 16:14	06/20/25 13:14	1
Fluoranthene	<0.19		0.19	ug/L		06/12/25 16:14	06/20/25 13:14	1
Fluorene	<0.19		0.19	ug/L		06/12/25 16:14	06/20/25 13:14	1
Indeno[1,2,3-cd]pyrene	<0.19		0.19	ug/L		06/12/25 16:14	06/20/25 13:14	1
Naphthalene	<0.19		0.19	ug/L		06/12/25 16:14	06/20/25 13:14	1
Phenanthrene	<0.19		0.19	ug/L		06/12/25 16:14	06/20/25 13:14	1
Pyrene	<0.19		0.19	ug/L		06/12/25 16:14	06/20/25 13:14	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2,4,6-Tribromophenol (Surr)	103		28 - 127	06/12/25 16:14	06/20/25 13:14	1
2-Fluorobiphenyl (Surr)	82		31 - 120	06/12/25 16:14	06/20/25 13:14	1
2-Fluorophenol (Surr)	48		17 - 120	06/12/25 16:14	06/20/25 13:14	1
Nitrobenzene-d5 (Surr)	82		27 - 120	06/12/25 16:14	06/20/25 13:14	1
Phenol-d6 (Surr)	30		10 - 120	06/12/25 16:14	06/20/25 13:14	1
p-Terphenyl-d14 (Surr)	92		45 - 120	06/12/25 16:14	06/20/25 13:14	1

Method: EPA 625.1 - Semivolatile Organic Compounds (GC/MS)

Tentatively Identified Compound	Est. Result	Qualifier	Unit	D	RT	CAS No.	Prepared	Analyzed	Dil Fac
Unknown	5.5	T J	ug/L		2.28	N/A	06/12/25 16:14	06/24/25 14:38	1
Unknown	4.6	T J	ug/L		2.40	N/A	06/12/25 16:14	06/24/25 14:38	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2,4,6-Tribromophenol (Surr)	70		33 - 139	06/12/25 16:14	06/24/25 14:38	1
2-Fluorobiphenyl (Surr)	72		33 - 126	06/12/25 16:14	06/24/25 14:38	1
2-Fluorophenol (Surr)	53		12 - 120	06/12/25 16:14	06/24/25 14:38	1
Nitrobenzene-d5 (Surr)	89		36 - 120	06/12/25 16:14	06/24/25 14:38	1
Phenol-d6 (Surr)	28		10 - 120	06/12/25 16:14	06/24/25 14:38	1
p-Terphenyl-d14 (Surr)	77		47 - 131	06/12/25 16:14	06/24/25 14:38	1

Method: SW846 8015B GRO LL - Gasoline Range Organics - (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
GRO (C6-C10)	<10		10	ug/L			06/21/25 18:48	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	80		38 - 134		06/21/25 18:48	1

Method: SW846 8015B - Diesel Range Organics (DRO) (GC) Low Level

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics (C10-C24)	<25		25	ug/L		06/16/25 09:11	06/17/25 15:50	1
Motor Oil Range Organics [C24-C36]	<25		25	ug/L		06/16/25 09:11	06/17/25 15:50	1
C8-C18	<25		25	ug/L		06/16/25 09:11	06/17/25 15:50	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
n-Octacosane (Surr)	107		60 - 130	06/16/25 09:11	06/17/25 15:50	1

Eurofins Eaton Analytical Pomona

Client Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-154969-1
SDG: Weekly: Aiea Wells P2/Moanalua Wells P3

Client Sample ID: MOANALUA WELLS P3 (331-223-TP202)

Lab Sample ID: 380-154969-2

Date Collected: 06/09/25 09:25

Matrix: Drinking Water

Date Received: 06/11/25 09:26

PWSID Number: HI0000331

Method: EPA 525.2 - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
1-Methylnaphthalene	<0.097		0.097	ug/L		06/13/25 13:19	06/15/25 19:18	1
2,4'-DDD	<0.097		0.097	ug/L		06/13/25 13:19	06/15/25 19:18	1
2,4'-DDE	<0.097		0.097	ug/L		06/13/25 13:19	06/15/25 19:18	1
2,4'-DDT	<0.097		0.097	ug/L		06/13/25 13:19	06/15/25 19:18	1
2,4-Dinitrotoluene	<0.097		0.097	ug/L		06/13/25 13:19	06/15/25 19:18	1
2,6-Dinitrotoluene	<0.097		0.097	ug/L		06/13/25 13:19	06/15/25 19:18	1
2-Methylnaphthalene	<0.097		0.097	ug/L		06/13/25 13:19	06/15/25 19:18	1
4,4'-DDD	<0.097		0.097	ug/L		06/13/25 13:19	06/15/25 19:18	1
4,4'-DDE	<0.097		0.097	ug/L		06/13/25 13:19	06/15/25 19:18	1
4,4'-DDT	<0.097		0.097	ug/L		06/13/25 13:19	06/15/25 19:18	1
Acenaphthene	<0.097		0.097	ug/L		06/13/25 13:19	06/15/25 19:18	1
Acenaphthylene	<0.097		0.097	ug/L		06/13/25 13:19	06/15/25 19:18	1
Acetochlor	<0.097		0.097	ug/L		06/13/25 13:19	06/15/25 19:18	1
Alachlor	<0.048		0.048	ug/L		06/13/25 13:19	06/15/25 19:18	1
alpha-BHC	<0.097		0.097	ug/L		06/13/25 13:19	06/15/25 19:18	1
alpha-Chlordane	<0.048		0.048	ug/L		06/13/25 13:19	06/15/25 19:18	1
Anthracene	<0.019		0.019	ug/L		06/13/25 13:19	06/15/25 19:18	1
Atrazine	<0.048		0.048	ug/L		06/13/25 13:19	06/15/25 19:18	1
Benz(a)anthracene	<0.048		0.048	ug/L		06/13/25 13:19	06/15/25 19:18	1
Benzo[a]pyrene	<0.019		0.019	ug/L		06/13/25 13:19	06/15/25 19:18	1
Benzo[b]fluoranthene	<0.019		0.019	ug/L		06/13/25 13:19	06/15/25 19:18	1
Benzo[g,h,i]perylene	<0.048		0.048	ug/L		06/13/25 13:19	06/15/25 19:18	1
Benzo[k]fluoranthene	<0.019		0.019	ug/L		06/13/25 13:19	06/15/25 19:18	1
beta-BHC	<0.097		0.097	ug/L		06/13/25 13:19	06/15/25 19:18	1
Bis(2-ethylhexyl) phthalate	<0.58		0.58	ug/L		06/13/25 13:19	06/15/25 19:18	1
Bromacil	<0.097		0.097	ug/L		06/13/25 13:19	06/15/25 19:18	1
Butachlor	<0.048		0.048	ug/L		06/13/25 13:19	06/15/25 19:18	1
Butylbenzylphthalate	<0.48		0.48	ug/L		06/13/25 13:19	06/15/25 19:18	1
Chlorobenzilate	<0.097		0.097	ug/L		06/13/25 13:19	06/15/25 19:18	1
Chloroneb	<0.097		0.097	ug/L		06/13/25 13:19	06/15/25 19:18	1
Chlorothalonil (Draconil, Bravo)	<0.097		0.097	ug/L		06/13/25 13:19	06/15/25 19:18	1
Chlorpyrifos	<0.048		0.048	ug/L		06/13/25 13:19	06/15/25 19:18	1
Chrysene	<0.019		0.019	ug/L		06/13/25 13:19	06/15/25 19:18	1
delta-BHC	<0.097		0.097	ug/L		06/13/25 13:19	06/15/25 19:18	1
Di(2-ethylhexyl)adipate	<0.58		0.58	ug/L		06/13/25 13:19	06/15/25 19:18	1
Dibenz(a,h)anthracene	<0.048		0.048	ug/L		06/13/25 13:19	06/15/25 19:18	1
Diclorvos (DDVP)	<0.048		0.048	ug/L		06/13/25 13:19	06/15/25 19:18	1
Dieldrin	<0.0097		0.0097	ug/L		06/13/25 13:19	06/15/25 19:18	1
Diethylphthalate	<0.48		0.48	ug/L		06/13/25 13:19	06/15/25 19:18	1
Dimethylphthalate	<0.48		0.48	ug/L		06/13/25 13:19	06/15/25 19:18	1
Di-n-butyl phthalate	<0.97		0.97	ug/L		06/13/25 13:19	06/15/25 19:18	1
Di-n-octyl phthalate	<0.097		0.097	ug/L		06/13/25 13:19	06/15/25 19:18	1
Endosulfan I (Alpha)	<0.097		0.097	ug/L		06/13/25 13:19	06/15/25 19:18	1
Endosulfan II (Beta)	<0.097		0.097	ug/L		06/13/25 13:19	06/15/25 19:18	1
Endosulfan sulfate	<0.097		0.097	ug/L		06/13/25 13:19	06/15/25 19:18	1
Endrin	<0.0097		0.0097	ug/L		06/13/25 13:19	06/15/25 19:18	1
Endrin aldehyde	<0.097		0.097	ug/L		06/13/25 13:19	06/15/25 19:18	1
EPTC	<0.097		0.097	ug/L		06/13/25 13:19	06/15/25 19:18	1
Fluoranthene	<0.097		0.097	ug/L		06/13/25 13:19	06/15/25 19:18	1

Eurofins Eaton Analytical Pomona

Client Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-154969-1
SDG: Weekly: Aiea Wells P2/Moanalua Wells P3

Client Sample ID: MOANALUA WELLS P3 (331-223-TP202)

Lab Sample ID: 380-154969-2

Date Collected: 06/09/25 09:25

Matrix: Drinking Water

Date Received: 06/11/25 09:26

PWSID Number: HI0000331

Method: EPA 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Fluorene	<0.048		0.048	ug/L		06/13/25 13:19	06/15/25 19:18	1
gamma-Chlordane	<0.048		0.048	ug/L		06/13/25 13:19	06/15/25 19:18	1
Heptachlor	<0.0097		0.0097	ug/L		06/13/25 13:19	06/15/25 19:18	1
Heptachlor epoxide (isomer B)	<0.0097		0.0097	ug/L		06/13/25 13:19	06/15/25 19:18	1
Hexachlorobenzene	<0.048		0.048	ug/L		06/13/25 13:19	06/15/25 19:18	1
Hexachlorocyclopentadiene	<0.048		0.048	ug/L		06/13/25 13:19	06/15/25 19:18	1
Indeno[1,2,3-cd]pyrene	<0.048		0.048	ug/L		06/13/25 13:19	06/15/25 19:18	1
Isophorone	<0.097		0.097	ug/L		06/13/25 13:19	06/15/25 19:18	1
Lindane	<0.0097		0.0097	ug/L		06/13/25 13:19	06/15/25 19:18	1
Malathion	<0.097		0.097	ug/L		06/13/25 13:19	06/15/25 19:18	1
Methoxychlor	<0.048		0.048	ug/L		06/13/25 13:19	06/15/25 19:18	1
Metolachlor	<0.048		0.048	ug/L		06/13/25 13:19	06/15/25 19:18	1
Molinate	<0.097		0.097	ug/L		06/13/25 13:19	06/15/25 19:18	1
Naphthalene	<0.097		0.097	ug/L		06/13/25 13:19	06/15/25 19:18	1
Parathion	<0.097		0.097	ug/L		06/13/25 13:19	06/15/25 19:18	1
Pendimethalin (Penoxaline)	<0.097		0.097	ug/L		06/13/25 13:19	06/15/25 19:18	1
Phenanthrene	<0.039		0.039	ug/L		06/13/25 13:19	06/15/25 19:18	1
Propachlor	<0.048		0.048	ug/L		06/13/25 13:19	06/15/25 19:18	1
Pyrene	<0.048		0.048	ug/L		06/13/25 13:19	06/15/25 19:18	1
Simazine	<0.048		0.048	ug/L		06/13/25 13:19	06/15/25 19:18	1
Terbacil	<0.097		0.097	ug/L		06/13/25 13:19	06/15/25 19:18	1
Terbutylazine	<0.097		0.097	ug/L		06/13/25 13:19	06/15/25 19:18	1
Thiobencarb	<0.097		0.097	ug/L		06/13/25 13:19	06/15/25 19:18	1
Total Permethrin (mixed isomers)	<0.19		0.19	ug/L		06/13/25 13:19	06/15/25 19:18	1
trans-Nonachlor	<0.048		0.048	ug/L		06/13/25 13:19	06/15/25 19:18	1
Trifluralin	<0.097		0.097	ug/L		06/13/25 13:19	06/15/25 19:18	1

Tentatively Identified Compound	Est. Result	Qualifier	Unit	D	RT	CAS No.	Prepared	Analyzed	Dil Fac
Tentatively Identified Compound	None		ug/L			N/A	06/13/25 13:19	06/15/25 19:18	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2-Nitro-m-xylene	100		70 - 130	06/13/25 13:19	06/15/25 19:18	1
Perylene-d12	88		70 - 130	06/13/25 13:19	06/15/25 19:18	1
Triphenylphosphate	101		70 - 130	06/13/25 13:19	06/15/25 19:18	1

Method: EPA 625.1 SIM - Semivolatile Organic Compounds GC/MS (SIM)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
1-Methylnaphthalene	<0.19		0.19	ug/L		06/12/25 16:14	06/20/25 12:51	1
2-Methylnaphthalene	<0.19		0.19	ug/L		06/12/25 16:14	06/20/25 12:51	1
Acenaphthene	<0.19		0.19	ug/L		06/12/25 16:14	06/20/25 12:51	1
Acenaphthylene	<0.19		0.19	ug/L		06/12/25 16:14	06/20/25 12:51	1
Anthracene	<0.19		0.19	ug/L		06/12/25 16:14	06/20/25 12:51	1
Benzo[a]anthracene	<0.19		0.19	ug/L		06/12/25 16:14	06/20/25 12:51	1
Benzo[a]pyrene	<0.19		0.19	ug/L		06/12/25 16:14	06/20/25 12:51	1
Benzo[b]fluoranthene	<0.19		0.19	ug/L		06/12/25 16:14	06/20/25 12:51	1
Benzo[g,h,i]perylene	<0.19		0.19	ug/L		06/12/25 16:14	06/20/25 12:51	1
Benzo[k]fluoranthene	<0.19		0.19	ug/L		06/12/25 16:14	06/20/25 12:51	1
Chrysene	<0.19		0.19	ug/L		06/12/25 16:14	06/20/25 12:51	1
Dibenz(a,h)anthracene	<0.19		0.19	ug/L		06/12/25 16:14	06/20/25 12:51	1
Fluoranthene	<0.19		0.19	ug/L		06/12/25 16:14	06/20/25 12:51	1

Eurofins Eaton Analytical Pomona

Client Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-154969-1
SDG: Weekly: Aiea Wells P2/Moanalua Wells P3

Client Sample ID: MOANALUA WELLS P3 (331-223-TP202)

Lab Sample ID: 380-154969-2

Date Collected: 06/09/25 09:25

Matrix: Drinking Water

Date Received: 06/11/25 09:26

PWSID Number: HI0000331

Method: EPA 625.1 SIM - Semivolatile Organic Compounds GC/MS (SIM) (Continued)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Fluorene	<0.19		0.19	ug/L		06/12/25 16:14	06/20/25 12:51	1
Indeno[1,2,3-cd]pyrene	<0.19		0.19	ug/L		06/12/25 16:14	06/20/25 12:51	1
Naphthalene	<0.19		0.19	ug/L		06/12/25 16:14	06/20/25 12:51	1
Phenanthrene	<0.19		0.19	ug/L		06/12/25 16:14	06/20/25 12:51	1
Pyrene	<0.19		0.19	ug/L		06/12/25 16:14	06/20/25 12:51	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2,4,6-Tribromophenol (Surr)	98		28 - 127	06/12/25 16:14	06/20/25 12:51	1
2-Fluorobiphenyl (Surr)	77		31 - 120	06/12/25 16:14	06/20/25 12:51	1
2-Fluorophenol (Surr)	44		17 - 120	06/12/25 16:14	06/20/25 12:51	1
Nitrobenzene-d5 (Surr)	77		27 - 120	06/12/25 16:14	06/20/25 12:51	1
Phenol-d6 (Surr)	27		10 - 120	06/12/25 16:14	06/20/25 12:51	1
p-Terphenyl-d14 (Surr)	90		45 - 120	06/12/25 16:14	06/20/25 12:51	1

Method: EPA 625.1 - Semivolatile Organic Compounds (GC/MS)

Tentatively Identified Compound	Est. Result	Qualifier	Unit	D	RT	CAS No.	Prepared	Analyzed	Dil Fac
Tentatively Identified Compound	None		ug/L			N/A	06/12/25 16:14	06/24/25 15:01	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2,4,6-Tribromophenol (Surr)	72		33 - 139	06/12/25 16:14	06/24/25 15:01	1
2-Fluorobiphenyl (Surr)	70		33 - 126	06/12/25 16:14	06/24/25 15:01	1
2-Fluorophenol (Surr)	45		12 - 120	06/12/25 16:14	06/24/25 15:01	1
Nitrobenzene-d5 (Surr)	78		36 - 120	06/12/25 16:14	06/24/25 15:01	1
Phenol-d6 (Surr)	28		10 - 120	06/12/25 16:14	06/24/25 15:01	1
p-Terphenyl-d14 (Surr)	77		47 - 131	06/12/25 16:14	06/24/25 15:01	1

Method: SW846 8015B GRO LL - Gasoline Range Organics - (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
GRO (C6-C10)	<10		10	ug/L			06/21/25 17:18	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	81		38 - 134		06/21/25 17:18	1

Method: SW846 8015B - Diesel Range Organics (DRO) (GC) Low Level

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics (C10-C24)	<27		27	ug/L		06/16/25 09:11	06/17/25 14:44	1
Motor Oil Range Organics [C24-C36]	<27		27	ug/L		06/16/25 09:11	06/17/25 14:44	1
C8-C18	<27		27	ug/L		06/16/25 09:11	06/17/25 14:44	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
n-Octacosane (Surr)	112		60 - 130	06/16/25 09:11	06/17/25 14:44	1

Client Sample ID: TB: AIEA WELLS PUMPS 1&2 (260) (331-203-TP400)

Lab Sample ID: 380-154969-3

Date Collected: 06/09/25 10:45

Matrix: Water

Date Received: 06/11/25 09:26

Method: SW846 8015B GRO LL - Gasoline Range Organics - (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
GRO (C6-C10)	<10		10	ug/L			06/21/25 14:19	1

Eurofins Eaton Analytical Pomona

Client Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-154969-1
SDG: Weekly: Aiea Wells P2/Moanalua Wells P3

Client Sample ID: TB: AIEA WELLS PUMPS 1&2 (260)
(331-203-TP400)

Lab Sample ID: 380-154969-3

Date Collected: 06/09/25 10:45

Matrix: Water

Date Received: 06/11/25 09:26

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	77		38 - 134		06/21/25 14:19	1

Client Sample ID: TB:MOANALUA WELLS (331-223-TP202)

Lab Sample ID: 380-154969-4

Date Collected: 06/09/25 09:25

Matrix: Water

Date Received: 06/11/25 09:26

Method: SW846 8015B GRO LL - Gasoline Range Organics - (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
GRO (C6-C10)	<10		10	ug/L			06/21/25 13:57	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	73		38 - 134				06/21/25 13:57	1

Action Limit Summary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-154969-1
SDG: Weekly: Aiea Wells P2/Moanalua Wells P3

**Client Sample ID: AIEA WELLS PUMPS 1&2 (260) P2
(331-203-TP400)**
PWSID Number: HI0000331

Lab Sample ID: 380-154969-1

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL	RL	Method	Prep Type
				Limit			
Alachlor	<0.049		ug/L	2	0.049	525.2	Total/NA
Atrazine	<0.049		ug/L	3	0.049	525.2	Total/NA
Benzo[a]pyrene	<0.020		ug/L	0.2	0.020	525.2	Total/NA
Bis(2-ethylhexyl) phthalate	<0.59		ug/L	6	0.59	525.2	Total/NA
Di(2-ethylhexyl)adipate	<0.59		ug/L	400	0.59	525.2	Total/NA
Endrin	<0.0098		ug/L	2	0.0098	525.2	Total/NA
Heptachlor	<0.0098		ug/L	0.4	0.0098	525.2	Total/NA
Heptachlor epoxide (isomer B)	<0.0098		ug/L	0.2	0.0098	525.2	Total/NA
Hexachlorobenzene	<0.049		ug/L	1	0.049	525.2	Total/NA
Hexachlorocyclopentadiene	<0.049		ug/L	50	0.049	525.2	Total/NA
Lindane	<0.0098		ug/L	0.2	0.0098	525.2	Total/NA
Methoxychlor	<0.049		ug/L	40	0.049	525.2	Total/NA
Simazine	<0.049		ug/L	4	0.049	525.2	Total/NA
Benzo[a]pyrene	<0.19		ug/L	0.2	0.19	625.1 SIM	Total/NA

Client Sample ID: MOANALUA WELLS P3 (331-223-TP202)
PWSID Number: HI0000331

Lab Sample ID: 380-154969-2

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL	RL	Method	Prep Type
				Limit			
Alachlor	<0.048		ug/L	2	0.048	525.2	Total/NA
Atrazine	<0.048		ug/L	3	0.048	525.2	Total/NA
Benzo[a]pyrene	<0.019		ug/L	0.2	0.019	525.2	Total/NA
Bis(2-ethylhexyl) phthalate	<0.58		ug/L	6	0.58	525.2	Total/NA
Di(2-ethylhexyl)adipate	<0.58		ug/L	400	0.58	525.2	Total/NA
Endrin	<0.0097		ug/L	2	0.0097	525.2	Total/NA
Heptachlor	<0.0097		ug/L	0.4	0.0097	525.2	Total/NA
Heptachlor epoxide (isomer B)	<0.0097		ug/L	0.2	0.0097	525.2	Total/NA
Hexachlorobenzene	<0.048		ug/L	1	0.048	525.2	Total/NA
Hexachlorocyclopentadiene	<0.048		ug/L	50	0.048	525.2	Total/NA
Lindane	<0.0097		ug/L	0.2	0.0097	525.2	Total/NA
Methoxychlor	<0.048		ug/L	40	0.048	525.2	Total/NA
Simazine	<0.048		ug/L	4	0.048	525.2	Total/NA
Benzo[a]pyrene	<0.19		ug/L	0.2	0.19	625.1 SIM	Total/NA

Surrogate Summary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-154969-1
SDG: Weekly: Aiea Wells P2/Moanalua Wells P3

Method: 525.2 - Semivolatile Organic Compounds (GC/MS)

Matrix: Drinking Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)						
		2NMX (70-130)	PRY (70-130)	TPP (70-130)				
380-154969-1	AIEA WELLS PUMPS 1&2 (260)	100	92	97				
380-154969-2	MOANALUA WELLS P3 (331-223-TP202)	100	88	101				

Surrogate Legend

2NMX = 2-Nitro-m-xylene

PRY = Perylene d12

TPP = Triphenylphosphate

Method: 525.2 - Semivolatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)						
		2NMX (70-130)	PRY (70-130)	TPP (70-130)				
380-154619-AQ-1-A MS	Matrix Spike	95	97	114				
380-154705-B-1-A DU	Duplicate	97	89	97				
LCS 380-157861/23-A	Lab Control Sample	99	95	101				
MB 380-157861/21-A	Method Blank	97	88	99				
MRL 380-157861/22-A	Lab Control Sample	98	93	97				

Surrogate Legend

2NMX = 2-Nitro-m-xylene

PRY = Perylene-d12

TPP = Triphenylphosphate

Method: 625.1 - Semivolatile Organic Compounds (GC/MS)

Matrix: Drinking Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)							
		TBP (33-139)	FBP (33-126)	2FP (12-120)	NBZ (36-120)	PHL6 (10-120)	TPHd14 (47-131)		
380-154969-1	AIEA WELLS PUMPS 1&2 (260)	70	72	53	89	28	77		
380-154969-2	MOANALUA WELLS P3 (331-223-TP202)	72	70	45	78	28	77		

Surrogate Legend

TBP = 2,4,6-Tribromophenol (Surr)

FBP = 2-Fluorobiphenyl (Surr)

2FP = 2-Fluorophenol (Surr)

NBZ = Nitrobenzene-d5 (Surr)

PHL6 = Phenol-d6 (Surr)

TPHd14 = p-Terphenyl-d14 (Surr)

Method: 625.1 - Semivolatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)							
		TBP (33-139)	FBP (33-126)	2FP (12-120)	NBZ (36-120)	PHL6 (10-120)	TPHd14 (47-131)		
MB 570-582856/1-A	Method Blank	70	68	52	76	35	72		

Surrogate Legend

Eurofins Eaton Analytical Pomona

Surrogate Summary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-154969-1
SDG: Weekly: Aiea Wells P2/Moanalua Wells P3

TBP = 2,4,6-Tribromophenol (Surr)
FBP = 2-Fluorobiphenyl (Surr)
2FP = 2-Fluorophenol (Surr)
NBZ = Nitrobenzene-d5 (Surr)
PHL6 = Phenol-d6 (Surr)
TPHD14 = p-Terphenyl-d14 (Surr)

Method: 625.1 SIM - Semivolatile Organic Compounds GC/MS (SIM)

Matrix: Drinking Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)					
		TBP (28-127)	FBP (31-120)	2FP (17-120)	NBZ (27-120)	PHL6 (10-120)	TPHD14 (45-120)
380-154969-1	AIEA WELLS PUMPS 1&2 (260)	103	82	48	82	30	92
380-154969-2	MOANALUA WELLS P3 (331-223-TP202)	98	77	44	77	27	90
380-154969-2 MS	MOANALUA WELLS (331-223-TP202)	98	83	52	68	33	91
380-154969-2 MSD	MOANALUA WELLS (331-223-TP202)	99	80	47	65	31	93

Surrogate Legend

TBP = 2,4,6-Tribromophenol (Surr)
FBP = 2-Fluorobiphenyl (Surr)
2FP = 2-Fluorophenol (Surr)
NBZ = Nitrobenzene-d5 (Surr)
PHL6 = Phenol-d6 (Surr)
TPHD14 = p-Terphenyl-d14 (Surr)

Method: 625.1 SIM - Semivolatile Organic Compounds GC/MS (SIM)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)					
		TBP (28-127)	FBP (31-120)	2FP (17-120)	NBZ (27-120)	PHL6 (10-120)	TPHD14 (45-120)
LCS 570-582856/2-A	Lab Control Sample	89	80	60	75	40	94
LCSD 570-582856/3-A	Lab Control Sample Dup	84	75	56	69	38	87
MB 570-582856/1-A	Method Blank	81	70	47	78	29	80

Surrogate Legend

TBP = 2,4,6-Tribromophenol (Surr)
FBP = 2-Fluorobiphenyl (Surr)
2FP = 2-Fluorophenol (Surr)
NBZ = Nitrobenzene-d5 (Surr)
PHL6 = Phenol-d6 (Surr)
TPHD14 = p-Terphenyl-d14 (Surr)

Method: 8015B GRO LL - Gasoline Range Organics - (GC)

Matrix: Drinking Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)					
		BFB1 (38-134)					
380-154969-1	AIEA WELLS PUMPS 1&2 (260)	80					
380-154969-2	MOANALUA WELLS P3 (331-223-TP202)	81					
380-154969-2 MS	MOANALUA WELLS (331-223-TP202)	97					
380-154969-2 MSD	MOANALUA WELLS (331-223-TP202)	100					

Eurofins Eaton Analytical Pomona

Surrogate Summary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-154969-1
SDG: Weekly: Aiea Wells P2/Moanalua Wells P3

Surrogate Legend

BFB = 4-Bromofluorobenzene (Surr)

Method: 8015B GRO LL - Gasoline Range Organics - (GC)

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	BFB1 (38-134)
380-154969-3	TB: AIEA WELLS PUMPS 1&2 (	77
380-154969-4	TB:MOANALUA WELLS (331-223-TP202)	73
LCS 570 587470/1008	Lab Control Sample	95
LCSD 570-587470/9	Lab Control Sample Dup	90
MB 570-587470/10	Method Blank	63
MRL 570-587470/1003	Lab Control Sample	73

Surrogate Legend

BFB = 4-Bromofluorobenzene (Surr)

Method: 8015B - Diesel Range Organics (DRO) (GC) Low Level

Matrix: Drinking Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	OTCSN1 (60-130)
380-154969-1	AIEA WELLS PUMPS 1&2 (260)	107
380-154969-2	MOANALUA WELLS P3 (331-223-TP202)	112
380-154969-2 MS	MOANALUA WELLS (331 223 TP202)	106
380-154969-2 MSD	MOANALUA WELLS (331-223-TP202)	104

Surrogate Legend

OTCSN = n-Octacosane (Surr)

Method: 8015B - Diesel Range Organics (DRO) (GC) Low Level

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	OTCSN1 (60-130)
LCS 570-584549/2-A	Lab Control Sample	108
LCSD 570-584549/3-A	Lab Control Sample Dup	113
MB 570-584549/1-A	Method Blank	107
MRL 570-584549/4-A	Lab Control Sample	107

Surrogate Legend

OTCSN = n-Octacosane (Surr)

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-154969-1
SDG: Weekly: Aiea Wells P2/Moanalua Wells P3

Method: 525.2 - Semivolatile Organic Compounds (GC/MS)

Lab Sample ID: MB 380-157861/21-A

Matrix: Water

Analysis Batch: 157984

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 157861

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
1-Methylnaphthalene	<0.099		0.099	ug/L		06/13/25 13:19	06/15/25 13:53	1
2,4'-DDD	<0.099		0.099	ug/L		06/13/25 13:19	06/15/25 13:53	1
2,4'-DDE	<0.099		0.099	ug/L		06/13/25 13:19	06/15/25 13:53	1
2,4'-DDT	<0.099		0.099	ug/L		06/13/25 13:19	06/15/25 13:53	1
2,4-Dinitrotoluene	<0.099		0.099	ug/L		06/13/25 13:19	06/15/25 13:53	1
2,6-Dinitrotoluene	<0.099		0.099	ug/L		06/13/25 13:19	06/15/25 13:53	1
2-Methylnaphthalene	<0.099		0.099	ug/L		06/13/25 13:19	06/15/25 13:53	1
4,4'-DDD	<0.099		0.099	ug/L		06/13/25 13:19	06/15/25 13:53	1
4,4'-DDE	<0.099		0.099	ug/L		06/13/25 13:19	06/15/25 13:53	1
4,4'-DDT	<0.099		0.099	ug/L		06/13/25 13:19	06/15/25 13:53	1
Acenaphthene	<0.099		0.099	ug/L		06/13/25 13:19	06/15/25 13:53	1
Acenaphthylene	<0.099		0.099	ug/L		06/13/25 13:19	06/15/25 13:53	1
Acetochlor	<0.099		0.099	ug/L		06/13/25 13:19	06/15/25 13:53	1
Alachlor	<0.049		0.049	ug/L		06/13/25 13:19	06/15/25 13:53	1
alpha-BHC	<0.099		0.099	ug/L		06/13/25 13:19	06/15/25 13:53	1
alpha-Chlordane	<0.049		0.049	ug/L		06/13/25 13:19	06/15/25 13:53	1
Anthracene	<0.020		0.020	ug/L		06/13/25 13:19	06/15/25 13:53	1
Atrazine	<0.049		0.049	ug/L		06/13/25 13:19	06/15/25 13:53	1
Benz(a)anthracene	<0.049		0.049	ug/L		06/13/25 13:19	06/15/25 13:53	1
Benzo[a]pyrene	<0.020		0.020	ug/L		06/13/25 13:19	06/15/25 13:53	1
Benzo[b]fluoranthene	<0.020		0.020	ug/L		06/13/25 13:19	06/15/25 13:53	1
Benzo[g,h,i]perylene	<0.049		0.049	ug/L		06/13/25 13:19	06/15/25 13:53	1
Benzo[k]fluoranthene	<0.020		0.020	ug/L		06/13/25 13:19	06/15/25 13:53	1
beta-BHC	<0.099		0.099	ug/L		06/13/25 13:19	06/15/25 13:53	1
Bis(2-ethylhexyl) phthalate	<0.59		0.59	ug/L		06/13/25 13:19	06/15/25 13:53	1
Bromacil	<0.099		0.099	ug/L		06/13/25 13:19	06/15/25 13:53	1
Butachlor	<0.049		0.049	ug/L		06/13/25 13:19	06/15/25 13:53	1
Butylbenzylphthalate	<0.49		0.49	ug/L		06/13/25 13:19	06/15/25 13:53	1
Chlorobenzilate	<0.099		0.099	ug/L		06/13/25 13:19	06/15/25 13:53	1
Chloroneb	<0.099		0.099	ug/L		06/13/25 13:19	06/15/25 13:53	1
Chlorothalonil (Draconil, Bravo)	<0.099		0.099	ug/L		06/13/25 13:19	06/15/25 13:53	1
Chlorpyrifos	<0.049		0.049	ug/L		06/13/25 13:19	06/15/25 13:53	1
Chrysene	<0.020		0.020	ug/L		06/13/25 13:19	06/15/25 13:53	1
delta-BHC	<0.099		0.099	ug/L		06/13/25 13:19	06/15/25 13:53	1
Di(2-ethylhexyl)adipate	<0.59		0.59	ug/L		06/13/25 13:19	06/15/25 13:53	1
Dibenz(a,h)anthracene	<0.049		0.049	ug/L		06/13/25 13:19	06/15/25 13:53	1
Diclorvos (DDVP)	<0.049		0.049	ug/L		06/13/25 13:19	06/15/25 13:53	1
Dieldrin	<0.0099		0.0099	ug/L		06/13/25 13:19	06/15/25 13:53	1
Diethylphthalate	<0.49		0.49	ug/L		06/13/25 13:19	06/15/25 13:53	1
Dimethylphthalate	<0.49		0.49	ug/L		06/13/25 13:19	06/15/25 13:53	1
Di-n-butyl phthalate	<0.99		0.99	ug/L		06/13/25 13:19	06/15/25 13:53	1
Di-n-octyl phthalate	<0.099		0.099	ug/L		06/13/25 13:19	06/15/25 13:53	1
Endosulfan I (Alpha)	<0.099		0.099	ug/L		06/13/25 13:19	06/15/25 13:53	1
Endosulfan II (Beta)	<0.099		0.099	ug/L		06/13/25 13:19	06/15/25 13:53	1
Endosulfan sulfate	<0.099		0.099	ug/L		06/13/25 13:19	06/15/25 13:53	1
Endrin	<0.0099		0.0099	ug/L		06/13/25 13:19	06/15/25 13:53	1
Endrin aldehyde	<0.099		0.099	ug/L		06/13/25 13:19	06/15/25 13:53	1
EPTC	<0.099		0.099	ug/L		06/13/25 13:19	06/15/25 13:53	1

Eurofins Eaton Analytical Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-154969-1
SDG: Weekly: Aiea Wells P2/Moanalua Wells P3

Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 380-157861/21-A

Matrix: Water

Analysis Batch: 157984

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 157861

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Fluoranthene	<0.099		0.099	ug/L		06/13/25 13:19	06/15/25 13:53	1
Fluorene	<0.049		0.049	ug/L		06/13/25 13:19	06/15/25 13:53	1
gamma-Chlordane	<0.049		0.049	ug/L		06/13/25 13:19	06/15/25 13:53	1
Heptachlor	<0.0099		0.0099	ug/L		06/13/25 13:19	06/15/25 13:53	1
Heptachlor epoxide (isomer B)	<0.0099		0.0099	ug/L		06/13/25 13:19	06/15/25 13:53	1
Hexachlorobenzene	<0.049		0.049	ug/L		06/13/25 13:19	06/15/25 13:53	1
Hexachlorocyclopentadiene	<0.049		0.049	ug/L		06/13/25 13:19	06/15/25 13:53	1
Indeno[1,2,3-cd]pyrene	<0.049		0.049	ug/L		06/13/25 13:19	06/15/25 13:53	1
Isophorone	<0.099		0.099	ug/L		06/13/25 13:19	06/15/25 13:53	1
Lindane	<0.0099		0.0099	ug/L		06/13/25 13:19	06/15/25 13:53	1
Malathion	<0.099		0.099	ug/L		06/13/25 13:19	06/15/25 13:53	1
Methoxychlor	<0.049		0.049	ug/L		06/13/25 13:19	06/15/25 13:53	1
Metolachlor	<0.049		0.049	ug/L		06/13/25 13:19	06/15/25 13:53	1
Molinate	<0.099		0.099	ug/L		06/13/25 13:19	06/15/25 13:53	1
Naphthalene	<0.099		0.099	ug/L		06/13/25 13:19	06/15/25 13:53	1
Parathion	<0.099		0.099	ug/L		06/13/25 13:19	06/15/25 13:53	1
Pendimethalin (Penoxaline)	<0.099		0.099	ug/L		06/13/25 13:19	06/15/25 13:53	1
Phenanthrene	<0.039		0.039	ug/L		06/13/25 13:19	06/15/25 13:53	1
Propachlor	<0.049		0.049	ug/L		06/13/25 13:19	06/15/25 13:53	1
Pyrene	<0.049		0.049	ug/L		06/13/25 13:19	06/15/25 13:53	1
Simazine	<0.049		0.049	ug/L		06/13/25 13:19	06/15/25 13:53	1
Terbacil	<0.099		0.099	ug/L		06/13/25 13:19	06/15/25 13:53	1
Terbutylazine	<0.099		0.099	ug/L		06/13/25 13:19	06/15/25 13:53	1
Thiobencarb	<0.099		0.099	ug/L		06/13/25 13:19	06/15/25 13:53	1
Total Permethrin (mixed isomers)	<0.20		0.20	ug/L		06/13/25 13:19	06/15/25 13:53	1
trans-Nonachlor	<0.049		0.049	ug/L		06/13/25 13:19	06/15/25 13:53	1
Trifluralin	<0.099		0.099	ug/L		06/13/25 13:19	06/15/25 13:53	1

Tentatively Identified Compound	MB Est. Result	MB Qualifier	Unit	D	RT	CAS No.	Prepared	Analyzed	Dil Fac
Cyclohexasiloxane, dodecamethyl-	0.575	T J N	ug/L		3.91	540-97-6	06/13/25 13:19	06/15/25 13:53	1
9-Octadecenamide, (Z)-	0.603	T J N	ug/L		7.96	301-02-0	06/13/25 13:19	06/15/25 13:53	1
13-Docosenamide, (Z)-	1.19	T J N	ug/L		10.52	112-84-5	06/13/25 13:19	06/15/25 13:53	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
2-Nitro-m-xylene	97		70 - 130	06/13/25 13:19	06/15/25 13:53	1
Perylene-d12	88		70 - 130	06/13/25 13:19	06/15/25 13:53	1
Triphenylphosphate	99		70 - 130	06/13/25 13:19	06/15/25 13:53	1

Lab Sample ID: LCS 380-157861/23-A

Matrix: Water

Analysis Batch: 157984

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 157861

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1-Methylnaphthalene	1.96	2.03		ug/L		103	70 - 130
2,4'-DDD	1.96	1.97		ug/L		100	70 - 130
2,4'-DDE	1.96	2.02		ug/L		103	70 - 130
2,4'-DDT	1.96	1.84		ug/L		94	70 - 130
2,4-Dinitrotoluene	1.96	1.80		ug/L		91	70 - 130

Eurofins Eaton Analytical Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-154969-1
SDG: Weekly: Aiea Wells P2/Moanalua Wells P3

Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 380-157861/23-A

Matrix: Water

Analysis Batch: 157984

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 157861

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
2,6-Dinitrotoluene	1.96	2.04		ug/L		104	70 - 130
2-Methylnaphthalene	1.96	1.90		ug/L		97	70 - 130
4,4'-DDD	1.96	2.10		ug/L		107	70 - 130
4,4'-DDE	1.96	1.99		ug/L		101	70 - 130
4,4'-DDT	1.96	1.96		ug/L		100	70 - 130
Acenaphthene	1.96	1.96		ug/L		100	70 - 130
Acenaphthylene	1.96	1.85		ug/L		95	70 - 130
Acetochlor	1.96	2.07		ug/L		105	70 - 130
Alachlor	1.96	2.18		ug/L		111	70 - 130
alpha-BHC	1.96	2.03		ug/L		103	70 - 130
alpha-Chlordane	1.96	2.09		ug/L		106	70 - 130
Anthracene	1.96	1.77		ug/L		90	70 - 130
Atrazine	1.96	2.04		ug/L		104	70 - 130
Benz(a)anthracene	1.96	1.89		ug/L		96	70 - 130
Benzo[a]pyrene	1.96	1.84		ug/L		94	70 - 130
Benzo[b]fluoranthene	1.96	2.05		ug/L		105	70 - 130
Benzo[g,h,i]perylene	1.96	2.04		ug/L		104	70 - 130
Benzo[k]fluoranthene	1.96	1.91		ug/L		97	70 - 130
beta-BHC	1.96	2.11		ug/L		107	70 - 130
Bis(2-ethylhexyl) phthalate	1.96	1.83		ug/L		93	70 - 130
Bromacil	1.96	1.91		ug/L		97	70 - 130
Butachlor	1.96	2.28		ug/L		116	70 - 130
Butylbenzylphthalate	1.96	2.12		ug/L		108	70 - 130
Chlorobenzilate	1.96	2.14		ug/L		109	70 - 130
Chloroneb	1.96	2.00		ug/L		102	70 - 130
Chlorothalonil (Draconil, Bravo)	1.96	2.04		ug/L		104	70 - 130
Chlorpyrifos	1.96	2.07		ug/L		105	70 - 130
Chrysene	1.96	1.97		ug/L		100	70 - 130
delta-BHC	1.96	2.12		ug/L		108	70 - 130
Di(2-ethylhexyl)adipate	1.96	1.88		ug/L		96	70 - 130
Dibenz(a,h)anthracene	1.96	1.87		ug/L		95	70 - 130
Diclorvos (DDVP)	1.96	1.96		ug/L		100	70 - 130
Dieldrin	1.96	2.02		ug/L		103	70 - 130
Diethylphthalate	1.96	2.12		ug/L		108	70 - 130
Dimethylphthalate	1.96	2.08		ug/L		106	70 - 130
Di-n-butyl phthalate	3.93	4.27		ug/L		109	70 - 130
Di-n-octyl phthalate	1.96	1.80		ug/L		91	70 - 130
Endosulfan I (Alpha)	1.96	1.91		ug/L		97	70 - 130
Endosulfan II (Beta)	1.96	2.05		ug/L		104	70 - 130
Endosulfan sulfate	1.96	2.09		ug/L		106	70 - 130
Endrin	1.96	2.09		ug/L		106	70 - 130
Endrin aldehyde	1.96	1.76		ug/L		90	60 - 130
EPTC	1.96	2.08		ug/L		106	70 - 130
Fluoranthene	1.96	2.09		ug/L		106	70 - 130
Fluorene	1.96	1.99		ug/L		102	70 - 130
gamma-Chlordane	1.96	2.12		ug/L		108	70 - 130
Heptachlor	1.96	2.15		ug/L		110	70 - 130
Heptachlor epoxide (isomer B)	1.96	2.08		ug/L		106	70 - 130
Hexachlorobenzene	1.96	1.95		ug/L		99	70 - 130

Eurofins Eaton Analytical Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-154969-1
SDG: Weekly: Aiea Wells P2/Moanalua Wells P3

Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 380-157861/23-A

Matrix: Water

Analysis Batch: 157984

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 157861

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Hexachlorocyclopentadiene	1.96	1.85		ug/L		94	70 - 130
Indeno[1,2,3-cd]pyrene	1.96	1.94		ug/L		99	70 - 130
Isophorone	1.96	1.98		ug/L		101	70 - 130
Lindane	1.96	2.15		ug/L		109	70 - 130
Malathion	1.96	2.09		ug/L		107	70 - 130
Methoxychlor	1.96	2.06		ug/L		105	70 - 130
Metolachlor	1.96	2.08		ug/L		106	70 - 130
Molinate	1.96	2.12		ug/L		108	70 - 130
Naphthalene	1.96	1.91		ug/L		97	70 - 130
Parathion	1.96	2.05		ug/L		105	70 - 130
Pendimethalin (Penoxaline)	1.96	1.79		ug/L		91	70 - 130
Phenanthrene	1.96	1.92		ug/L		98	70 - 130
Propachlor	1.96	2.08		ug/L		106	70 - 130
Pyrene	1.96	2.12		ug/L		108	70 - 130
Simazine	1.96	2.10		ug/L		107	70 - 130
Terbacil	1.96	2.06		ug/L		105	70 - 130
Terbutylazine	1.96	2.15		ug/L		110	70 - 130
Thiobencarb	1.96	2.23		ug/L		113	70 - 130
trans-Nonachlor	1.96	2.09		ug/L		106	70 - 130
Trifluralin	1.96	1.82		ug/L		93	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
2-Nitro-m-xylene	99		70 - 130
Perylene-d12	95		70 - 130
Triphenylphosphate	101		70 - 130

Lab Sample ID: MRL 380-157861/22-A

Matrix: Water

Analysis Batch: 157984

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 157861

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
1-Methylnaphthalene	0.0981	0.101		ug/L		103	50 - 150
2,4'-DDD	0.0981	0.0812	J	ug/L		83	50 - 150
2,4'-DDE	0.0981	0.0973	J	ug/L		99	50 - 150
2,4'-DDT	0.0981	0.113		ug/L		115	50 - 150
2,4-Dinitrotoluene	0.0981	0.0989		ug/L		101	50 - 150
2,6-Dinitrotoluene	0.0981	0.0938	J	ug/L		96	50 - 150
2-Methylnaphthalene	0.0981	0.105		ug/L		107	50 - 150
4,4'-DDD	0.0981	0.0944	J	ug/L		96	50 - 150
4,4'-DDE	0.0981	0.0858	J	ug/L		87	50 - 150
4,4'-DDT	0.0981	0.111		ug/L		113	50 - 150
Acenaphthene	0.0981	0.102		ug/L		104	50 - 150
Acenaphthylene	0.0981	0.0868	J	ug/L		88	50 - 150
Acetochlor	0.0981	0.106		ug/L		108	50 - 150
Alachlor	0.0491	0.0529		ug/L		108	50 - 150
alpha-BHC	0.0981	0.0961	J	ug/L		98	50 - 150
alpha-Chlordane	0.0245	<0.028		ug/L		101	50 - 150
Anthracene	0.0196	0.0214		ug/L		109	50 - 150

Eurofins Eaton Analytical Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-154969-1
SDG: Weekly: Aiea Wells P2/Moanalua Wells P3

Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MRL 380-157861/22-A

Matrix: Water

Analysis Batch: 157984

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 157861

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
Atrazine	0.0491	0.0537		ug/L		109	50 - 150
Benz(a)anthracene	0.0491	0.0519		ug/L		106	50 - 150
Benzo[a]pyrene	0.0196	0.0199	J	ug/L		102	50 - 150
Benzo[b]fluoranthene	0.0196	0.0264		ug/L		135	50 - 150
Benzo[g,h,i]perylene	0.0491	0.0394	J	ug/L		80	50 - 150
Benzo[k]fluoranthene	0.0196	0.0206		ug/L		105	50 - 150
beta-BHC	0.0981	0.111		ug/L		113	50 - 150
Bis(2-ethylhexyl) phthalate	0.589	0.487	J	ug/L		83	50 - 150
Bromacil	0.0981	0.108		ug/L		110	50 - 150
Butachlor	0.0491	0.0523		ug/L		106	50 - 150
Butylbenzylphthalate	0.491	0.523		ug/L		107	50 - 150
Chlorobenzilate	0.0981	0.0915	J	ug/L		93	50 - 150
Chloroneb	0.0981	0.100		ug/L		102	50 - 150
Chlorothalonil (Draconil, Bravo)	0.0981	0.0920	J	ug/L		94	50 - 150
Chlorpyrifos	0.0491	0.0470	J	ug/L		96	50 - 150
Chrysene	0.0196	0.0213		ug/L		109	50 - 150
delta-BHC	0.0981	0.108		ug/L		110	50 - 150
Di(2-ethylhexyl)adipate	0.589	0.553	J	ug/L		94	50 - 150
Dibenz(a,h)anthracene	0.0491	0.0479	J	ug/L		98	50 - 150
Diclorvos (DDVP)	0.0491	0.0519		ug/L		106	50 - 150
Dieldrin	0.00981	0.0114		ug/L		116	50 - 150
Diethylphthalate	0.491	0.522		ug/L		106	50 - 150
Dimethylphthalate	0.491	0.519		ug/L		106	50 - 150
Di-n-butyl phthalate	0.491	0.621	J	ug/L		127	49 - 243
Di-n-octyl phthalate	0.0981	0.0762	J	ug/L		78	50 - 150
Endosulfan I (Alpha)	0.0981	0.0802	J	ug/L		82	50 - 150
Endosulfan II (Beta)	0.0981	0.101		ug/L		103	50 - 150
Endosulfan sulfate	0.0981	0.0965	J	ug/L		98	50 - 150
Endrin	0.00981	0.00937	J	ug/L		95	50 - 150
Endrin aldehyde	0.0981	0.111		ug/L		113	50 - 150
EPTC	0.0981	0.0928	J	ug/L		95	50 - 150
Fluoranthene	0.0981	0.0988		ug/L		101	50 - 150
Fluorene	0.0491	0.0521		ug/L		106	50 - 150
gamma-Chlordane	0.0245	0.0237	J	ug/L		97	50 - 150
Heptachlor	0.00981	0.00922	J	ug/L		94	50 - 150
Heptachlor epoxide (isomer B)	0.00981	0.0110		ug/L		112	50 - 150
Hexachlorobenzene	0.0491	0.0447	J	ug/L		91	50 - 150
Hexachlorocyclopentadiene	0.0491	0.0527		ug/L		107	50 - 150
Indeno[1,2,3-cd]pyrene	0.0491	0.0462	J	ug/L		94	50 - 150
Isophorone	0.0981	0.104		ug/L		106	50 - 150
Lindane	0.00981	0.0124		ug/L		127	50 - 150
Malathion	0.0981	0.0984		ug/L		100	50 - 150
Methoxychlor	0.0491	0.0532		ug/L		108	50 - 150
Metolachlor	0.0491	0.0533		ug/L		109	50 - 150
Molinate	0.0981	0.104		ug/L		106	50 - 150
Naphthalene	0.0981	0.0970	J	ug/L		99	50 - 150
Parathion	0.0981	0.0852	J	ug/L		87	50 - 150
Pendimethalin (Penoxaline)	0.0981	0.0967	J	ug/L		99	50 - 150
Phenanthrene	0.0393	0.0430		ug/L		109	50 - 150

Eurofins Eaton Analytical Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-154969-1
SDG: Weekly: Aiea Wells P2/Moanalua Wells P3

Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MRL 380-157861/22-A

Matrix: Water

Analysis Batch: 157984

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 157861

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
Propachlor	0.0491	0.0529		ug/L		108	50 - 150
Pyrene	0.0491	0.0510		ug/L		104	50 - 150
Simazine	0.0491	0.0442	J	ug/L		90	50 - 150
Terbacil	0.0981	0.0871	J	ug/L		89	50 - 150
Terbutylazine	0.0981	0.0965	J	ug/L		98	50 - 150
Thiobencarb	0.0981	0.100		ug/L		102	50 - 150
trans-Nonachlor	0.0245	<0.026		ug/L		86	50 - 150
Trifluralin	0.0981	0.0976	J	ug/L		99	50 - 150

Surrogate	MRL %Recovery	MRL Qualifier	Limits
2-Nitro-m-xylene	98		70 - 130
Perylene-d12	93		70 - 130
Triphenylphosphate	97		70 - 130

Lab Sample ID: 380-154619-AQ-1-A MS

Matrix: Water

Analysis Batch: 157984

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 157861

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
1-Methylnaphthalene	<0.098		1.97	2.00		ug/L		102	70 - 130
2,4'-DDD	<0.098		1.97	2.19		ug/L		111	70 - 130
2,4'-DDE	<0.098		1.97	2.16		ug/L		109	70 - 130
2,4'-DDT	<0.098		1.97	2.04		ug/L		104	70 - 130
2,4-Dinitrotoluene	<0.098		1.97	1.74		ug/L		88	70 - 130
2,6-Dinitrotoluene	<0.098		1.97	1.85		ug/L		94	70 - 130
2-Methylnaphthalene	<0.098		1.97	1.89		ug/L		95	70 - 130
4,4'-DDD	<0.098		1.97	2.37		ug/L		120	70 - 130
4,4'-DDE	<0.098		1.97	2.15		ug/L		109	70 - 130
4,4'-DDT	<0.098		1.97	2.19		ug/L		111	70 - 130
Acenaphthene	<0.098		1.97	1.99		ug/L		101	70 - 130
Acenaphthylene	<0.098		1.97	2.00		ug/L		101	70 - 130
Acetochlor	<0.098		1.97	2.20		ug/L		112	70 - 130
Alachlor	<0.049		1.97	2.32		ug/L		118	70 - 130
alpha-BHC	<0.098		1.97	2.15		ug/L		109	70 - 130
alpha-Chlordane	<0.049		1.97	2.23		ug/L		113	70 - 130
Anthracene	<0.020		1.97	1.60		ug/L		81	70 - 130
Atrazine	<0.049		1.97	2.36		ug/L		120	70 - 130
Benz(a)anthracene	<0.049		1.97	2.13		ug/L		108	70 - 130
Benzo[a]pyrene	<0.020		1.97	1.87		ug/L		95	70 - 130
Benzo[b]fluoranthene	<0.020		1.97	2.06		ug/L		104	70 - 130
Benzo[g,h,i]perylene	<0.049		1.97	2.01		ug/L		102	70 - 130
Benzo[k]fluoranthene	<0.020		1.97	1.97		ug/L		100	70 - 130
beta-BHC	<0.098		1.97	2.51		ug/L		127	70 - 130
Bis(2-ethylhexyl) phthalate	<0.59		1.97	1.78		ug/L		90	70 - 130
Bromacil	<0.098		1.97	1.64		ug/L		83	70 - 130
Butachlor	<0.049		1.97	2.51		ug/L		128	70 - 130
Butylbenzylphthalate	<0.49		1.97	2.38		ug/L		121	70 - 130
Chlorobenzilate	<0.098		1.97	2.42		ug/L		123	70 - 130

Eurofins Eaton Analytical Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-154969-1
SDG: Weekly: Aiea Wells P2/Moanalua Wells P3

Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 380-154619-AQ-1-A MS

Matrix: Water

Analysis Batch: 157984

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 157861

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Chloroneb	<0.098		1.97	2.04		ug/L		104	70 - 130
Chlorothalonil (Draconil, Bravo)	<0.098		1.97	2.26		ug/L		115	70 - 130
Chlorpyrifos	<0.049		1.97	2.21		ug/L		112	70 - 130
Chrysene	<0.020		1.97	2.05		ug/L		104	70 - 130
delta-BHC	<0.098		1.97	2.33		ug/L		118	70 - 130
Di(2-ethylhexyl)adipate	<0.59		1.97	2.06		ug/L		104	70 - 130
Dibenz(a,h)anthracene	<0.049		1.97	1.79		ug/L		91	70 - 130
Diclorvos (DDVP)	<0.049		1.97	1.78		ug/L		90	70 - 130
Dieldrin	<0.0098		1.97	2.14		ug/L		109	70 - 130
Diethylphthalate	<0.49		1.97	2.27		ug/L		115	70 - 130
Dimethylphthalate	<0.49		1.97	2.03		ug/L		103	70 - 130
Di-n-butyl phthalate	<0.98		3.94	5.05		ug/L		128	70 - 130
Di-n-octyl phthalate	<0.098		1.97	1.71		ug/L		87	70 - 130
Endosulfan I (Alpha)	<0.098		1.97	2.05		ug/L		104	70 - 130
Endosulfan II (Beta)	<0.098		1.97	2.23		ug/L		113	70 - 130
Endosulfan sulfate	<0.098		1.97	2.37		ug/L		120	70 - 130
Endrin	<0.0098		1.97	2.28		ug/L		116	70 - 130
Endrin aldehyde	<0.098		1.97	1.71		ug/L		87	60 - 130
EPTC	<0.098		1.97	2.03		ug/L		103	70 - 130
Fluoranthene	<0.098		1.97	2.25		ug/L		114	70 - 130
Fluorene	<0.049		1.97	2.04		ug/L		104	70 - 130
gamma-Chlordane	<0.049		1.97	2.25		ug/L		114	70 - 130
Heptachlor	<0.0098		1.97	2.13		ug/L		108	70 - 130
Heptachlor epoxide (isomer B)	<0.0098		1.97	2.19		ug/L		111	70 - 130
Hexachlorobenzene	<0.049		1.97	2.04		ug/L		104	70 - 130
Hexachlorocyclopentadiene	<0.049		1.97	1.83		ug/L		93	70 - 130
Indeno[1,2,3-cd]pyrene	<0.049		1.97	1.97		ug/L		100	70 - 130
Isophorone	<0.098		1.97	1.85		ug/L		94	70 - 130
Lindane	<0.0098		1.97	2.39		ug/L		121	70 - 130
Malathion	<0.098		1.97	2.30		ug/L		117	70 - 130
Methoxychlor	<0.049		1.97	2.14		ug/L		109	70 - 130
Metolachlor	<0.049		1.97	2.26		ug/L		115	70 - 130
Molinate	<0.098		1.97	2.17		ug/L		110	70 - 130
Naphthalene	<0.098		1.97	1.89		ug/L		96	70 - 130
Parathion	<0.098		1.97	2.31		ug/L		117	70 - 130
Pendimethalin (Penoxaline)	<0.098		1.97	2.05		ug/L		104	70 - 130
Phenanthrene	<0.039		1.97	1.91		ug/L		97	70 - 130
Propachlor	<0.049		1.97	2.25		ug/L		114	70 - 130
Pyrene	<0.049		1.97	2.32		ug/L		118	70 - 130
Simazine	<0.049		1.97	2.31		ug/L		117	70 - 130
Terbacil	<0.098		1.97	1.78		ug/L		90	70 - 130
Terbutylazine	<0.098	F1	1.97	2.64	F1	ug/L		134	70 - 130
Thiobencarb	<0.098		1.97	2.40		ug/L		122	70 - 130
trans-Nonachlor	<0.049		1.97	2.27		ug/L		115	70 - 130
Trifluralin	<0.098		1.97	2.01		ug/L		102	70 - 130

Surrogate	MS %Recovery	MS Qualifier	Limits
2-Nitro-m-xylene	95		70 - 130

Eurofins Eaton Analytical Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-154969-1
SDG: Weekly: Aiea Wells P2/Moanalua Wells P3

Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 380-154619-AQ-1-A MS

Matrix: Water

Analysis Batch: 157984

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 157861

Surrogate	%Recovery	MS MS Qualifier	Limits
Perylene-d12	97		70 - 130
Triphenylphosphate	114		70 - 130

Lab Sample ID: 380-154705-B-1-A DU

Matrix: Water

Analysis Batch: 157984

Client Sample ID: Duplicate

Prep Type: Total/NA

Prep Batch: 157861

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
1-Methylnaphthalene	<0.098		<0.098		ug/L		NC	20
2,4'-DDD	<0.098		<0.098		ug/L		NC	20
2,4'-DDE	<0.098		<0.098		ug/L		NC	20
2,4'-DDT	<0.098		<0.098		ug/L		NC	20
2,4-Dinitrotoluene	<0.098		<0.098		ug/L		NC	20
2,6-Dinitrotoluene	<0.098		<0.098		ug/L		NC	20
2-Methylnaphthalene	<0.098		<0.098		ug/L		NC	20
4,4'-DDD	<0.098		<0.098		ug/L		NC	20
4,4'-DDE	<0.098		<0.098		ug/L		NC	20
4,4'-DDT	<0.098		<0.098		ug/L		NC	20
Acenaphthene	<0.098		<0.098		ug/L		NC	20
Acenaphthylene	<0.098		<0.098		ug/L		NC	20
Acetochlor	<0.098		<0.098		ug/L		NC	20
Alachlor	<0.049		<0.049		ug/L		NC	20
alpha-BHC	<0.098		<0.098		ug/L		NC	20
alpha-Chlordane	<0.049		<0.049		ug/L		NC	20
Anthracene	<0.020		<0.020		ug/L		NC	20
Atrazine	<0.049		<0.049		ug/L		NC	20
Benz(a)anthracene	<0.049		<0.049		ug/L		NC	20
Benzo[a]pyrene	<0.020		<0.020		ug/L		NC	20
Benzo[b]fluoranthene	<0.020		<0.020		ug/L		NC	20
Benzo[g,h,i]perylene	<0.049		<0.049		ug/L		NC	20
Benzo[k]fluoranthene	<0.020		<0.020		ug/L		NC	20
beta-BHC	<0.098		<0.098		ug/L		NC	20
Bis(2-ethylhexyl) phthalate	<0.59		<0.59		ug/L		NC	20
Bromacil	<0.098		<0.098		ug/L		NC	20
Butachlor	<0.049		<0.049		ug/L		NC	20
Butylbenzylphthalate	<0.49		<0.49		ug/L		NC	20
Chlorobenzilate	<0.098		<0.098		ug/L		NC	20
Chloroneb	<0.098		<0.098		ug/L		NC	20
Chlorothalonil (Draconil, Bravo)	<0.098		<0.098		ug/L		NC	20
Chlorpyrifos	<0.049		<0.049		ug/L		NC	20
Chrysene	<0.020		<0.020		ug/L		NC	20
delta-BHC	<0.098		<0.098		ug/L		NC	20
Di(2-ethylhexyl)adipate	<0.59		<0.59		ug/L		NC	20
Dibenz(a,h)anthracene	<0.049		<0.049		ug/L		NC	20
Diclorvos (DDVP)	<0.049		<0.049		ug/L		NC	20
Dieldrin	<0.0098		<0.0098		ug/L		NC	20
Diethylphthalate	<0.49		<0.49		ug/L		NC	20
Dimethylphthalate	<0.49		<0.49		ug/L		NC	20

Eurofins Eaton Analytical Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-154969-1
SDG: Weekly: Aiea Wells P2/Moanalua Wells P3

Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 380-154705-B-1-A DU

Matrix: Water

Analysis Batch: 157984

Client Sample ID: Duplicate

Prep Type: Total/NA

Prep Batch: 157861

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	Limit
Di-n-butyl phthalate	<0.98		<0.98		ug/L		NC	20
Di-n-octyl phthalate	<0.098		<0.098		ug/L		NC	20
Endosulfan I (Alpha)	<0.098		<0.098		ug/L		NC	20
Endosulfan II (Beta)	<0.098		<0.098		ug/L		NC	20
Endosulfan sulfate	<0.098		<0.098		ug/L		NC	20
Endrin	<0.0098		<0.0098		ug/L		NC	20
Endrin aldehyde	<0.098		<0.098		ug/L		NC	20
EPTC	<0.098		<0.098		ug/L		NC	20
Fluoranthene	<0.098		<0.098		ug/L		NC	20
Fluorene	<0.049		<0.049		ug/L		NC	20
gamma-Chlordane	<0.049		<0.049		ug/L		NC	20
Heptachlor	<0.0098		<0.0098		ug/L		NC	20
Heptachlor epoxide (isomer B)	<0.0098		<0.0098		ug/L		NC	20
Hexachlorobenzene	<0.049		<0.049		ug/L		NC	20
Hexachlorocyclopentadiene	<0.049		<0.049		ug/L		NC	20
Indeno[1,2,3-cd]pyrene	<0.049		<0.049		ug/L		NC	20
Isophorone	<0.098		<0.098		ug/L		NC	20
Lindane	<0.0098		<0.0098		ug/L		NC	20
Malathion	<0.098		<0.098		ug/L		NC	20
Methoxychlor	<0.049		<0.049		ug/L		NC	20
Metolachlor	<0.049		<0.049		ug/L		NC	20
Molinate	<0.098		<0.098		ug/L		NC	20
Naphthalene	<0.098		<0.098		ug/L		NC	20
Parathion	<0.098		<0.098		ug/L		NC	20
Pendimethalin (Penoxaline)	<0.098		<0.098		ug/L		NC	20
Phenanthrene	<0.039		<0.039		ug/L		NC	20
Propachlor	<0.049		<0.049		ug/L		NC	20
Pyrene	<0.049		<0.049		ug/L		NC	20
Simazine	<0.049		<0.049		ug/L		NC	20
Terbacil	<0.098		<0.098		ug/L		NC	20
Terbutylazine	<0.098		<0.098		ug/L		NC	20
Thiobencarb	<0.098		<0.098		ug/L		NC	20
Total Permethrin (mixed isomers)	<0.20		<0.20		ug/L		NC	20
trans-Nonachlor	<0.049		<0.049		ug/L		NC	20
Trifluralin	<0.098		<0.098		ug/L		NC	20

Surrogate	DU %Recovery	DU Qualifier	Limits
2-Nitro-m-xylene	97		70 - 130
Perylene-d12	89		70 - 130
Triphenylphosphate	97		70 - 130

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-154969-1
SDG: Weekly: Aiea Wells P2/Moanalua Wells P3

Method: 625.1 - Semivolatile Organic Compounds (GC/MS)

Lab Sample ID: MB 570-582856/1-A
Matrix: Water
Analysis Batch: 588541

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 582856

<i>Tentatively Identified Compound</i>	<i>Est. Result</i>	<i>MB MB</i> <i>Qualifier</i>	<i>Unit</i>	<i>D</i>	<i>RT</i>	<i>CAS No.</i>	<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
<i>Tentatively Identified Compound</i>	<i>None</i>		<i>ug/L</i>			<i>N/A</i>	06/11/25 19:25	06/24/25 13:28	1
<i>Surrogate</i>	<i>%Recovery</i>	<i>MB MB</i> <i>Qualifier</i>	<i>Limits</i>				<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
2,4,6-Tribromophenol (Surr)	70		33 - 139				06/11/25 19:25	06/24/25 13:28	1
2-Fluorobiphenyl (Surr)	68		33 - 126				06/11/25 19:25	06/24/25 13:28	1
2-Fluorophenol (Surr)	52		12 - 120				06/11/25 19:25	06/24/25 13:28	1
Nitrobenzene-d5 (Surr)	76		36 - 120				06/11/25 19:25	06/24/25 13:28	1
Phenol-d6 (Surr)	35		10 - 120				06/11/25 19:25	06/24/25 13:28	1
p-Terphenyl-d14 (Surr)	72		47 - 131				06/11/25 19:25	06/24/25 13:28	1

Method: 625.1 SIM - Semivolatile Organic Compounds GC/MS (SIM)

Lab Sample ID: MB 570-582856/1-A
Matrix: Water
Analysis Batch: 584594

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 582856

<i>Analyte</i>	<i>Result</i>	<i>MB MB</i> <i>Qualifier</i>	<i>RL</i>	<i>Unit</i>	<i>D</i>	<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
1-Methylnaphthalene	<0.20		0.20	ug/L		06/11/25 19:25	06/16/25 14:14	1
2-Methylnaphthalene	<0.20		0.20	ug/L		06/11/25 19:25	06/16/25 14:14	1
Acenaphthene	<0.20		0.20	ug/L		06/11/25 19:25	06/16/25 14:14	1
Acenaphthylene	<0.20		0.20	ug/L		06/11/25 19:25	06/16/25 14:14	1
Anthracene	<0.20		0.20	ug/L		06/11/25 19:25	06/16/25 14:14	1
Benzo[a]anthracene	<0.20		0.20	ug/L		06/11/25 19:25	06/16/25 14:14	1
Benzo[a]pyrene	<0.20		0.20	ug/L		06/11/25 19:25	06/16/25 14:14	1
Benzo[b]fluoranthene	<0.20		0.20	ug/L		06/11/25 19:25	06/16/25 14:14	1
Benzo[g,h,i]perylene	<0.20		0.20	ug/L		06/11/25 19:25	06/16/25 14:14	1
Benzo[k]fluoranthene	<0.20		0.20	ug/L		06/11/25 19:25	06/16/25 14:14	1
Chrysene	<0.20		0.20	ug/L		06/11/25 19:25	06/16/25 14:14	1
Dibenz(a,h)anthracene	<0.20		0.20	ug/L		06/11/25 19:25	06/16/25 14:14	1
Fluoranthene	<0.20		0.20	ug/L		06/11/25 19:25	06/16/25 14:14	1
Fluorene	<0.20		0.20	ug/L		06/11/25 19:25	06/16/25 14:14	1
Indeno[1,2,3-cd]pyrene	<0.20		0.20	ug/L		06/11/25 19:25	06/16/25 14:14	1
Naphthalene	<0.20		0.20	ug/L		06/11/25 19:25	06/16/25 14:14	1
Phenanthrene	<0.20		0.20	ug/L		06/11/25 19:25	06/16/25 14:14	1
Pyrene	<0.20		0.20	ug/L		06/11/25 19:25	06/16/25 14:14	1
<i>Surrogate</i>	<i>%Recovery</i>	<i>MB MB</i> <i>Qualifier</i>	<i>Limits</i>			<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
2,4,6-Tribromophenol (Surr)	81		28 - 127			06/11/25 19:25	06/16/25 14:14	1
2-Fluorobiphenyl (Surr)	70		31 - 120			06/11/25 19:25	06/16/25 14:14	1
2-Fluorophenol (Surr)	47		17 - 120			06/11/25 19:25	06/16/25 14:14	1
Nitrobenzene-d5 (Surr)	78		27 - 120			06/11/25 19:25	06/16/25 14:14	1
Phenol-d6 (Surr)	29		10 - 120			06/11/25 19:25	06/16/25 14:14	1
p-Terphenyl-d14 (Surr)	80		45 - 120			06/11/25 19:25	06/16/25 14:14	1

Eurofins Eaton Analytical Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-154969-1
SDG: Weekly: Aiea Wells P2/Moanalua Wells P3

Method: 625.1 SIM - Semivolatile Organic Compounds GC/MS (SIM) (Continued)

Lab Sample ID: LCS 570-582856/2-A

Matrix: Water

Analysis Batch: 584594

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 582856

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1-Methylnaphthalene	20.0	15.5		ug/L		78	47 - 120
2-Methylnaphthalene	20.0	15.4		ug/L		77	43 - 120
Acenaphthene	20.0	19.0		ug/L		95	60 - 132
Acenaphthylene	20.0	19.3		ug/L		97	54 - 126
Anthracene	20.0	19.9		ug/L		99	43 - 120
Benzo[a]anthracene	20.0	20.7		ug/L		104	42 - 133
Benzo[a]pyrene	20.0	20.4		ug/L		102	32 - 148
Benzo[b]fluoranthene	20.0	20.5		ug/L		102	42 - 140
Benzo[g,h,i]perylene	20.0	20.2		ug/L		101	1 - 195
Benzo[k]fluoranthene	20.0	19.1		ug/L		95	25 - 146
Chrysene	20.0	20.2		ug/L		101	44 - 140
Dibenz(a,h)anthracene	20.0	21.0		ug/L		105	1 - 200
Fluoranthene	20.0	20.1		ug/L		101	43 - 121
Fluorene	20.0	19.4		ug/L		97	70 - 120
Indeno[1,2,3-cd]pyrene	20.0	20.4		ug/L		102	1 - 151
Naphthalene	20.0	14.8		ug/L		74	36 - 120
Phenanthrene	20.0	19.5		ug/L		98	65 - 120
Pyrene	20.0	21.2		ug/L		106	70 - 120

Surrogate	LCS %Recovery	LCS Qualifier	Limits
2,4,6-Tribromophenol (Surr)	89		28 - 127
2-Fluorobiphenyl (Surr)	80		31 - 120
2-Fluorophenol (Surr)	60		17 - 120
Nitrobenzene-d5 (Surr)	75		27 - 120
Phenol-d6 (Surr)	40		10 - 120
p-Terphenyl-d14 (Surr)	94		45 - 120

Lab Sample ID: LCSD 570-582856/3-A

Matrix: Water

Analysis Batch: 584594

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 582856

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1-Methylnaphthalene	20.0	16.0		ug/L		80	47 - 120	3	20
2-Methylnaphthalene	20.0	15.9		ug/L		80	43 - 120	3	20
Acenaphthene	20.0	18.1		ug/L		90	60 - 132	5	29
Acenaphthylene	20.0	18.6		ug/L		93	54 - 126	4	45
Anthracene	20.0	18.8		ug/L		94	43 - 120	5	40
Benzo[a]anthracene	20.0	19.7		ug/L		98	42 - 133	5	32
Benzo[a]pyrene	20.0	19.1		ug/L		96	32 - 148	7	43
Benzo[b]fluoranthene	20.0	19.4		ug/L		97	42 - 140	5	43
Benzo[g,h,i]perylene	20.0	18.7		ug/L		93	1 - 195	8	61
Benzo[k]fluoranthene	20.0	18.3		ug/L		91	25 - 146	4	38
Chrysene	20.0	18.9		ug/L		94	44 - 140	7	53
Dibenz(a,h)anthracene	20.0	19.3		ug/L		97	1 - 200	8	75
Fluoranthene	20.0	19.6		ug/L		98	43 - 121	3	40
Fluorene	20.0	18.0		ug/L		90	70 - 120	7	23
Indeno[1,2,3-cd]pyrene	20.0	18.9		ug/L		95	1 - 151	7	60
Naphthalene	20.0	15.2		ug/L		76	36 - 120	2	39

Eurofins Eaton Analytical Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-154969-1
SDG: Weekly: Aiea Wells P2/Moanalua Wells P3

Method: 625.1 SIM - Semivolatile Organic Compounds GC/MS (SIM) (Continued)

Lab Sample ID: LCSD 570-582856/3-A

Matrix: Water

Analysis Batch: 584594

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 582856

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Phenanthrene	20.0	18.7		ug/L		94	65 - 120	4	24
Pyrene	20.0	19.9		ug/L		99	70 - 120	6	30

Surrogate	LCSD %Recovery	LCSD Qualifier	LCSD Limits
2,4,6-Tribromophenol (Surr)	84		28 - 127
2-Fluorobiphenyl (Surr)	75		31 - 120
2-Fluorophenol (Surr)	56		17 - 120
Nitrobenzene-d5 (Surr)	69		27 - 120
Phenol-d6 (Surr)	38		10 - 120
p-Terphenyl-d14 (Surr)	87		45 - 120

Lab Sample ID: 380-154969-2 MS

Matrix: Drinking Water

Analysis Batch: 586977

Client Sample ID: MOANALUA WELLS (331-223-TP202)

Prep Type: Total/NA

Prep Batch: 582856

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
1-Methylnaphthalene	<0.19		19.2	16.5		ug/L		86	36 - 120
2-Methylnaphthalene	<0.19		19.2	16.7		ug/L		87	32 - 124
Acenaphthene	<0.19		19.2	18.1		ug/L		94	47 - 145
Acenaphthylene	<0.19		19.2	18.3		ug/L		95	33 - 145
Anthracene	<0.19		19.2	18.8		ug/L		98	27 - 133
Benzo[a]anthracene	<0.19		19.2	19.7		ug/L		102	33 - 143
Benzo[a]pyrene	<0.19		19.2	19.4		ug/L		101	17 - 163
Benzo[b]fluoranthene	<0.19		19.2	19.2		ug/L		100	24 - 159
Benzo[g,h,i]perylene	<0.19		19.2	18.7		ug/L		97	1 - 219
Benzo[k]fluoranthene	<0.19		19.2	18.4		ug/L		96	11 - 162
Chrysene	<0.19		19.2	19.4		ug/L		101	17 - 168
Dibenz(a,h)anthracene	<0.19		19.2	19.4		ug/L		101	1 - 227
Fluoranthene	<0.19		19.2	19.2		ug/L		100	26 - 137
Fluorene	<0.19		19.2	18.2		ug/L		95	59 - 121
Indeno[1,2,3-cd]pyrene	<0.19		19.2	18.8		ug/L		98	1 - 171
Naphthalene	<0.19		19.2	15.1		ug/L		79	21 - 133
Phenanthrene	<0.19		19.2	18.4		ug/L		96	54 - 120
Pyrene	<0.19		19.2	20.0		ug/L		104	52 - 120

Surrogate	MS %Recovery	MS Qualifier	MS Limits
2,4,6-Tribromophenol (Surr)	98		28 - 127
2-Fluorobiphenyl (Surr)	83		31 - 120
2-Fluorophenol (Surr)	52		17 - 120
Nitrobenzene-d5 (Surr)	68		27 - 120
Phenol-d6 (Surr)	33		10 - 120
p-Terphenyl-d14 (Surr)	91		45 - 120

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-154969-1
SDG: Weekly: Aiea Wells P2/Moanalua Wells P3

Method: 625.1 SIM - Semivolatile Organic Compounds GC/MS (SIM) (Continued)

Lab Sample ID: 380-154969-2 MSD

Matrix: Drinking Water

Analysis Batch: 586977

Client Sample ID: MOANALUA WELLS (331-223-TP202)

Prep Type: Total/NA

Prep Batch: 582856

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1-Methylnaphthalene	<0.19		19.3	16.0		ug/L		83	36 - 120	3	30
2-Methylnaphthalene	<0.19		19.3	16.3		ug/L		84	32 - 124	2	30
Acenaphthene	<0.19		19.3	17.6		ug/L		91	47 - 145	3	48
Acenaphthylene	<0.19		19.3	17.8		ug/L		93	33 - 145	2	74
Anthracene	<0.19		19.3	18.5		ug/L		96	27 - 133	2	66
Benzo[a]anthracene	<0.19		19.3	19.7		ug/L		102	33 - 143	0	53
Benzo[a]pyrene	<0.19		19.3	19.3		ug/L		100	17 - 163	0	72
Benzo[b]fluoranthene	<0.19		19.3	19.3		ug/L		100	24 - 159	1	71
Benzo[g,h,i]perylene	<0.19		19.3	18.7		ug/L		97	1 - 219	0	97
Benzo[k]fluoranthene	<0.19		19.3	18.5		ug/L		96	11 - 162	0	63
Chrysene	<0.19		19.3	19.0		ug/L		99	17 - 168	2	87
Dibenz(a,h)anthracene	<0.19		19.3	19.4		ug/L		101	1 - 227	0	126
Fluoranthene	<0.19		19.3	19.2		ug/L		99	26 - 137	0	66
Fluorene	<0.19		19.3	17.9		ug/L		93	59 - 121	2	38
Indeno[1,2,3-cd]pyrene	<0.19		19.3	18.8		ug/L		98	1 - 171	0	99
Naphthalene	<0.19		19.3	14.6		ug/L		76	21 - 133	4	65
Phenanthrene	<0.19		19.3	18.4		ug/L		96	54 - 120	0	39
Pyrene	<0.19		19.3	20.2		ug/L		105	52 - 120	1	49

Surrogate	MSD %Recovery	MSD Qualifier	Limits
2,4,6-Tribromophenol (Surr)	99		28 - 127
2-Fluorobiphenyl (Surr)	80		31 - 120
2-Fluorophenol (Surr)	47		17 - 120
Nitrobenzene-d5 (Surr)	65		27 - 120
Phenol-d6 (Surr)	31		10 - 120
p-Terphenyl-d14 (Surr)	93		45 - 120

Method: 8015B GRO LL - Gasoline Range Organics - (GC)

Lab Sample ID: MB 570-587470/10

Matrix: Water

Analysis Batch: 587470

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
GRO (C6-C10)	<10		10	ug/L			06/21/25 13:12	1
Surrogate	MB %Recovery	MB Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	63		38 - 134				06/21/25 13:12	1

Lab Sample ID: LCS 570-587470/1008

Matrix: Water

Analysis Batch: 587470

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Gasoline Range Organics (C4-C13)	400	398		ug/L		100	78 - 120

Eurofins Eaton Analytical Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-154969-1
SDG: Weekly: Aiea Wells P2/Moanalua Wells P3

Method: 8015B GRO LL - Gasoline Range Organics - (GC) (Continued)

Lab Sample ID: LCS 570-587470/1008

Matrix: Water

Analysis Batch: 587470

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

	LCS	LCS	
Surrogate	%Recovery	Qualifier	Limits
4-Bromofluorobenzene (Surr)	95		38 - 134

Lab Sample ID: LCSD 570-587470/9

Matrix: Water

Analysis Batch: 587470

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analysis Data: C4-C13											
Analyte			Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limits
Gasoline Range Organics (C4-C13)			400	403		ug/L		101	78 - 120	1	10

	LCSD	LCSD	
Surrogate	%Recovery	Qualifier	Limits
4-Bromofluorobenzene (Surr)	90		38 - 134

Lab Sample ID: MRL 570-587470/1003

Matrix: Water

Analysis Batch: 587470

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

			Spike	MRL	MRL						
Analyte			Added	Result	Qualifier	Unit	D	%Rec	%Rec Limits		
Gasoline Range Organics (C4-C13)			10.0	<7.9		ug/L		76	50 - 150		

	MRL	MRL	
Surrogate	%Recovery	Qualifier	Limits
4-Bromofluorobenzene (Surr)	73		38 - 134

Lab Sample ID: 380-154969-2 MS

Matrix: Drinking Water

Analysis Batch: 587470

Client Sample ID: MOANALUA WELLS (331-223-TP202)

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits		
Gasoline Range Organics (C4-C13)	<10		400	390		ug/L		97	68 - 122		

	MS	MS	
Surrogate	%Recovery	Qualifier	Limits
4-Bromofluorobenzene (Surr)	97		38 - 134

Lab Sample ID: 380-154969-2 MSD

Matrix: Drinking Water

Analysis Batch: 587470

Client Sample ID: MOANALUA WELLS (331-223-TP202)

Prep Type: Total/NA

	Sample	Sample	Spike	MSD	MSD				%Rec		RPD
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Gasoline Range Organics (C4-C13)	<10		400	402		ug/L		100	68 - 122	3	18

	MSD	MSD	
Surrogate	%Recovery	Qualifier	Limits
4-Bromofluorobenzene (Surr)	100		38 - 134

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-154969-1
SDG: Weekly: Aiea Wells P2/Moanalua Wells P3

Method: 8015B - Diesel Range Organics (DRO) (GC) Low Level

Lab Sample ID: MB 570-584549/1-A

Matrix: Water

Analysis Batch: 585305

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 584549

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics (C10-C24)	<25		25	ug/L		06/16/25 09:11	06/17/25 12:54	1
Motor Oil Range Organics [C24-C36]	<25		25	ug/L		06/16/25 09:11	06/17/25 12:54	1
C8-C18	<25		25	ug/L		06/16/25 09:11	06/17/25 12:54	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
n-Octacosane (Surr)	107		60 - 130	06/16/25 09:11	06/17/25 12:54	1

Lab Sample ID: LCS 570-584549/2-A

Matrix: Water

Analysis Batch: 585305

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 584549

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
C10-C28	1600	1580		ug/L		98	56 - 127

Surrogate	LCS %Recovery	LCS Qualifier	Limits
n-Octacosane (Surr)	108		60 - 130

Lab Sample ID: LCSD 570-584549/3-A

Matrix: Water

Analysis Batch: 585305

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 584549

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
C10-C28	1600	1550		ug/L		97	56 - 127	2	23

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
n-Octacosane (Surr)	113		60 - 130

Lab Sample ID: MRL 570-584549/4-A

Matrix: Water

Analysis Batch: 585305

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 584549

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
C10-C28	0.0200	0.0275		mg/L		137	50 - 150

Surrogate	MRL %Recovery	MRL Qualifier	Limits
n-Octacosane (Surr)	107		60 - 130

Lab Sample ID: 380-154969-2 MS

Matrix: Drinking Water

Analysis Batch: 585305

Client Sample ID: MOANALUA WELLS (331-223-TP202)

Prep Type: Total/NA

Prep Batch: 584549

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
C10-C28	<27		1720	1670		ug/L		97	70 - 130

Surrogate	MS %Recovery	MS Qualifier	Limits
n-Octacosane (Surr)	106		60 - 130

Eurofins Eaton Analytical Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-154969-1
SDG: Weekly: Aiea Wells P2/Moanalua Wells P3

Method: 8015B - Diesel Range Organics (DRO) (GC) Low Level (Continued)

Lab Sample ID: 380-154969-2 MSD

Matrix: Drinking Water

Analysis Batch: 585305

Client Sample ID: MOANALUA WELLS (331-223-TP202)

Prep Type: Total/NA

Prep Batch: 584549

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
C10-C28	<27		1680	1580		ug/L		94	70 - 130	5	20

Surrogate	MSD %Recovery	MSD Qualifier	Limits
n-Octacosane (Surr)	104		60 - 130

QC Association Summary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-154969-1
SDG: Weekly: Aiea Wells P2/Moanalua Wells P3

GC/MS Semi VOA

Prep Batch: 157861

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-154969-1	AIEA WELLS PUMPS 1&2 (260) P2 (331-203-TP	Total/NA	Drinking Water	525.2	
380-154969-2	MOANALUA WELLS P3 (331-223-TP202)	Total/NA	Drinking Water	525.2	
MB 380-157861/21-A	Method Blank	Total/NA	Water	525.2	
LCS 380-157861/23-A	Lab Control Sample	Total/NA	Water	525.2	
MRL 380-157861/22-A	Lab Control Sample	Total/NA	Water	525.2	
380-154619-AQ-1-A MS	Matrix Spike	Total/NA	Water	525.2	
380-154705-B-1-A DU	Duplicate	Total/NA	Water	525.2	

Analysis Batch: 157984

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-154969-1	AIEA WELLS PUMPS 1&2 (260) P2 (331-203-TP	Total/NA	Drinking Water	525.2	157861
380-154969-2	MOANALUA WELLS P3 (331-223-TP202)	Total/NA	Drinking Water	525.2	157861
MB 380-157861/21-A	Method Blank	Total/NA	Water	525.2	157861
LCS 380-157861/23-A	Lab Control Sample	Total/NA	Water	525.2	157861
MRL 380-157861/22-A	Lab Control Sample	Total/NA	Water	525.2	157861
380-154619-AQ-1-A MS	Matrix Spike	Total/NA	Water	525.2	157861
380-154705-B-1-A DU	Duplicate	Total/NA	Water	525.2	157861

Prep Batch: 582856

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-154969-1	AIEA WELLS PUMPS 1&2 (260) P2 (331-203-TP	Total/NA	Drinking Water	625.1	
380-154969-2	MOANALUA WELLS P3 (331-223-TP202)	Total/NA	Drinking Water	625.1	
MB 570-582856/1-A	Method Blank	Total/NA	Water	625.1	
LCS 570-582856/2-A	Lab Control Sample	Total/NA	Water	625.1	
LCSD 570-582856/3-A	Lab Control Sample Dup	Total/NA	Water	625.1	
380-154969-2 MS	MOANALUA WELLS (331-223-TP202)	Total/NA	Drinking Water	625.1	
380-154969-2 MSD	MOANALUA WELLS (331-223-TP202)	Total/NA	Drinking Water	625.1	

Analysis Batch: 584594

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 570-582856/1-A	Method Blank	Total/NA	Water	625.1 SIM	582856
LCS 570-582856/2-A	Lab Control Sample	Total/NA	Water	625.1 SIM	582856
LCSD 570-582856/3-A	Lab Control Sample Dup	Total/NA	Water	625.1 SIM	582856

Analysis Batch: 586977

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-154969-1	AIEA WELLS PUMPS 1&2 (260) P2 (331-203-TP	Total/NA	Drinking Water	625.1 SIM	582856
380-154969-2	MOANALUA WELLS P3 (331-223-TP202)	Total/NA	Drinking Water	625.1 SIM	582856
380-154969-2 MS	MOANALUA WELLS (331-223-TP202)	Total/NA	Drinking Water	625.1 SIM	582856
380-154969-2 MSD	MOANALUA WELLS (331-223-TP202)	Total/NA	Drinking Water	625.1 SIM	582856

Analysis Batch: 588541

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-154969-1	AIEA WELLS PUMPS 1&2 (260) P2 (331-203-TP	Total/NA	Drinking Water	625.1	582856
380-154969-2	MOANALUA WELLS P3 (331-223-TP202)	Total/NA	Drinking Water	625.1	582856
MB 570-582856/1-A	Method Blank	Total/NA	Water	625.1	582856

QC Association Summary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-154969-1
SDG: Weekly: Aiea Wells P2/Moanalua Wells P3

GC VOA

Analysis Batch: 587470

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-154969-1	AIEA WELLS PUMPS 1&2 (260) P2 (331-203-TP	Total/NA	Drinking Water	8015B GRO LL	
380-154969-2	MOANALUA WELLS P3 (331-223-TP202)	Total/NA	Drinking Water	8015B GRO LL	
380-154969-3	TB: AIEA WELLS PUMPS 1&2 (260) (331-203-TF	Total/NA	Water	8015B GRO LL	
380-154969-4	TB:MOANALUA WELLS (331-223-TP202)	Total/NA	Water	8015B GRO LL	
MB 570-587470/10	Method Blank	Total/NA	Water	8015B GRO LL	
LCS 570-587470/1008	Lab Control Sample	Total/NA	Water	8015B GRO LL	
LCSD 570-587470/9	Lab Control Sample Dup	Total/NA	Water	8015B GRO LL	
MRL 570-587470/1003	Lab Control Sample	Total/NA	Water	8015B GRO LL	
380-154969-2 MS	MOANALUA WELLS (331-223-TP202)	Total/NA	Drinking Water	8015B GRO LL	
380-154969-2 MSD	MOANALUA WELLS (331-223-TP202)	Total/NA	Drinking Water	8015B GRO LL	

GC Semi VOA

Prep Batch: 584549

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-154969-1	AIEA WELLS PUMPS 1&2 (260) P2 (331-203-TP	Total/NA	Drinking Water	3510C	
380-154969-2	MOANALUA WELLS P3 (331-223-TP202)	Total/NA	Drinking Water	3510C	
MB 570-584549/1-A	Method Blank	Total/NA	Water	3510C	
LCS 570-584549/2-A	Lab Control Sample	Total/NA	Water	3510C	
LCSD 570-584549/3-A	Lab Control Sample Dup	Total/NA	Water	3510C	
MRL 570-584549/4-A	Lab Control Sample	Total/NA	Water	3510C	
380-154969-2 MS	MOANALUA WELLS (331-223-TP202)	Total/NA	Drinking Water	3510C	
380-154969-2 MSD	MOANALUA WELLS (331-223-TP202)	Total/NA	Drinking Water	3510C	

Analysis Batch: 585305

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-154969-1	AIEA WELLS PUMPS 1&2 (260) P2 (331-203-TP	Total/NA	Drinking Water	8015B	584549
380-154969-2	MOANALUA WELLS P3 (331-223-TP202)	Total/NA	Drinking Water	8015B	584549
MB 570-584549/1-A	Method Blank	Total/NA	Water	8015B	584549
LCS 570-584549/2-A	Lab Control Sample	Total/NA	Water	8015B	584549
LCSD 570-584549/3-A	Lab Control Sample Dup	Total/NA	Water	8015B	584549
MRL 570-584549/4-A	Lab Control Sample	Total/NA	Water	8015B	584549
380-154969-2 MS	MOANALUA WELLS (331-223-TP202)	Total/NA	Drinking Water	8015B	584549
380-154969-2 MSD	MOANALUA WELLS (331-223-TP202)	Total/NA	Drinking Water	8015B	584549

Lab Chronicle

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-154969-1
SDG: Weekly: Aiea Wells P2/Moanalua Wells P3

**Client Sample ID: AIEA WELLS PUMPS 1&2 (260) P2
(331-203-TP400)**

Lab Sample ID: 380-154969-1

Date Collected: 06/09/25 10:45

Matrix: Drinking Water

Date Received: 06/11/25 09:26

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	525.2			157861	IQ42	EA POM	06/13/25 13:19
Total/NA	Analysis	525.2		1	157984	Q8LA	EA POM	06/15/25 18:57
Total/NA	Prep	625.1			582856	TR8L	EET CAL 4	06/12/25 16:14
Total/NA	Analysis	625.1		1	588541	AX7Z	EET CAL 4	06/24/25 14:38
Total/NA	Prep	625.1			582856	TR8L	EET CAL 4	06/12/25 16:14
Total/NA	Analysis	625.1 SIM		1	586977	PQS1	EET CAL 4	06/20/25 13:14
Total/NA	Analysis	8015B GRO LL		1	587470	BH4T	EET CAL 4	06/21/25 18:48
Total/NA	Prep	3510C			584549	TVD6	EET CAL 4	06/16/25 09:11
Total/NA	Analysis	8015B		1	585305	E5RH	EET CAL 4	06/17/25 15:50

Client Sample ID: MOANALUA WELLS P3 (331-223-TP202)

Lab Sample ID: 380-154969-2

Date Collected: 06/09/25 09:25

Matrix: Drinking Water

Date Received: 06/11/25 09:26

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	525.2			157861	IQ42	EA POM	06/13/25 13:19
Total/NA	Analysis	525.2		1	157984	Q8LA	EA POM	06/15/25 19:18
Total/NA	Prep	625.1			582856	TR8L	EET CAL 4	06/12/25 16:14
Total/NA	Analysis	625.1		1	588541	AX7Z	EET CAL 4	06/24/25 15:01
Total/NA	Prep	625.1			582856	TR8L	EET CAL 4	06/12/25 16:14
Total/NA	Analysis	625.1 SIM		1	586977	PQS1	EET CAL 4	06/20/25 12:51
Total/NA	Analysis	8015B GRO LL		1	587470	BH4T	EET CAL 4	06/21/25 17:18
Total/NA	Prep	3510C			584549	TVD6	EET CAL 4	06/16/25 09:11
Total/NA	Analysis	8015B		1	585305	E5RH	EET CAL 4	06/17/25 14:44

**Client Sample ID: TB: AIEA WELLS PUMPS 1&2 (260)
(331-203-TP400)**

Lab Sample ID: 380-154969-3

Date Collected: 06/09/25 10:45

Matrix: Water

Date Received: 06/11/25 09:26

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8015B GRO LL		1	587470	BH4T	EET CAL 4	06/21/25 14:19

Client Sample ID: TB:MOANALUA WELLS (331-223-TP202)

Lab Sample ID: 380-154969-4

Date Collected: 06/09/25 09:25

Matrix: Water

Date Received: 06/11/25 09:26

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8015B GRO LL		1	587470	BH4T	EET CAL 4	06/21/25 13:57

Laboratory References:

EA POM = Eurofins Eaton Analytical Pomona, 941 Corporate Center Drive, Pomona, CA 91768-2642, TEL (626)386-1100

EET CAL 4 = Eurofins Calscience Tustin, 2841 Dow Avenue, Tustin, CA 92780, TEL (714)895-5494

Eurofins Eaton Analytical Pomona

Accreditation/Certification Summary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-154969-1
SDG: Weekly: Aiea Wells P2/Moanalua Wells P3

Laboratory: Eurofins Eaton Analytical Pomona

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
Hawaii	State	CA00006	01-31-26
The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.			
Analysis Method	Prep Method	Matrix	Analyte
525.2	525.2	Drinking Water	1-Methylnaphthalene
525.2	525.2	Drinking Water	2,4'-DDD
525.2	525.2	Drinking Water	2,4'-DDE
525.2	525.2	Drinking Water	2,4'-DDT
525.2	525.2	Drinking Water	2,4-Dinitrotoluene
525.2	525.2	Drinking Water	2,6-Dinitrotoluene
525.2	525.2	Drinking Water	2-Methylnaphthalene
525.2	525.2	Drinking Water	4,4'-DDD
525.2	525.2	Drinking Water	4,4'-DDE
525.2	525.2	Drinking Water	4,4' DDT
525.2	525.2	Drinking Water	Acetochlor
525.2	525.2	Drinking Water	alpha-BHC
525.2	525.2	Drinking Water	alpha-Chlordane
525.2	525.2	Drinking Water	beta-BHC
525.2	525.2	Drinking Water	Chlorobenzilate
525.2	525.2	Drinking Water	Chloroneb
525.2	525.2	Drinking Water	Chlorothalonil (Draconil, Bravo)
525.2	525.2	Drinking Water	Chlorpyrifos
525.2	525.2	Drinking Water	delta-BHC
525.2	525.2	Drinking Water	Diclorvos (DDVP)
525.2	525.2	Drinking Water	Endosulfan I (Alpha)
525.2	525.2	Drinking Water	Endosulfan II (Beta)
525.2	525.2	Drinking Water	Endosulfan sulfate
525.2	525.2	Drinking Water	Endrin aldehyde
525.2	525.2	Drinking Water	EPTC
525.2	525.2	Drinking Water	gamma-Chlordane
525.2	525.2	Drinking Water	Isophorone
525.2	525.2	Drinking Water	Malathion
525.2	525.2	Drinking Water	Parathion
525.2	525.2	Drinking Water	Pendimethalin (Penoxaline)
525.2	525.2	Drinking Water	Terbacil
525.2	525.2	Drinking Water	Terbutylazine
525.2	525.2	Drinking Water	Total Permethrin (mixed isomers)
525.2	525.2	Drinking Water	trans-Nonachlor

Laboratory: Eurofins Calscience

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
A2LA	Dept. of Defense ELAP	7296.01	11-30-26
A2LA	ISO/IEC 17025	7296.01	11-30-26
Alaska (UST)	State	25-005	03-02-26
Arizona	State	AZ0830	11-16-25
Arkansas DEQ	State	88-01672	07-02-25
California	Los Angeles County Sanitation Districts	9257304	07-31-26

Accreditation/Certification Summary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-154969-1
SDG: Weekly: Aiea Wells P2/Moanalua Wells P3

Laboratory: Eurofins Calscience (Continued)

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	SCAQMD LAP	17LA0919	11-30-25
California	State	3082	07-31-25
Kansas	NELAP	E-10420	07-31-25
Nevada	State	CA00111	07-31-25
Oregon	NELAP	4175	02-02-26
USDA	US Federal Programs	525-23-159-97150	06-08-26
Utah	NELAP	CA00111	02-28-26
Washington	State	C916	10-11-25

Method Summary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-154969-1
SDG: Weekly: Aiea Wells P2/Moanalua Wells P3

Method	Method Description	Protocol	Laboratory
525.2	Semivolatile Organic Compounds (GC/MS)	EPA	EA POM
625.1	Semivolatile Organic Compounds (GC/MS)	EPA	EET CAL 4
625.1 SIM	Semivolatile Organic Compounds GC/MS (SIM)	EPA	EET CAL 4
8015B GRO LL	Gasoline Range Organics - (GC)	SW846	EET CAL 4
8015B	Diesel Range Organics (DRO) (GC) Low Level	SW846	EET CAL 4
3510C	Liquid-Liquid Extraction (Separatory Funnel)	SW846	EET CAL 4
5030C	Purge and Trap	SW846	EET CAL 4
525.2	Extraction of Semivolatile Compounds	EPA	EA POM
625.1	Liquid-Liquid Extraction	40CFR136A	EET CAL 4

Protocol References:

40CFR136A = "Methods for Organic Chemical Analysis of Municipal Industrial Wastewater", 40CFR, Part 136, Appendix A, October 26, 1984 and subsequent revisions.

EPA = US Environmental Protection Agency

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

EA POM = Eurofins Eaton Analytical Pomona, 941 Corporate Center Drive, Pomona, CA 91768-2642, TEL (626)386-1100

EET CAL 4 = Eurofins Calscience Tustin, 2841 Dow Avenue, Tustin, CA 92780, TEL (714)895-5494

Sample Summary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-154969-1
SDG: Weekly: Aiea Wells P2/Moanalua Wells P3

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	PWSID Number
380-154969-1	AIEA WELLS PUMPS 1&2 (260) P2 (331-203-TP400)	Drinking Water	06/09/25 10:45	06/11/25 09:26	HI0000331
380-154969-2	MOANALUA WELLS P3 (331-223-TP202)	Drinking Water	06/09/25 09:25	06/11/25 09:26	HI0000331
380-154969-3	TB: AIEA WELLS PUMPS 1&2 (260) (331-203-TP400)	Water	06/09/25 10:45	06/11/25 09:26	
380-154969-4	TB:MOANALUA WELLS (331-223-TP202)	Water	06/09/25 09:25	06/11/25 09:26	

eurofins | Environment Testing

Page 41 of 45

Eurofins Eaton Analytical Pomona

941 Corporate Center Drive

Pomona, CA 91768-2642

Phone (626) 386-1100

Chain of Custody Record



Environment Testing

Client Information		Sampler: <i>Olaf Happe</i>		Lab PM: Arada, Rachelle		Carrier Tracking No(s)		COC No: 380-28005-2757 1			
Client Contact: Kirk Iwamoto		Phone: +1 808 748 5840		E-Mail: Rachelle.Arada@et.eurofinsus.com		State of Origin:		Page: Page 1 of 1			
Company: City & County of Honolulu		PWSID:		Analysis Requested						Job #:	
Address: 630 South Beretania Street Chemistry Lab		Due Date Requested		Field Filtered Sample (Yes or No) Perform MS/MS (Yes or No) 625.1, 625.1 SIM 8015B_GRO_LL - (MOD) GRO 8015B_DRO_LL_CS - HNL Ranges: C10-C24/C24-C38/C38-C18 525.2_PREC - (MOD) S25plus Plus TICs 537.1_DW_PREC - 537.1 Full List 533 - All Analytes						Preservation Codes: R - NaThioSO4 RA - NaThio/HCl Q - Na2SO3 QA - Na2SO3/HCl Y - Trizma I - NH4 Acetate	
City: Honolulu		TAT Requested (days)*									
State Zip: HI, 96843		Compliance Project ☐ Yes ☐ No									
Phone: 808-748-5840 (Tel)		PO #: C20525101 exp 05312023									
Email: kiwamoto@hbws.org		WO #:									
Project Name: RED-HILL/HBWS Sites Event Desc. RUSH Weekly Red Hill		Project #: 38001111		Total Number of Containers						Other:	
Site: Hawaii		SSOW#:									
Sample Identification		Sample Date		Sample Time		Sample Type (C=Comp, G=grab)		Matrix (W=water, S=solid, O=waste/oli, BT=Tissue, A=Air)		Special Instructions/Note:	
						Preservation Code					
Aiea Wells Pumps 1&2 (260) P Z		9-Jun-2025		1045		G		Water			
Aiea Wells Pumps 1&2 (260) (Matrix Spike)								Water			
Aiea Wells Pumps 1&2 (Matrix Spike Duplicate)								Water			
TB: Aiea Wells Pumps 1&2 (260)		9-Jun-2025		1045		G		Water		delete time, no full	
Moanalua Wells P 3		9-Jun-2025		925		G		Water			
Moanalua Wells (260) (Matrix Spike)								Water			
Moanalua Wells (Matrix Spike Duplicate)								Water			
TB: Moanalua Wells		9-Jun-2025		925		G		Water		delete time, no full	
Possible Hazard Identification ☐ Non-Hazard ☐ Flammable ☐ Skin Irritant ☐ Poison B ☐ Unknown ☐ Radiological											
Sample Disposal (A fee may be assessed if samples are retained longer than 1 month) ☐ Return To Client ☐ Disposal By Lab ☐ Archive For _____ Months											
Deliverable Requested I, II, III, IV, Other (specify)											
Special Instructions/QC Requirements											
Empty Kit Relinquished by:				Date:		Time:		Method of Shipment: <i>Express 8819 2465 3480</i>			
Relinquished by: <i>[Signature]</i>		Date/Time: 6-10-25 1100		Company:		Received by: <i>[Signature]</i>		Date/Time: 6/11/25 9:32AM		Company: EEA-P	
Relinquished by:		Date/Time:		Company:		Received by:		Date/Time:		Company:	
Relinquished by:		Date/Time:		Company:		Received by:		Date/Time:		Company:	
Custody Seals Intact: ☐ Yes ☐ No		Custody Seal No.:		Cooler Temperature(s) °C and Other Remarks: <i>(6309) 34+0.0=34°C fresh gel 11e</i>							

941 Corporate Center Drive
Pomona, CA 91768-2642
Phone: 626-386-1100

Chain of Custody Record



Loc: 380
En **154969**

Client Information (Sub Contract Lab)				Sampler: N/A		Lab PM: Lopez, Maria		Carrier Tracking No(s): N/A		COC No: 380-221287.1	
Client Contact: Shipping/Receiving				Phone: N/A		E-Mail: Maria.Lopez@et.eurofinsus.com		State of Origin: Hawaii		Page: Page 1 of 1	
Company: Eurofins Environment Testing Southwest,				Address: 2841 Dow Avenue, Suite 100, City: Tustin State, Zip: CA, 92780		Due Date Requested: 6/24/2025		TAT Requested (days): N/A		Accreditations Required (See note): State - Hawaii	
Phone: 714-895-5494(Tel)				Project Name: RED-HILL		Project #: 38001111		PO #: N/A		Analysis Requested	
Email: N/A				Site: Honolulu BWS Sites		SSOW#: N/A		WO #: N/A		Preservation Codes:	
Sample Identification - Client ID (Lab ID)				Sample Date		Sample Time		Sample Type (C=comp, G=grab)		Matrix (Water, Soil, Other)	
Sample Identification - Client ID (Lab ID)				Sample Date		Sample Time		Sample Type (C=comp, G=grab)		Matrix (Water, Soil, Other)	
Sample Identification - Client ID (Lab ID)				Sample Date		Sample Time		Sample Type (C=comp, G=grab)		Matrix (Water, Soil, Other)	
Sample Identification - Client ID (Lab ID)				Sample Date		Sample Time		Sample Type (C=comp, G=grab)		Matrix (Water, Soil, Other)	
Sample Identification - Client ID (Lab ID)				Sample Date		Sample Time		Sample Type (C=comp, G=grab)		Matrix (Water, Soil, Other)	
Sample Identification - Client ID (Lab ID)				Sample Date		Sample Time		Sample Type (C=comp, G=grab)		Matrix (Water, Soil, Other)	
Sample Identification - Client ID (Lab ID)				Sample Date		Sample Time		Sample Type (C=comp, G=grab)		Matrix (Water, Soil, Other)	
Sample Identification - Client ID (Lab ID)				Sample Date		Sample Time		Sample Type (C=comp, G=grab)		Matrix (Water, Soil, Other)	
Sample Identification - Client ID (Lab ID)				Sample Date		Sample Time		Sample Type (C=comp, G=grab)		Matrix (Water, Soil, Other)	
Sample Identification - Client ID (Lab ID)				Sample Date		Sample Time		Sample Type (C=comp, G=grab)		Matrix (Water, Soil, Other)	
Sample Identification - Client ID (Lab ID)				Sample Date		Sample Time		Sample Type (C=comp, G=grab)		Matrix (Water, Soil, Other)	
Sample Identification - Client ID (Lab ID)				Sample Date		Sample Time		Sample Type (C=comp, G=grab)		Matrix (Water, Soil, Other)	
Sample Identification - Client ID (Lab ID)				Sample Date		Sample Time		Sample Type (C=comp, G=grab)		Matrix (Water, Soil, Other)	
Sample Identification - Client ID (Lab ID)				Sample Date		Sample Time		Sample Type (C=comp, G=grab)		Matrix (Water, Soil, Other)	
Sample Identification - Client ID (Lab ID)				Sample Date		Sample Time		Sample Type (C=comp, G=grab)		Matrix (Water, Soil, Other)	
Sample Identification - Client ID (Lab ID)				Sample Date		Sample Time		Sample Type (C=comp, G=grab)		Matrix (Water, Soil, Other)	
Sample Identification - Client ID (Lab ID)				Sample Date		Sample Time		Sample Type (C=comp, G=grab)		Matrix (Water, Soil, Other)	
Sample Identification - Client ID (Lab ID)				Sample Date		Sample Time		Sample Type (C=comp, G=grab)		Matrix (Water, Soil, Other)	
Sample Identification - Client ID (Lab ID)				Sample Date		Sample Time		Sample Type (C=comp, G=grab)		Matrix (Water, Soil, Other)	
Sample Identification - Client ID (Lab ID)				Sample Date		Sample Time		Sample Type (C=comp, G=grab)		Matrix (Water, Soil, Other)	
Sample Identification - Client ID (Lab ID)				Sample Date		Sample Time		Sample Type (C=comp, G=grab)		Matrix (Water, Soil, Other)	
Sample Identification - Client ID (Lab ID)				Sample Date		Sample Time		Sample Type (C=comp, G=grab)		Matrix (Water, Soil, Other)	
Sample Identification - Client ID (Lab ID)				Sample Date		Sample Time		Sample Type (C=comp, G=grab)		Matrix (Water, Soil, Other)	
Sample Identification - Client ID (Lab ID)				Sample Date		Sample Time		Sample Type (C=comp, G=grab)		Matrix (Water, Soil, Other)	
Sample Identification - Client ID (Lab ID)				Sample Date		Sample Time		Sample Type (C=comp, G=grab)		Matrix (Water, Soil, Other)	
Sample Identification - Client ID (Lab ID)				Sample Date		Sample Time		Sample Type (C=comp, G=grab)		Matrix (Water, Soil, Other)	
Sample Identification - Client ID (Lab ID)				Sample Date		Sample Time		Sample Type (C=comp, G=grab)		Matrix (Water, Soil, Other)	
Sample Identification - Client ID (Lab ID)				Sample Date		Sample Time		Sample Type (C=comp, G=grab)		Matrix (Water, Soil, Other)	
Sample Identification - Client ID (Lab ID)				Sample Date		Sample Time		Sample Type (C=comp, G=grab)		Matrix (Water, Soil, Other)	
Sample Identification - Client ID (Lab ID)				Sample Date		Sample Time		Sample Type (C=comp, G=grab)		Matrix (Water, Soil, Other)	
Sample Identification - Client ID (Lab ID)				Sample Date		Sample Time		Sample Type (C=comp, G=grab)		Matrix (Water, Soil, Other)	
Sample Identification - Client ID (Lab ID)				Sample Date		Sample Time		Sample Type (C=comp, G=grab)		Matrix (Water, Soil, Other)	
Sample Identification - Client ID (Lab ID)				Sample Date		Sample Time		Sample Type (C=comp, G=grab)		Matrix (Water, Soil, Other)	
Sample Identification - Client ID (Lab ID)				Sample Date		Sample Time		Sample Type (C=comp, G=grab)		Matrix (Water, Soil, Other)	
Sample Identification - Client ID (Lab ID)				Sample Date		Sample Time		Sample Type (C=comp, G=grab)		Matrix (Water, Soil, Other)	
Sample Identification - Client ID (Lab ID)				Sample Date		Sample Time		Sample Type (C=comp, G=grab)		Matrix (Water, Soil, Other)	
Sample Identification - Client ID (Lab ID)				Sample Date		Sample Time		Sample Type (C=comp, G=grab)		Matrix (Water, Soil, Other)	
Sample Identification - Client ID (Lab ID)				Sample Date		Sample Time					

Login Sample Receipt Checklist

Client: City & County of Honolulu

Job Number: 380-154969-1

SDG Number: Weekly: Aiea Wells P2/Moanalua Wells P3

Login Number: 154969

List Number: 1

Creator: Ngo, Theodore

List Source: Eurofins Eaton Analytical Pomona

Question	Answer	Comment
The coolers custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
Samples were received on ice.	True	
Cooler(s) Temperature is acceptable.	True	
Cooler(s) Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and is legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
CIO4 headspace requirement met (>50% for CA, >30% for other states).	N/A	
Samples do not require splitting or compositing.	True	
Container provided by EEA	True	

Login Sample Receipt Checklist

Client: City & County of Honolulu

Job Number: 380-154969-1

SDG Number: Weekly: Aiea Wells P2/Moanalua Wells P3

Login Number: 154969

List Number: 2

Creator: Skinner, Alma D

List Source: Eurofins Calscience

List Creation: 06/12/25 03:51 PM

Question	Answer	Comment
Radioactivity wasn't checked or is $\leq$ background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	1.4
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	N/A	Received project as a subcontract.
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is $<6\text{mm}$ (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	