

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16

ANALYTICAL REPORT

PREPARED FOR

Attn: Mr. Erwin Kawata
City & County of Honolulu
630 South Beretania Street
Public Service Bldg. Room 310
Honolulu, Hawaii 96843

Generated 2/5/2026 11:18:19 AM

JOB DESCRIPTION

RED-HILL
Weekly: Aiea Wells Pumps 1&2 P2

JOB NUMBER

380-193858-1

Eurofins Pomona

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Drinking Water and Wastewater West, LLC Project Manager.

Compliance Statement

1. Laboratory is accredited in accordance with TNI 2016 Standards and ISO/IEC 17025:2017.
2. Laboratory certifies that the test results meet all TNI 2016 and ISO/IEC 17025:2017 requirements unless noted under the individual analysis
3. Test results relate only to the sample(s) tested.
4. This report shall not be reproduced except in full, without the written approval of the laboratory.
5. Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below. (DW, Water matrices)

Authorization



Authorized for release by
Maria Lopez, Project Manager
Maria.Lopez@et.eurofinsus.com
(626)386-1100

Generated
2/5/2026 11:18:19 AM



Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Detection Summary	6
Client Sample Results	7
Action Limit Summary	11
Surrogate Summary	12
QC Sample Results	14
QC Association Summary	29
Lab Chronicle	31
Certification Summary	32
Method Summary	34
Sample Summary	35
Chain of Custody	36
Receipt Checklists	38

Definitions/Glossary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-193858-1
SDG: Weekly: Aiea Wells Pumps 1&2 P2

Qualifiers

GC/MS Semi VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

GC/MS Semi VOA TICs

Qualifier	Qualifier Description
J	Indicates an Estimated Value for TICs
N	Presumptive evidence of material.
T	Result is a tentatively identified compound (TIC) and an estimated value.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: City & County of Honolulu
Project: RED-HILL

Job ID: 380-193858-1

Job ID: 380-193858-1

Eurofins Pomona

Job Narrative 380-193858-1

The analytical test results presented in this report meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page, unless otherwise noted. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable. Regulated compliance samples (e.g. SDWA, NPDES) must comply with associated agency requirements/permits.

- Matrix-specific batch QC (e.g., MS, MSD, SD) may not be reported when insufficient sample volume is available or when site-specific QC samples are not submitted. In such cases, a Laboratory Control Sample Duplicate (LCSD) may be analyzed to provide precision data for the batch.
- For samples analyzed using surrogate and/or isotope dilution analytes, any recoveries falling outside of established acceptance criteria are re-prepared and/or re-analyzed to confirm results, unless the deviation is due to sample dilution or otherwise explained in the case narrative.

Receipt

The samples were received on 1/22/2026 9:55 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 3.1°C.

GC/MS Semi VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Gasoline Range Organics

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Diesel Range Organics

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Pomona

Detection Summary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-193858-1
SDG: Weekly: Aiea Wells Pumps 1&2 P2

Client Sample ID: AIEA WELLS PUMPS 1&2 (260) P2

Lab Sample ID: 380-193858-1

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Dieldrin	0.014		0.010	ug/L	1		525.2	Total/NA


Client Sample ID: TB: AIEA WELLS PUMPS 1&2 (260)

Lab Sample ID: 380-193858-2

No Detections.

This Detection Summary does not include radiochemical test results.

Eurofins Pomona



Client Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-193858-1
SDG: Weekly: Aiea Wells Pumps 1&2 P2

Client Sample ID: AIEA WELLS PUMPS 1&2 (260) P2

Lab Sample ID: 380-193858-1

Date Collected: 01/20/26 11:10

Matrix: Water

Date Received: 01/22/26 09:55

Method: EPA 525.2 - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
1-Methylnaphthalene	<0.10		0.10	ug/L		01/26/26 07:48	01/27/26 14:33	1
2,4'-DDD	<0.10		0.10	ug/L		01/26/26 07:48	01/27/26 14:33	1
2,4'-DDE	<0.10		0.10	ug/L		01/26/26 07:48	01/27/26 14:33	1
2,4'-DDT	<0.10		0.10	ug/L		01/26/26 07:48	01/27/26 14:33	1
2,4-Dinitrotoluene	<0.10		0.10	ug/L		01/26/26 07:48	01/27/26 14:33	1
2,6-Dinitrotoluene	<0.10		0.10	ug/L		01/26/26 07:48	01/27/26 14:33	1
2-Methylnaphthalene	<0.10		0.10	ug/L		01/26/26 07:48	01/27/26 14:33	1
4,4'-DDD	<0.10		0.10	ug/L		01/26/26 07:48	01/27/26 14:33	1
4,4'-DDE	<0.10		0.10	ug/L		01/26/26 07:48	01/27/26 14:33	1
4,4'-DDT	<0.10		0.10	ug/L		01/26/26 07:48	01/27/26 14:33	1
Acenaphthene	<0.10		0.10	ug/L		01/26/26 07:48	01/27/26 14:33	1
Acenaphthylene	<0.10		0.10	ug/L		01/26/26 07:48	01/27/26 14:33	1
Acetochlor	<0.10		0.10	ug/L		01/26/26 07:48	01/27/26 14:33	1
Alachlor	<0.050		0.050	ug/L		01/26/26 07:48	01/27/26 14:33	1
alpha-BHC	<0.10		0.10	ug/L		01/26/26 07:48	01/27/26 14:33	1
alpha-Chlordane	<0.050		0.050	ug/L		01/26/26 07:48	01/27/26 14:33	1
Anthracene	<0.020		0.020	ug/L		01/26/26 07:48	01/27/26 14:33	1
Atrazine	<0.050		0.050	ug/L		01/26/26 07:48	01/27/26 14:33	1
Benz(a)anthracene	<0.050		0.050	ug/L		01/26/26 07:48	01/27/26 14:33	1
Benzo[a]pyrene	<0.020		0.020	ug/L		01/26/26 07:48	01/27/26 14:33	1
Benzo[b]fluoranthene	<0.020		0.020	ug/L		01/26/26 07:48	01/27/26 14:33	1
Benzo[g,h,i]perylene	<0.050		0.050	ug/L		01/26/26 07:48	01/27/26 14:33	1
Benzo[k]fluoranthene	<0.020		0.020	ug/L		01/26/26 07:48	01/27/26 14:33	1
beta-BHC	<0.10		0.10	ug/L		01/26/26 07:48	01/27/26 14:33	1
Bis(2-ethylhexyl) phthalate	<0.60		0.60	ug/L		01/26/26 07:48	01/27/26 14:33	1
Bromacil	<0.10		0.10	ug/L		01/26/26 07:48	01/27/26 14:33	1
Butachlor	<0.050		0.050	ug/L		01/26/26 07:48	01/27/26 14:33	1
Butylbenzylphthalate	<0.50		0.50	ug/L		01/26/26 07:48	01/27/26 14:33	1
Chlorobenzilate	<0.10		0.10	ug/L		01/26/26 07:48	01/27/26 14:33	1
Chloroneb	<0.10		0.10	ug/L		01/26/26 07:48	01/27/26 14:33	1
Chlorothalonil (Draconil, Bravo)	<0.10		0.10	ug/L		01/26/26 07:48	01/27/26 14:33	1
Chlorpyrifos	<0.050		0.050	ug/L		01/26/26 07:48	01/27/26 14:33	1
Chrysene	<0.020		0.020	ug/L		01/26/26 07:48	01/27/26 14:33	1
delta-BHC	<0.10		0.10	ug/L		01/26/26 07:48	01/27/26 14:33	1
Di(2-ethylhexyl)adipate	<0.60		0.60	ug/L		01/26/26 07:48	01/27/26 14:33	1
Dibenz(a,h)anthracene	<0.050		0.050	ug/L		01/26/26 07:48	01/27/26 14:33	1
Diclorvos (DDVP)	<0.050		0.050	ug/L		01/26/26 07:48	01/27/26 14:33	1
Dieldrin	0.014		0.010	ug/L		01/26/26 07:48	01/27/26 14:33	1
Diethylphthalate	<0.50		0.50	ug/L		01/26/26 07:48	01/27/26 14:33	1
Dimethylphthalate	<0.50		0.50	ug/L		01/26/26 07:48	01/27/26 14:33	1
Di-n-butyl phthalate	<1.0		1.0	ug/L		01/26/26 07:48	01/27/26 14:33	1
Di-n-octyl phthalate	<0.10		0.10	ug/L		01/26/26 07:48	01/27/26 14:33	1
Endosulfan I (Alpha)	<0.10		0.10	ug/L		01/26/26 07:48	01/27/26 14:33	1
Endosulfan II (Beta)	<0.10		0.10	ug/L		01/26/26 07:48	01/27/26 14:33	1
Endosulfan sulfate	<0.10		0.10	ug/L		01/26/26 07:48	01/27/26 14:33	1
Endrin	<0.010		0.010	ug/L		01/26/26 07:48	01/27/26 14:33	1
Endrin aldehyde	<0.10		0.10	ug/L		01/26/26 07:48	01/27/26 14:33	1
EPTC	<0.10		0.10	ug/L		01/26/26 07:48	01/27/26 14:33	1
Fluoranthene	<0.10		0.10	ug/L		01/26/26 07:48	01/27/26 14:33	1

Client Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-193858-1
SDG: Weekly: Aiea Wells Pumps 1&2 P2

Client Sample ID: AIEA WELLS PUMPS 1&2 (260) P2

Lab Sample ID: 380-193858-1

Date Collected: 01/20/26 11:10

Matrix: Water

Date Received: 01/22/26 09:55

Method: EPA 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Fluorene	<0.050		0.050	ug/L		01/26/26 07:48	01/27/26 14:33	1
gamma-Chlordane	<0.050		0.050	ug/L		01/26/26 07:48	01/27/26 14:33	1
Heptachlor	<0.010		0.010	ug/L		01/26/26 07:48	01/27/26 14:33	1
Heptachlor epoxide (isomer B)	<0.010		0.010	ug/L		01/26/26 07:48	01/27/26 14:33	1
Hexachlorobenzene	<0.050		0.050	ug/L		01/26/26 07:48	01/27/26 14:33	1
Hexachlorocyclopentadiene	<0.050		0.050	ug/L		01/26/26 07:48	01/27/26 14:33	1
Indeno[1,2,3-cd]pyrene	<0.050		0.050	ug/L		01/26/26 07:48	01/27/26 14:33	1
Isophorone	<0.10		0.10	ug/L		01/26/26 07:48	01/27/26 14:33	1
Lindane	<0.010		0.010	ug/L		01/26/26 07:48	01/27/26 14:33	1
Malathion	<0.10		0.10	ug/L		01/26/26 07:48	01/27/26 14:33	1
Methoxychlor	<0.050		0.050	ug/L		01/26/26 07:48	01/27/26 14:33	1
Metolachlor	<0.050		0.050	ug/L		01/26/26 07:48	01/27/26 14:33	1
Molinate	<0.10		0.10	ug/L		01/26/26 07:48	01/27/26 14:33	1
Naphthalene	<0.10		0.10	ug/L		01/26/26 07:48	01/27/26 14:33	1
Parathion	<0.10		0.10	ug/L		01/26/26 07:48	01/27/26 14:33	1
Pendimethalin (Penoxaline)	<0.10		0.10	ug/L		01/26/26 07:48	01/27/26 14:33	1
Phenanthrene	<0.040		0.040	ug/L		01/26/26 07:48	01/27/26 14:33	1
Propachlor	<0.050		0.050	ug/L		01/26/26 07:48	01/27/26 14:33	1
Pyrene	<0.050		0.050	ug/L		01/26/26 07:48	01/27/26 14:33	1
Simazine	<0.050		0.050	ug/L		01/26/26 07:48	01/27/26 14:33	1
Terbacil	<0.10		0.10	ug/L		01/26/26 07:48	01/27/26 14:33	1
Terbutylazine	<0.10		0.10	ug/L		01/26/26 07:48	01/27/26 14:33	1
Thiobencarb	<0.10		0.10	ug/L		01/26/26 07:48	01/27/26 14:33	1
Total Permethrin (mixed isomers)	<0.20		0.20	ug/L		01/26/26 07:48	01/27/26 14:33	1
trans-Nonachlor	<0.050		0.050	ug/L		01/26/26 07:48	01/27/26 14:33	1
Trifluralin	<0.10		0.10	ug/L		01/26/26 07:48	01/27/26 14:33	1

Tentatively Identified Compound	Est. Result	Qualifier	Unit	D	RT	CAS No.	Prepared	Analyzed	Dil Fac
Tentatively Identified Compound	None		ug/L			N/A	01/26/26 07:48	01/27/26 14:33	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2-Nitro-m-xylene	97		70 - 130	01/26/26 07:48	01/27/26 14:33	1
Perylene-d12	92		70 - 130	01/26/26 07:48	01/27/26 14:33	1
Triphenylphosphate	105		70 - 130	01/26/26 07:48	01/27/26 14:33	1

Method: EPA 625.1 SIM - Semivolatile Organic Compounds GC/MS (SIM)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
1-Methylnaphthalene	<0.20		0.20	ug/L		01/24/26 09:00	02/03/26 16:47	1
2-Methylnaphthalene	<0.20		0.20	ug/L		01/24/26 09:00	02/03/26 16:47	1
Acenaphthene	<0.20		0.20	ug/L		01/24/26 09:00	02/03/26 16:47	1
Acenaphthylene	<0.20		0.20	ug/L		01/24/26 09:00	02/03/26 16:47	1
Anthracene	<0.20		0.20	ug/L		01/24/26 09:00	02/03/26 16:47	1
Benzo[a]anthracene	<0.20		0.20	ug/L		01/24/26 09:00	02/03/26 16:47	1
Benzo[a]pyrene	<0.20		0.20	ug/L		01/24/26 09:00	02/03/26 16:47	1
Benzo[b]fluoranthene	<0.20		0.20	ug/L		01/24/26 09:00	02/03/26 16:47	1
Benzo[g,h,i]perylene	<0.20		0.20	ug/L		01/24/26 09:00	02/03/26 16:47	1
Benzo[k]fluoranthene	<0.20		0.20	ug/L		01/24/26 09:00	02/03/26 16:47	1
Chrysene	<0.20		0.20	ug/L		01/24/26 09:00	02/03/26 16:47	1
Dibenz(a,h)anthracene	<0.20		0.20	ug/L		01/24/26 09:00	02/03/26 16:47	1
Fluoranthene	<0.20		0.20	ug/L		01/24/26 09:00	02/03/26 16:47	1

Eurofins Pomona

Client Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-193858-1
SDG: Weekly: Aiea Wells Pumps 1&2 P2

Client Sample ID: AIEA WELLS PUMPS 1&2 (260) P2

Lab Sample ID: 380-193858-1

Date Collected: 01/20/26 11:10

Matrix: Water

Date Received: 01/22/26 09:55

Method: EPA 625.1 SIM - Semivolatile Organic Compounds GC/MS (SIM) (Continued)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Fluorene	<0.20		0.20	ug/L		01/24/26 09:00	02/03/26 16:47	1
Indeno[1,2,3-cd]pyrene	<0.20		0.20	ug/L		01/24/26 09:00	02/03/26 16:47	1
Naphthalene	<0.20		0.20	ug/L		01/24/26 09:00	02/03/26 16:47	1
Phenanthrene	<0.20		0.20	ug/L		01/24/26 09:00	02/03/26 16:47	1
Pyrene	<0.20		0.20	ug/L		01/24/26 09:00	02/03/26 16:47	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2,4,6-Tribromophenol (Surr)	81		28 - 127	01/24/26 09:00	02/03/26 16:47	1
2-Fluorobiphenyl (Surr)	76		31 - 120	01/24/26 09:00	02/03/26 16:47	1
2-Fluorophenol (Surr)	54		17 - 120	01/24/26 09:00	02/03/26 16:47	1
Nitrobenzene-d5 (Surr)	81		27 - 120	01/24/26 09:00	02/03/26 16:47	1
Phenol-d6 (Surr)	34		10 - 120	01/24/26 09:00	02/03/26 16:47	1
p-Terphenyl-d14 (Surr)	90		45 - 120	01/24/26 09:00	02/03/26 16:47	1

Method: EPA 625.1 - Semivolatile Organic Compounds (GC/MS)

Tentatively Identified Compound	Est. Result	Qualifier	Unit	D	RT	CAS No.	Prepared	Analyzed	Dil Fac
Cyclic octaatomic sulfur	6.8	T J N	ug/L		9.83	10544-50-0	01/24/26 09:00	02/04/26 15:50	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2,4,6-Tribromophenol (Surr)	60		33 - 139	01/24/26 09:00	02/04/26 15:50	1
2-Fluorobiphenyl (Surr)	76		33 - 126	01/24/26 09:00	02/04/26 15:50	1
2-Fluorophenol (Surr)	64		12 - 120	01/24/26 09:00	02/04/26 15:50	1
Nitrobenzene-d5 (Surr)	66		36 - 120	01/24/26 09:00	02/04/26 15:50	1
Phenol-d6 (Surr)	32		10 - 120	01/24/26 09:00	02/04/26 15:50	1
p-Terphenyl-d14 (Surr)	82		47 - 131	01/24/26 09:00	02/04/26 15:50	1

Method: SW846 8015B GRO LL - Gasoline Range Organics - (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
GRO (C6-C10)	<10		10	ug/L			01/27/26 18:55	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	95		38 - 134		01/27/26 18:55	1

Method: SW846 8015B - Diesel Range Organics (DRO) (GC) Low Level

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics (C10-C24)	<26		26	ug/L		01/25/26 10:38	01/28/26 19:02	1
Motor Oil Range Organics [C24-C36]	<26		26	ug/L		01/25/26 10:38	01/28/26 19:02	1
C8-C18	<26		26	ug/L		01/25/26 10:38	01/28/26 19:02	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
n-Octacosane (Surr)	122		60 - 130	01/25/26 10:38	01/28/26 19:02	1

Client Sample ID: TB: AIEA WELLS PUMPS 1&2 (260)

Lab Sample ID: 380-193858-2

Date Collected: 01/20/26 11:10

Matrix: Water

Date Received: 01/22/26 09:55

Method: SW846 8015B GRO LL - Gasoline Range Organics - (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
GRO (C6-C10)	<10		10	ug/L			01/28/26 00:20	1

Client Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-193858-1
SDG: Weekly: Aiea Wells Pumps 1&2 P2

Client Sample ID: TB: AIEA WELLS PUMPS 1&2 (260)

Lab Sample ID: 380-193858-2

Date Collected: 01/20/26 11:10

Matrix: Water

Date Received: 01/22/26 09:55

<u>Surrogate</u>	<u>%Recovery</u>	<u>Qualifier</u>	<u>Limits</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Dil Fac</u>
4-Bromofluorobenzene (Surr)	95		38 - 134		01/28/26 00:20	1

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16

Action Limit Summary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-193858-1
SDG: Weekly: Aiea Wells Pumps 1&2 P2

Client Sample ID: AIEA WELLS PUMPS 1&2 (260) P2

Lab Sample ID: 380-193858-1

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL	RL	Method	Prep Type
				Limit			
Alachlor	<0.050		ug/L	2	0.050	525.2	Total/NA
Atrazine	<0.050		ug/L	3	0.050	525.2	Total/NA
Benzo[a]pyrene	<0.020		ug/L	0.2	0.020	525.2	Total/NA
Bis(2-ethylhexyl) phthalate	<0.60		ug/L	6	0.60	525.2	Total/NA
Di(2-ethylhexyl)adipate	<0.60		ug/L	400	0.60	525.2	Total/NA
Endrin	<0.010		ug/L	2	0.010	525.2	Total/NA
Heptachlor	<0.010		ug/L	0.4	0.010	525.2	Total/NA
Heptachlor epoxide (isomer B)	<0.010		ug/L	0.2	0.010	525.2	Total/NA
Hexachlorobenzene	<0.050		ug/L	1	0.050	525.2	Total/NA
Hexachlorocyclopentadiene	<0.050		ug/L	50	0.050	525.2	Total/NA
Lindane	<0.010		ug/L	0.2	0.010	525.2	Total/NA
Methoxychlor	<0.050		ug/L	40	0.050	525.2	Total/NA
Simazine	<0.050		ug/L	4	0.050	525.2	Total/NA
Benzo[a]pyrene	<0.20		ug/L	0.2	0.20	625.1 SIM	Total/NA

Surrogate Summary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-193858-1
SDG: Weekly: Aiea Wells Pumps 1&2 P2

Method: 525.2 - Semivolatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)		
		2NMX (70-130)	PRY (70-130)	TPP (70-130)
380-193858-1	AIEA WELLS PUMPS 1&2 (260) P2	97	92	105
380-193902-B-1-A MS	Matrix Spike	96	99	105
380-193911-B-1-A DU	Duplicate	96	89	105
LCS 380-200931/23-A	Lab Control Sample	98	100	109
MB 380-200931/21-A	Method Blank	97	87	105
MRL 380-200931/22-A	Lab Control Sample	97	91	104

Surrogate Legend

2NMX = 2-Nitro-m-xylene
PRY = Perylene-d12
TPP = Triphenylphosphate

Method: 625.1 - Semivolatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)					
		TBP (33-139)	FBP (33-126)	2FP (12-120)	NBZ (36-120)	PHL6 (10-120)	TPHd14 (47-131)
380-193858-1	AIEA WELLS PUMPS 1&2 (260) P2	60	76	64	66	32	82

Surrogate Legend

TBP = 2,4,6-Tribromophenol (Surr)
FBP = 2-Fluorobiphenyl (Surr)
2FP = 2-Fluorophenol (Surr)
NBZ = Nitrobenzene-d5 (Surr)
PHL6 = Phenol-d6 (Surr)
TPHd14 = p-Terphenyl-d14 (Surr)

Method: 625.1 SIM - Semivolatile Organic Compounds GC/MS (SIM)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)					
		TBP (28-127)	FBP (31-120)	2FP (17-120)	NBZ (27-120)	PHL6 (10-120)	TPHd14 (45-120)
380-193858-1	AIEA WELLS PUMPS 1&2 (260) P2	81	76	54	81	34	90
570-264273-D-1-A MS	Matrix Spike	102	91	68	101	44	93
570-264273-F-1-A MSD	Matrix Spike Duplicate	85	77	60	85	39	79
LCS 570-686409/2-A	Lab Control Sample	105	88	69	96	44	99
LCSD 570-686409/3-A	Lab Control Sample Dup	95	80	58	82	38	91
MB 570-686409/1-A	Method Blank	97	87	59	89	37	82

Surrogate Legend

TBP = 2,4,6-Tribromophenol (Surr)
FBP = 2-Fluorobiphenyl (Surr)
2FP = 2-Fluorophenol (Surr)
NBZ = Nitrobenzene-d5 (Surr)
PHL6 = Phenol-d6 (Surr)
TPHd14 = p-Terphenyl-d14 (Surr)

Surrogate Summary

Client: City & County of Honolulu
 Project/Site: RED-HILL

Job ID: 380-193858-1
 SDG: Weekly: Aiea Wells Pumps 1&2 P2

Method: 8015B GRO LL - Gasoline Range Organics - (GC)

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)		
Lab Sample ID	Client Sample ID	BFB1 (38-134)
380-193582-X-1 MS	Matrix Spike	97
380-193582-Y-1 MSD	Matrix Spike Duplicate	92
380-193858-1	AIEA WELLS PUMPS 1&2 (260) P2	95
380-193858-2	TB: AIEA WELLS PUMPS 1&2 (260)	95
LCS 570-687650/3	Lab Control Sample	86
LCSD 570-687650/4	Lab Control Sample Dup	93
MB 570-687650/5	Method Blank	85
MRL 570-687650/6	Lab Control Sample	86
Surrogate Legend		
BFB = 4-Bromofluorobenzene (Surr)		

Method: 8015B - Diesel Range Organics (DRO) (GC) Low Level

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)		
Lab Sample ID	Client Sample ID	OTCSN1 (60-130)
380-193858-1	AIEA WELLS PUMPS 1&2 (260) P2	122
380-194233-C-1-A MS	Matrix Spike	120
380-194233-D-1-A MSD	Matrix Spike Duplicate	115
LCS 570-686737/2-A	Lab Control Sample	92
LCSD 570-686737/3-A	Lab Control Sample Dup	102
MB 570-686737/1-A	Method Blank	117
MRL 570-686737/4-A	Lab Control Sample	121
Surrogate Legend		
OTCSN = n-Octacosane (Surr)		

QC Sample Results

Client: City & County of Honolulu
 Project/Site: RED-HILL

Job ID: 380-193858-1
 SDG: Weekly: Aiea Wells Pumps 1&2 P2

Method: 525.2 - Semivolatile Organic Compounds (GC/MS)

Lab Sample ID: MB 380-200931/21-A
Matrix: Water
Analysis Batch: 201255

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 200931

Analyte	MB	MB	RL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier						
1-Methylnaphthalene	<0.099		0.099	ug/L		01/26/26 07:48	01/27/26 10:38	1
2,4'-DDD	<0.099		0.099	ug/L		01/26/26 07:48	01/27/26 10:38	1
2,4'-DDE	<0.099		0.099	ug/L		01/26/26 07:48	01/27/26 10:38	1
2,4'-DDT	<0.099		0.099	ug/L		01/26/26 07:48	01/27/26 10:38	1
2,4-Dinitrotoluene	<0.099		0.099	ug/L		01/26/26 07:48	01/27/26 10:38	1
2,6-Dinitrotoluene	<0.099		0.099	ug/L		01/26/26 07:48	01/27/26 10:38	1
2-Methylnaphthalene	<0.099		0.099	ug/L		01/26/26 07:48	01/27/26 10:38	1
4,4'-DDD	<0.099		0.099	ug/L		01/26/26 07:48	01/27/26 10:38	1
4,4'-DDE	<0.099		0.099	ug/L		01/26/26 07:48	01/27/26 10:38	1
4,4'-DDT	<0.099		0.099	ug/L		01/26/26 07:48	01/27/26 10:38	1
Acenaphthene	<0.099		0.099	ug/L		01/26/26 07:48	01/27/26 10:38	1
Acenaphthylene	<0.099		0.099	ug/L		01/26/26 07:48	01/27/26 10:38	1
Acetochlor	<0.099		0.099	ug/L		01/26/26 07:48	01/27/26 10:38	1
Alachlor	<0.050		0.050	ug/L		01/26/26 07:48	01/27/26 10:38	1
alpha-BHC	<0.099		0.099	ug/L		01/26/26 07:48	01/27/26 10:38	1
alpha-Chlordane	<0.050		0.050	ug/L		01/26/26 07:48	01/27/26 10:38	1
Anthracene	<0.020		0.020	ug/L		01/26/26 07:48	01/27/26 10:38	1
Atrazine	<0.050		0.050	ug/L		01/26/26 07:48	01/27/26 10:38	1
Benz(a)anthracene	<0.050		0.050	ug/L		01/26/26 07:48	01/27/26 10:38	1
Benzo[a]pyrene	<0.020		0.020	ug/L		01/26/26 07:48	01/27/26 10:38	1
Benzo[b]fluoranthene	<0.020		0.020	ug/L		01/26/26 07:48	01/27/26 10:38	1
Benzo[g,h,i]perylene	<0.050		0.050	ug/L		01/26/26 07:48	01/27/26 10:38	1
Benzo[k]fluoranthene	<0.020		0.020	ug/L		01/26/26 07:48	01/27/26 10:38	1
beta-BHC	<0.099		0.099	ug/L		01/26/26 07:48	01/27/26 10:38	1
Bis(2-ethylhexyl) phthalate	<0.60		0.60	ug/L		01/26/26 07:48	01/27/26 10:38	1
Bromacil	<0.099		0.099	ug/L		01/26/26 07:48	01/27/26 10:38	1
Butachlor	<0.050		0.050	ug/L		01/26/26 07:48	01/27/26 10:38	1
Butylbenzylphthalate	<0.50		0.50	ug/L		01/26/26 07:48	01/27/26 10:38	1
Chlorobenzilate	<0.099		0.099	ug/L		01/26/26 07:48	01/27/26 10:38	1
Chloroneb	<0.099		0.099	ug/L		01/26/26 07:48	01/27/26 10:38	1
Chlorothalonil (Draconil, Bravo)	<0.099		0.099	ug/L		01/26/26 07:48	01/27/26 10:38	1
Chlorpyrifos	<0.050		0.050	ug/L		01/26/26 07:48	01/27/26 10:38	1
Chrysene	<0.020		0.020	ug/L		01/26/26 07:48	01/27/26 10:38	1
delta-BHC	<0.099		0.099	ug/L		01/26/26 07:48	01/27/26 10:38	1
Di(2-ethylhexyl)adipate	<0.60		0.60	ug/L		01/26/26 07:48	01/27/26 10:38	1
Dibenz(a,h)anthracene	<0.050		0.050	ug/L		01/26/26 07:48	01/27/26 10:38	1
Diclorvos (DDVP)	<0.050		0.050	ug/L		01/26/26 07:48	01/27/26 10:38	1
Dieldrin	<0.0099		0.0099	ug/L		01/26/26 07:48	01/27/26 10:38	1
Diethylphthalate	<0.50		0.50	ug/L		01/26/26 07:48	01/27/26 10:38	1
Dimethylphthalate	<0.50		0.50	ug/L		01/26/26 07:48	01/27/26 10:38	1
Di-n-butyl phthalate	<0.99		0.99	ug/L		01/26/26 07:48	01/27/26 10:38	1
Di-n-octyl phthalate	<0.099		0.099	ug/L		01/26/26 07:48	01/27/26 10:38	1
Endosulfan I (Alpha)	<0.099		0.099	ug/L		01/26/26 07:48	01/27/26 10:38	1
Endosulfan II (Beta)	<0.099		0.099	ug/L		01/26/26 07:48	01/27/26 10:38	1
Endosulfan sulfate	<0.099		0.099	ug/L		01/26/26 07:48	01/27/26 10:38	1
Endrin	<0.0099		0.0099	ug/L		01/26/26 07:48	01/27/26 10:38	1
Endrin aldehyde	<0.099		0.099	ug/L		01/26/26 07:48	01/27/26 10:38	1
EPTC	<0.099		0.099	ug/L		01/26/26 07:48	01/27/26 10:38	1

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-193858-1
SDG: Weekly: Aiea Wells Pumps 1&2 P2

Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 380-200931/21-A
Matrix: Water
Analysis Batch: 201255

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 200931

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Fluoranthene	<0.099		0.099	ug/L		01/26/26 07:48	01/27/26 10:38	1
Fluorene	<0.050		0.050	ug/L		01/26/26 07:48	01/27/26 10:38	1
gamma-Chlordane	<0.050		0.050	ug/L		01/26/26 07:48	01/27/26 10:38	1
Heptachlor	<0.0099		0.0099	ug/L		01/26/26 07:48	01/27/26 10:38	1
Heptachlor epoxide (isomer B)	<0.0099		0.0099	ug/L		01/26/26 07:48	01/27/26 10:38	1
Hexachlorobenzene	<0.050		0.050	ug/L		01/26/26 07:48	01/27/26 10:38	1
Hexachlorocyclopentadiene	<0.050		0.050	ug/L		01/26/26 07:48	01/27/26 10:38	1
Indeno[1,2,3-cd]pyrene	<0.050		0.050	ug/L		01/26/26 07:48	01/27/26 10:38	1
Isophorone	<0.099		0.099	ug/L		01/26/26 07:48	01/27/26 10:38	1
Lindane	<0.0099		0.0099	ug/L		01/26/26 07:48	01/27/26 10:38	1
Malathion	<0.099		0.099	ug/L		01/26/26 07:48	01/27/26 10:38	1
Methoxychlor	<0.050		0.050	ug/L		01/26/26 07:48	01/27/26 10:38	1
Metolachlor	<0.050		0.050	ug/L		01/26/26 07:48	01/27/26 10:38	1
Molinate	<0.099		0.099	ug/L		01/26/26 07:48	01/27/26 10:38	1
Naphthalene	<0.099		0.099	ug/L		01/26/26 07:48	01/27/26 10:38	1
Parathion	<0.099		0.099	ug/L		01/26/26 07:48	01/27/26 10:38	1
Pendimethalin (Penoxaline)	<0.099		0.099	ug/L		01/26/26 07:48	01/27/26 10:38	1
Phenanthrene	<0.040		0.040	ug/L		01/26/26 07:48	01/27/26 10:38	1
Propachlor	<0.050		0.050	ug/L		01/26/26 07:48	01/27/26 10:38	1
Pyrene	<0.050		0.050	ug/L		01/26/26 07:48	01/27/26 10:38	1
Simazine	<0.050		0.050	ug/L		01/26/26 07:48	01/27/26 10:38	1
Terbacil	<0.099		0.099	ug/L		01/26/26 07:48	01/27/26 10:38	1
Terbutylazine	<0.099		0.099	ug/L		01/26/26 07:48	01/27/26 10:38	1
Thiobencarb	<0.099		0.099	ug/L		01/26/26 07:48	01/27/26 10:38	1
Total Permethrin (mixed isomers)	<0.20		0.20	ug/L		01/26/26 07:48	01/27/26 10:38	1
trans-Nonachlor	<0.050		0.050	ug/L		01/26/26 07:48	01/27/26 10:38	1
Trifluralin	<0.099		0.099	ug/L		01/26/26 07:48	01/27/26 10:38	1

<i>Tentatively Identified Compound</i>	MB Est. Result	MB Qualifier	Unit	D	RT	CAS No.	Prepared	Analyzed	Dil Fac
<i>Cyclopentene, 1,2,3,4,5-pentamethyl-</i>	0.820	T J N	ug/L		2.52	1000154-28-6	01/26/26 07:48	01/27/26 10:38	1
<i>Cyclotetrasiloxane, octamethyl-</i>	0.811	T J N	ug/L		2.70	556-67-2	01/26/26 07:48	01/27/26 10:38	1
<i>Undecane</i>	2.87	T J N	ug/L		3.10	1120-21-4	01/26/26 07:48	01/27/26 10:38	1
<i>Cyclopentasiloxane, decamethyl-</i>	0.988	T J N	ug/L		3.23	541-02-6	01/26/26 07:48	01/27/26 10:38	1
<i>Unknown</i>	0.933	T J	ug/L		3.85	N/A	01/26/26 07:48	01/27/26 10:38	1
<i>9-Octadecenamamide, (Z)-</i>	0.852	T J N	ug/L		7.86	301-02-0	01/26/26 07:48	01/27/26 10:38	1
<i>Octadecane, 1-iodo-</i>	0.532	T J N	ug/L		14.96	629-93-6	01/26/26 07:48	01/27/26 10:38	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
<i>2-Nitro-m-xylene</i>	97		70 - 130	01/26/26 07:48	01/27/26 10:38	1
<i>Perylene-d12</i>	87		70 - 130	01/26/26 07:48	01/27/26 10:38	1
<i>Triphenylphosphate</i>	105		70 - 130	01/26/26 07:48	01/27/26 10:38	1

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-193858-1
SDG: Weekly: Aiea Wells Pumps 1&2 P2

Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 380-200931/23-A
Matrix: Water
Analysis Batch: 201255

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 200931

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1-Methylnaphthalene	1.98	1.91		ug/L		96	70 - 130
2,4'-DDD	1.98	2.19		ug/L		110	70 - 130
2,4'-DDE	1.98	2.24		ug/L		113	70 - 130
2,4'-DDT	1.98	2.04		ug/L		103	70 - 130
2,4-Dinitrotoluene	1.98	2.13		ug/L		107	70 - 130
2,6-Dinitrotoluene	1.98	2.00		ug/L		101	70 - 130
2-Methylnaphthalene	1.98	1.98		ug/L		100	70 - 130
4,4'-DDD	1.98	2.08		ug/L		105	70 - 130
4,4'-DDE	1.98	2.27		ug/L		115	70 - 130
4,4'-DDT	1.98	2.08		ug/L		105	70 - 130
Acenaphthene	1.98	2.04		ug/L		103	70 - 130
Acenaphthylene	1.98	2.16		ug/L		109	70 - 130
Acetochlor	1.98	2.22		ug/L		112	70 - 130
Alachlor	1.98	2.26		ug/L		114	70 - 130
alpha-BHC	1.98	2.09		ug/L		105	70 - 130
alpha-Chlordane	1.98	2.02		ug/L		102	70 - 130
Anthracene	1.98	1.95		ug/L		98	70 - 130
Atrazine	1.98	2.31		ug/L		116	70 - 130
Benz(a)anthracene	1.98	2.17		ug/L		109	70 - 130
Benzo[a]pyrene	1.98	2.32		ug/L		117	70 - 130
Benzo[b]fluoranthene	1.98	2.16		ug/L		109	70 - 130
Benzo[g,h,i]perylene	1.98	2.03		ug/L		103	70 - 130
Benzo[k]fluoranthene	1.98	2.09		ug/L		105	70 - 130
beta-BHC	1.98	2.09		ug/L		105	70 - 130
Bis(2-ethylhexyl) phthalate	1.98	2.22		ug/L		112	70 - 130
Bromacil	1.98	1.93		ug/L		97	70 - 130
Butachlor	1.98	2.19		ug/L		110	70 - 130
Butylbenzylphthalate	1.98	2.25		ug/L		113	70 - 130
Chlorobenzilate	1.98	2.13		ug/L		108	70 - 130
Chloroneb	1.98	2.12		ug/L		107	70 - 130
Chlorothalonil (Draconil, Bravo)	1.98	2.09		ug/L		105	70 - 130
Chlorpyrifos	1.98	2.22		ug/L		112	70 - 130
Chrysene	1.98	2.00		ug/L		101	70 - 130
delta-BHC	1.98	2.03		ug/L		102	70 - 130
Di(2-ethylhexyl)adipate	1.98	2.37		ug/L		120	70 - 130
Dibenz(a,h)anthracene	1.98	2.15		ug/L		109	70 - 130
Diclorvos (DDVP)	1.98	2.21		ug/L		111	70 - 130
Dieldrin	1.98	2.12		ug/L		107	70 - 130
Diethylphthalate	1.98	2.22		ug/L		112	70 - 130
Dimethylphthalate	1.98	2.17		ug/L		109	70 - 130
Di-n-butyl phthalate	3.97	4.48		ug/L		113	70 - 130
Di-n-octyl phthalate	1.98	2.23		ug/L		112	70 - 130
Endosulfan I (Alpha)	1.98	2.02		ug/L		102	70 - 130
Endosulfan II (Beta)	1.98	2.10		ug/L		106	70 - 130
Endosulfan sulfate	1.98	2.03		ug/L		102	70 - 130
Endrin	1.98	2.28		ug/L		115	70 - 130
Endrin aldehyde	1.98	1.88		ug/L		95	60 - 130
EPTC	1.98	2.14		ug/L		108	70 - 130

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-193858-1
SDG: Weekly: Aiea Wells Pumps 1&2 P2

Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 380-200931/23-A

Matrix: Water

Analysis Batch: 201255

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 200931

Analyte	Spike Added	LCS	LCS	Unit	D	%Rec	%Rec Limits
		Result	Qualifier				
Fluoranthene	1.98	2.15		ug/L		108	70 - 130
Fluorene	1.98	2.10		ug/L		106	70 - 130
gamma-Chlordane	1.98	2.02		ug/L		102	70 - 130
Heptachlor	1.98	2.22		ug/L		112	70 - 130
Heptachlor epoxide (isomer B)	1.98	2.12		ug/L		107	70 - 130
Hexachlorobenzene	1.98	2.02		ug/L		102	70 - 130
Hexachlorocyclopentadiene	1.98	2.01		ug/L		101	70 - 130
Indeno[1,2,3-cd]pyrene	1.98	2.13		ug/L		107	70 - 130
Isophorone	1.98	2.05		ug/L		104	70 - 130
Lindane	1.98	2.12		ug/L		107	70 - 130
Malathion	1.98	2.12		ug/L		107	70 - 130
Methoxychlor	1.98	2.08		ug/L		105	70 - 130
Metolachlor	1.98	2.15		ug/L		108	70 - 130
Molinate	1.98	2.16		ug/L		109	70 - 130
Naphthalene	1.98	1.89		ug/L		95	70 - 130
Parathion	1.98	2.16		ug/L		109	70 - 130
Pendimethalin (Penoxaline)	1.98	2.04		ug/L		103	70 - 130
Phenanthrene	1.98	1.84		ug/L		93	70 - 130
Propachlor	1.98	2.28		ug/L		115	70 - 130
Pyrene	1.98	2.16		ug/L		109	70 - 130
Simazine	1.98	2.34		ug/L		118	70 - 130
Terbacil	1.98	2.01		ug/L		101	70 - 130
Terbutylazine	1.98	2.41		ug/L		121	70 - 130
Thiobencarb	1.98	2.29		ug/L		115	70 - 130
trans-Nonachlor	1.98	2.00		ug/L		101	70 - 130
Trifluralin	1.98	2.04		ug/L		103	70 - 130

Surrogate	LCS LCS		Limits
	%Recovery	Qualifier	
2-Nitro-m-xylene	98		70 - 130
Perylene-d12	100		70 - 130
Triphenylphosphate	109		70 - 130

Lab Sample ID: MRL 380-200931/22-A

Matrix: Water

Analysis Batch: 201255

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 200931

Analyte	Spike Added	MRL	MRL	Unit	D	%Rec	%Rec Limits
		Result	Qualifier				
1-Methylnaphthalene	0.0990	0.110		ug/L		112	50 - 150
2,4'-DDD	0.0990	0.0902	J	ug/L		91	50 - 150
2,4'-DDE	0.0990	0.107		ug/L		108	50 - 150
2,4'-DDT	0.0990	0.109		ug/L		110	50 - 150
2,4-Dinitrotoluene	0.0990	0.110		ug/L		111	50 - 150
2,6-Dinitrotoluene	0.0990	0.139		ug/L		140	50 - 150
2-Methylnaphthalene	0.0990	0.106		ug/L		107	50 - 150
4,4'-DDD	0.0990	0.114		ug/L		116	50 - 150
4,4'-DDE	0.0990	0.0994		ug/L		100	50 - 150
4,4'-DDT	0.0990	0.116		ug/L		117	50 - 150
Acenaphthene	0.0990	0.0903	J	ug/L		91	50 - 150

QC Sample Results

Client: City & County of Honolulu
 Project/Site: RED-HILL

Job ID: 380-193858-1
 SDG: Weekly: Aiea Wells Pumps 1&2 P2

Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MRL 380-200931/22-A
Matrix: Water
Analysis Batch: 201255

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 200931

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
Acenaphthylene	0.0990	0.0995		ug/L		101	50 - 150
Acetochlor	0.0990	0.115		ug/L		116	50 - 150
Alachlor	0.0495	0.0540		ug/L		109	50 - 150
alpha-BHC	0.0990	0.106		ug/L		107	50 - 150
alpha-Chlordane	0.0248	<0.029		ug/L		108	50 - 150
Anthracene	0.0198	0.0227		ug/L		115	50 - 150
Atrazine	0.0495	0.0519		ug/L		105	50 - 150
Benz(a)anthracene	0.0495	0.0525		ug/L		106	50 - 150
Benzo[a]pyrene	0.0198	0.0253		ug/L		128	50 - 150
Benzo[b]fluoranthene	0.0198	0.0250		ug/L		126	50 - 150
Benzo[g,h,i]perylene	0.0495	0.0519		ug/L		105	50 - 150
Benzo[k]fluoranthene	0.0198	0.0254		ug/L		128	50 - 150
beta-BHC	0.0990	0.114		ug/L		115	50 - 150
Bis(2-ethylhexyl) phthalate	0.594	0.667		ug/L		112	50 - 150
Bromacil	0.0990	0.115		ug/L		116	50 - 150
Butachlor	0.0495	0.0666		ug/L		135	50 - 150
Butylbenzylphthalate	0.495	0.589		ug/L		119	50 - 150
Chlorobenzilate	0.0990	0.113		ug/L		114	50 - 150
Chloroneb	0.0990	0.113		ug/L		114	50 - 150
Chlorothalonil (Draconil, Bravo)	0.0990	0.102		ug/L		103	50 - 150
Chlorpyrifos	0.0495	0.0588		ug/L		119	50 - 150
Chrysene	0.0198	0.0220		ug/L		111	50 - 150
delta-BHC	0.0990	0.0962	J	ug/L		97	50 - 150
Di(2-ethylhexyl)adipate	0.594	0.703		ug/L		118	50 - 150
Dibenz(a,h)anthracene	0.0495	0.0485	J	ug/L		98	50 - 150
Diclorvos (DDVP)	0.0495	0.0580		ug/L		117	50 - 150
Dieldrin	0.00990	0.0111		ug/L		112	50 - 150
Diethylphthalate	0.495	0.539		ug/L		109	50 - 150
Dimethylphthalate	0.495	0.533		ug/L		108	50 - 150
Di-n-butyl phthalate	0.495	0.607	J	ug/L		123	49 - 243
Di-n-octyl phthalate	0.0990	0.115		ug/L		117	50 - 150
Endosulfan I (Alpha)	0.0990	0.0912	J	ug/L		92	50 - 150
Endosulfan II (Beta)	0.0990	0.0979	J	ug/L		99	50 - 150
Endosulfan sulfate	0.0990	0.115		ug/L		116	50 - 150
Endrin	0.00990	0.00953	J	ug/L		96	50 - 150
Endrin aldehyde	0.0990	0.111		ug/L		112	50 - 150
EPTC	0.0990	0.102		ug/L		103	50 - 150
Fluoranthene	0.0990	0.0993		ug/L		100	50 - 150
Fluorene	0.0495	0.0514		ug/L		104	50 - 150
gamma-Chlordane	0.0248	0.0262	J	ug/L		106	50 - 150
Heptachlor	0.00990	0.0103		ug/L		104	50 - 150
Heptachlor epoxide (isomer B)	0.00990	0.0115		ug/L		116	50 - 150
Hexachlorobenzene	0.0495	0.0490	J	ug/L		99	50 - 150
Hexachlorocyclopentadiene	0.0495	0.0551		ug/L		111	50 - 150
Indeno[1,2,3-cd]pyrene	0.0495	0.0561		ug/L		113	50 - 150
Isophorone	0.0990	0.118		ug/L		120	50 - 150
Lindane	0.00990	0.0114		ug/L		116	50 - 150
Malathion	0.0990	0.113		ug/L		114	50 - 150
Methoxychlor	0.0495	0.0705		ug/L		142	50 - 150

Eurofins Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-193858-1
SDG: Weekly: Aiea Wells Pumps 1&2 P2

Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MRL 380-200931/22-A
Matrix: Water
Analysis Batch: 201255

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 200931

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
Metolachlor	0.0495	0.0609		ug/L		123	50 - 150
Molinate	0.0990	0.110		ug/L		111	50 - 150
Naphthalene	0.0990	0.122		ug/L		123	50 - 150
Parathion	0.0990	0.106		ug/L		107	50 - 150
Pendimethalin (Penoxaline)	0.0990	0.108		ug/L		109	50 - 150
Phenanthrene	0.0396	0.0401		ug/L		101	50 - 150
Propachlor	0.0495	0.0571		ug/L		115	50 - 150
Pyrene	0.0495	0.0506		ug/L		102	50 - 150
Simazine	0.0495	0.0471	J	ug/L		95	50 - 150
Terbacil	0.0990	0.107		ug/L		108	50 - 150
Terbutylazine	0.0990	0.112		ug/L		113	50 - 150
Thiobencarb	0.0990	0.113		ug/L		114	50 - 150
trans-Nonachlor	0.0248	0.0302	J	ug/L		122	50 - 150
Trifluralin	0.0990	0.111		ug/L		112	50 - 150

Surrogate	MRL		Limits
	%Recovery	Qualifier	
2-Nitro-m-xylene	97		70 - 130
Perylene-d 12	91		70 - 130
Triphenylphosphate	104		70 - 130

Lab Sample ID: 380-193902-B-1-A MS
Matrix: Water
Analysis Batch: 201255

Client Sample ID: Matrix Spike
Prep Type: Total/NA
Prep Batch: 200931

Analyte	Sample Result	Sample Qualifier	Spike Added	MS		Unit	D	%Rec	%Rec Limits
				Result	Qualifier				
1-Methylnaphthalene	<0.096		1.93	1.84		ug/L		95	70 - 130
2,4'-DDD	<0.096		1.93	2.07		ug/L		107	70 - 130
2,4'-DDE	<0.096		1.93	2.12		ug/L		110	70 - 130
2,4'-DDT	<0.096		1.93	1.92		ug/L		100	70 - 130
2,4-Dinitrotoluene	<0.096		1.93	2.12		ug/L		110	70 - 130
2,6-Dinitrotoluene	<0.096		1.93	2.00		ug/L		103	70 - 130
2-Methylnaphthalene	<0.096		1.93	1.89		ug/L		98	70 - 130
4,4'-DDD	<0.096		1.93	1.97		ug/L		102	70 - 130
4,4'-DDE	<0.096		1.93	2.09		ug/L		108	70 - 130
4,4'-DDT	<0.096		1.93	1.95		ug/L		101	70 - 130
Acenaphthene	<0.096		1.93	1.96		ug/L		102	70 - 130
Acenaphthylene	<0.096		1.93	2.08		ug/L		108	70 - 130
Acetochlor	<0.096		1.93	2.12		ug/L		110	70 - 130
Alachlor	<0.048		1.93	2.14		ug/L		111	70 - 130
alpha-BHC	<0.096		1.93	1.98		ug/L		102	70 - 130
alpha-Chlordane	<0.048		1.93	1.95		ug/L		100	70 - 130
Anthracene	<0.019		1.93	1.89		ug/L		98	70 - 130
Atrazine	<0.048		1.93	2.25		ug/L		116	70 - 130
Benz(a)anthracene	<0.048		1.93	2.02		ug/L		105	70 - 130
Benzo[a]pyrene	<0.019		1.93	2.22		ug/L		115	70 - 130
Benzo[b]fluoranthene	<0.019		1.93	2.13		ug/L		110	70 - 130
Benzo[g,h,i]perylene	<0.048		1.93	1.90		ug/L		98	70 - 130
Benzo[k]fluoranthene	<0.019		1.93	1.96		ug/L		102	70 - 130

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-193858-1
SDG: Weekly: Aiea Wells Pumps 1&2 P2

Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 380-193902-B-1-A MS

Client Sample ID: Matrix Spike

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 201255

Prep Batch: 200931

Analyte	Sample	Sample	Spike	MS	MS	Unit	D	%Rec	%Rec Limits
	Result	Qualifier	Added	Result	Qualifier				
beta-BHC	<0.096		1.93	1.98		ug/L		103	70 - 130
Bis(2-ethylhexyl) phthalate	<0.58		1.93	2.02		ug/L		105	70 - 130
Bromacil	<0.096		1.93	1.90		ug/L		96	70 - 130
Butachlor	<0.048		1.93	2.06		ug/L		107	70 - 130
Butylbenzylphthalate	<0.48		1.93	2.17		ug/L		113	70 - 130
Chlorobenzilate	<0.096		1.93	2.02		ug/L		105	70 - 130
Chloroneb	<0.096		1.93	2.01		ug/L		104	70 - 130
Chlorothalonil (Draconil, Bravo)	<0.096		1.93	1.98		ug/L		103	70 - 130
Chlorpyrifos	<0.048		1.93	2.12		ug/L		110	70 - 130
Chrysene	<0.019		1.93	1.94		ug/L		100	70 - 130
delta-BHC	<0.096		1.93	1.90		ug/L		99	70 - 130
Di(2-ethylhexyl)adipate	<0.58		1.93	2.15		ug/L		111	70 - 130
Dibenz(a,h)anthracene	<0.048		1.93	2.03		ug/L		105	70 - 130
Diclorvos (DDVP)	<0.048		1.93	2.14		ug/L		111	70 - 130
Dieldrin	0.076		1.93	2.09		ug/L		104	70 - 130
Diethylphthalate	<0.48		1.93	2.09		ug/L		108	70 - 130
Dimethylphthalate	<0.48		1.93	2.06		ug/L		107	70 - 130
Di-n-butyl phthalate	<0.96		3.86	4.27		ug/L		111	70 - 130
Di-n-octyl phthalate	<0.096		1.93	1.96		ug/L		101	70 - 130
Endosulfan I (Alpha)	<0.096		1.93	1.93		ug/L		100	70 - 130
Endosulfan II (Beta)	<0.096		1.93	1.98		ug/L		103	70 - 130
Endosulfan sulfate	<0.096		1.93	1.90		ug/L		99	70 - 130
Endrin	<0.0096		1.93	2.14		ug/L		111	70 - 130
Endrin aldehyde	<0.096		1.93	1.80		ug/L		93	60 - 130
EPTC	<0.096		1.93	2.04		ug/L		106	70 - 130
Fluoranthene	<0.096		1.93	2.09		ug/L		108	70 - 130
Fluorene	<0.048		1.93	2.03		ug/L		105	70 - 130
gamma-Chlordane	<0.048		1.93	1.94		ug/L		100	70 - 130
Heptachlor	<0.0096		1.93	2.13		ug/L		110	70 - 130
Heptachlor epoxide (isomer B)	0.012		1.93	2.00		ug/L		103	70 - 130
Hexachlorobenzene	<0.048		1.93	1.96		ug/L		102	70 - 130
Hexachlorocyclopentadiene	<0.048		1.93	1.95		ug/L		101	70 - 130
Indeno[1,2,3-cd]pyrene	<0.048		1.93	2.01		ug/L		104	70 - 130
Isophorone	<0.096		1.93	1.94		ug/L		100	70 - 130
Lindane	<0.0096		1.93	2.06		ug/L		107	70 - 130
Malathion	<0.096		1.93	2.02		ug/L		105	70 - 130
Methoxychlor	<0.048		1.93	2.03		ug/L		105	70 - 130
Metolachlor	<0.048		1.93	2.01		ug/L		104	70 - 130
Molinate	<0.096		1.93	2.09		ug/L		108	70 - 130
Naphthalene	<0.096		1.93	1.82		ug/L		94	70 - 130
Parathion	<0.096		1.93	2.07		ug/L		107	70 - 130
Pendimethalin (Penoxaline)	<0.096		1.93	1.92		ug/L		100	70 - 130
Phenanthrene	<0.038		1.93	1.79		ug/L		93	70 - 130
Propachlor	<0.048		1.93	2.15		ug/L		112	70 - 130
Pyrene	<0.048		1.93	2.09		ug/L		108	70 - 130
Simazine	<0.048		1.93	2.22		ug/L		115	70 - 130
Terbacil	<0.096		1.93	1.90		ug/L		98	70 - 130
Terbuthylazine	<0.096		1.93	2.27		ug/L		118	70 - 130
Thiobencarb	<0.096		1.93	2.17		ug/L		113	70 - 130

Eurofins Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-193858-1
SDG: Weekly: Aiea Wells Pumps 1&2 P2

Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 380-193902-B-1-A MS

Client Sample ID: Matrix Spike

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 201255

Prep Batch: 200931

Analyte	Sample	Sample	Spike	MS	MS	Unit	D	%Rec	%Rec Limits
	Result	Qualifier	Added	Result	Qualifier				
trans-Nonachlor	<0.048		1.93	1.93		ug/L		99	70 - 130
Trifluralin	<0.096		1.93	1.98		ug/L		103	70 - 130

Surrogate	MS	MS	Limits
	%Recovery	Qualifier	
2-Nitro-m-xylene	96		70 - 130
Perylene-d12	99		70 - 130
Triphenylphosphate	105		70 - 130

Lab Sample ID: 380-193911-B-1-A DU

Client Sample ID: Duplicate

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 201255

Prep Batch: 200931

Analyte	Sample	Sample	DU	DU	Unit	D	RPD	Limit
	Result	Qualifier	Result	Qualifier				
1-Methylnaphthalene	<0.096		<0.097		ug/L		NC	20
2,4'-DDD	<0.096		<0.097		ug/L		NC	20
2,4'-DDE	<0.096		<0.097		ug/L		NC	20
2,4'-DDT	<0.096		<0.097		ug/L		NC	20
2,4-Dinitrotoluene	<0.096		<0.097		ug/L		NC	20
2,6-Dinitrotoluene	<0.096		<0.097		ug/L		NC	20
2-Methylnaphthalene	<0.096		<0.097		ug/L		NC	20
4,4'-DDD	<0.096		<0.097		ug/L		NC	20
4,4'-DDE	<0.096		<0.097		ug/L		NC	20
4,4'-DDT	<0.096		<0.097		ug/L		NC	20
Acenaphthene	<0.096		<0.097		ug/L		NC	20
Acenaphthylene	<0.096		<0.097		ug/L		NC	20
Acetochlor	<0.096		<0.097		ug/L		NC	20
Alachlor	<0.048		<0.048		ug/L		NC	20
alpha-BHC	<0.096		<0.097		ug/L		NC	20
alpha-Chlordane	<0.048		<0.048		ug/L		NC	20
Anthracene	<0.019		<0.019		ug/L		NC	20
Atrazine	<0.048		<0.048		ug/L		NC	20
Benz(a)anthracene	<0.048		<0.048		ug/L		NC	20
Benzo[a]pyrene	<0.019		<0.019		ug/L		NC	20
Benzo[b]fluoranthene	<0.019		<0.019		ug/L		NC	20
Benzo[g,h,i]perylene	<0.048		<0.048		ug/L		NC	20
Benzo[k]fluoranthene	<0.019		<0.019		ug/L		NC	20
beta-BHC	<0.096		<0.097		ug/L		NC	20
Bis(2-ethylhexyl) phthalate	<0.58		<0.58		ug/L		NC	20
Bromacil	<0.096		<0.097		ug/L		NC	20
Butachlor	<0.048		<0.048		ug/L		NC	20
Butylbenzylphthalate	<0.48		<0.48		ug/L		NC	20
Chlorobenzilate	<0.096		<0.097		ug/L		NC	20
Chloroneb	<0.096		<0.097		ug/L		NC	20
Chlorothalonil (Draconil, Bravo)	<0.096		<0.097		ug/L		NC	20
Chlorpyrifos	<0.048		<0.048		ug/L		NC	20
Chrysene	<0.019		<0.019		ug/L		NC	20
delta-BHC	<0.096		<0.097		ug/L		NC	20
Di(2-ethylhexyl)adipate	<0.58		<0.58		ug/L		NC	20

Eurofins Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-193858-1
SDG: Weekly: Aiea Wells Pumps 1&2 P2

Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 380-193911-B-1-A DU

Matrix: Water

Analysis Batch: 201255

Client Sample ID: Duplicate

Prep Type: Total/NA

Prep Batch: 200931

Analyte	Sample	Sample	DU	DU	Unit	D	RPD	Limit
	Result	Qualifier	Result	Qualifier				
Dibenz(a,h)anthracene	<0.048		<0.048		ug/L		NC	20
Diclorvos (DDVP)	<0.048		<0.048		ug/L		NC	20
Dieldrin	0.079		0.0811		ug/L		3	20
Diethylphthalate	<0.48		<0.48		ug/L		NC	20
Dimethylphthalate	<0.48		<0.48		ug/L		NC	20
Di-n-butyl phthalate	<0.96		<0.97		ug/L		NC	20
Di-n-octyl phthalate	<0.096		<0.097		ug/L		NC	20
Endosulfan I (Alpha)	<0.096		<0.097		ug/L		NC	20
Endosulfan II (Beta)	<0.096		<0.097		ug/L		NC	20
Endosulfan sulfate	<0.096		<0.097		ug/L		NC	20
Endrin	<0.0096		<0.0097		ug/L		NC	20
Endrin aldehyde	<0.096		<0.097		ug/L		NC	20
EPTC	<0.096		<0.097		ug/L		NC	20
Fluoranthene	<0.096		<0.097		ug/L		NC	20
Fluorene	<0.048		<0.048		ug/L		NC	20
gamma-Chlordane	<0.048		<0.048		ug/L		NC	20
Heptachlor	<0.0096		<0.0097		ug/L		NC	20
Heptachlor epoxide (isomer B)	0.012		0.0130		ug/L		7	20
Hexachlorobenzene	<0.048		<0.048		ug/L		NC	20
Hexachlorocyclopentadiene	<0.048		<0.048		ug/L		NC	20
Indeno[1,2,3-cd]pyrene	<0.048		<0.048		ug/L		NC	20
Isophorone	<0.096		<0.097		ug/L		NC	20
Lindane	<0.0096		<0.0097		ug/L		NC	20
Malathion	<0.096		<0.097		ug/L		NC	20
Methoxychlor	<0.048		<0.048		ug/L		NC	20
Metolachlor	<0.048		<0.048		ug/L		NC	20
Molinate	<0.096		<0.097		ug/L		NC	20
Naphthalene	<0.096		<0.097		ug/L		NC	20
Parathion	<0.096		<0.097		ug/L		NC	20
Pendimethalin (Penoxaline)	<0.096		<0.097		ug/L		NC	20
Phenanthrene	<0.038		<0.039		ug/L		NC	20
Propachlor	<0.048		<0.048		ug/L		NC	20
Pyrene	<0.048		<0.048		ug/L		NC	20
Simazine	<0.048		<0.048		ug/L		NC	20
Terbacil	<0.096		<0.097		ug/L		NC	20
Terbutylazine	<0.096		<0.097		ug/L		NC	20
Thiobencarb	<0.096		<0.097		ug/L		NC	20
Total Permethrin (mixed isomers)	<0.19		<0.19		ug/L		NC	20
trans-Nonachlor	<0.048		<0.048		ug/L		NC	20
Trifluralin	<0.096		<0.097		ug/L		NC	20

Surrogate	DU DU		Limits
	%Recovery	Qualifier	
2-Nitro-m-xylene	96		70 - 130
Perylene-d12	89		70 - 130
Triphenylphosphate	105		70 - 130

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-193858-1
SDG: Weekly: Aiea Wells Pumps 1&2 P2

Method: 625.1 SIM - Semivolatile Organic Compounds GC/MS (SIM)

Lab Sample ID: MB 570-686409/1-A
Matrix: Water
Analysis Batch: 689715

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 686409

Analyte	MB	MB	RL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier						
1-Methylnaphthalene	<0.20		0.20	ug/L		01/23/26 19:03	02/01/26 13:51	1
2-Methylnaphthalene	<0.20		0.20	ug/L		01/23/26 19:03	02/01/26 13:51	1
Acenaphthene	<0.20		0.20	ug/L		01/23/26 19:03	02/01/26 13:51	1
Acenaphthylene	<0.20		0.20	ug/L		01/23/26 19:03	02/01/26 13:51	1
Anthracene	<0.20		0.20	ug/L		01/23/26 19:03	02/01/26 13:51	1
Benzo[a]anthracene	<0.20		0.20	ug/L		01/23/26 19:03	02/01/26 13:51	1
Benzo[a]pyrene	<0.20		0.20	ug/L		01/23/26 19:03	02/01/26 13:51	1
Benzo[b]fluoranthene	<0.20		0.20	ug/L		01/23/26 19:03	02/01/26 13:51	1
Benzo[g,h,i]perylene	<0.20		0.20	ug/L		01/23/26 19:03	02/01/26 13:51	1
Benzo[k]fluoranthene	<0.20		0.20	ug/L		01/23/26 19:03	02/01/26 13:51	1
Chrysene	<0.20		0.20	ug/L		01/23/26 19:03	02/01/26 13:51	1
Dibenz(a,h)anthracene	<0.20		0.20	ug/L		01/23/26 19:03	02/01/26 13:51	1
Fluoranthene	<0.20		0.20	ug/L		01/23/26 19:03	02/01/26 13:51	1
Fluorene	<0.20		0.20	ug/L		01/23/26 19:03	02/01/26 13:51	1
Indeno[1,2,3-cd]pyrene	<0.20		0.20	ug/L		01/23/26 19:03	02/01/26 13:51	1
Naphthalene	<0.20		0.20	ug/L		01/23/26 19:03	02/01/26 13:51	1
Phenanthrene	<0.20		0.20	ug/L		01/23/26 19:03	02/01/26 13:51	1
Pyrene	<0.20		0.20	ug/L		01/23/26 19:03	02/01/26 13:51	1

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
2,4,6-Tribromophenol (Surr)	97		28 - 127	01/23/26 19:03	02/01/26 13:51	1
2-Fluorobiphenyl (Surr)	87		31 - 120	01/23/26 19:03	02/01/26 13:51	1
2-Fluorophenol (Surr)	59		17 - 120	01/23/26 19:03	02/01/26 13:51	1
Nitrobenzene-d5 (Surr)	89		27 - 120	01/23/26 19:03	02/01/26 13:51	1
Phenol-d6 (Surr)	37		10 - 120	01/23/26 19:03	02/01/26 13:51	1
p-Terphenyl-d14 (Surr)	82		45 - 120	01/23/26 19:03	02/01/26 13:51	1

Lab Sample ID: LCS 570-686409/2-A
Matrix: Water
Analysis Batch: 689715

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 686409

Analyte	Spike Added	LCS	LCS	Unit	D	%Rec	%Rec Limits
		Result	Qualifier				
1-Methylnaphthalene	20.0	21.2		ug/L		106	47 - 120
2-Methylnaphthalene	20.0	20.4		ug/L		102	43 - 120
Acenaphthene	20.0	20.2		ug/L		101	60 - 132
Acenaphthylene	20.0	19.6		ug/L		98	54 - 126
Anthracene	20.0	20.5		ug/L		102	43 - 120
Benzo[a]anthracene	20.0	21.6		ug/L		108	42 - 133
Benzo[a]pyrene	20.0	21.1		ug/L		105	32 - 148
Benzo[b]fluoranthene	20.0	21.4		ug/L		107	42 - 140
Benzo[g,h,i]perylene	20.0	20.4		ug/L		102	1 - 195
Benzo[k]fluoranthene	20.0	20.6		ug/L		103	25 - 146
Chrysene	20.0	21.2		ug/L		106	44 - 140
Dibenz(a,h)anthracene	20.0	21.5		ug/L		107	1 - 200
Fluoranthene	20.0	20.8		ug/L		104	43 - 121
Fluorene	20.0	19.6		ug/L		98	70 - 120
Indeno[1,2,3-cd]pyrene	20.0	21.7		ug/L		108	1 - 151
Naphthalene	20.0	20.7		ug/L		103	36 - 120

Eurofins Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-193858-1
SDG: Weekly: Aiea Wells Pumps 1&2 P2

Method: 625.1 SIM - Semivolatile Organic Compounds GC/MS (SIM) (Continued)

Lab Sample ID: LCS 570-686409/2-A

Matrix: Water

Analysis Batch: 689715

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 686409

Analyte	Spike Added	LCS	LCS	Unit	D	%Rec	%Rec Limits
		Result	Qualifier				
Phenanthrene	20.0	21.0		ug/L		105	65 - 120
Pyrene	20.0	22.7		ug/L		113	70 - 120

Surrogate	LCS		Limits
	%Recovery	Qualifier	
2,4,6-Tribromophenol (Surr)	105		28 - 127
2-Fluorobiphenyl (Surr)	88		31 - 120
2-Fluorophenol (Surr)	69		17 - 120
Nitrobenzene-d5 (Surr)	96		27 - 120
Phenol-d6 (Surr)	44		10 - 120
p-Terphenyl-d14 (Surr)	99		45 - 120

Lab Sample ID: LCSD 570-686409/3-A

Matrix: Water

Analysis Batch: 689715

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 686409

Analyte	Spike Added	LCSD	LCSD	Unit	D	%Rec	%Rec Limits	RPD	
		Result	Qualifier					RPD	Limit
1-Methylnaphthalene	20.0	18.8		ug/L		94	47 - 120	12	20
2-Methylnaphthalene	20.0	18.3		ug/L		91	43 - 120	11	20
Acenaphthene	20.0	18.4		ug/L		92	60 - 132	9	29
Acenaphthylene	20.0	17.8		ug/L		89	54 - 126	10	45
Anthracene	20.0	19.5		ug/L		97	43 - 120	5	40
Benzo[a]anthracene	20.0	20.2		ug/L		101	42 - 133	7	32
Benzo[a]pyrene	20.0	20.0		ug/L		100	32 - 148	5	43
Benzo[b]fluoranthene	20.0	19.7		ug/L		99	42 - 140	8	43
Benzo[g,h,i]perylene	20.0	19.1		ug/L		96	1 - 195	7	61
Benzo[k]fluoranthene	20.0	19.5		ug/L		97	25 - 146	6	38
Chrysene	20.0	19.9		ug/L		100	44 - 140	6	53
Dibenz(a,h)anthracene	20.0	20.4		ug/L		102	1 - 200	5	75
Fluoranthene	20.0	20.4		ug/L		102	43 - 121	2	40
Fluorene	20.0	18.5		ug/L		93	70 - 120	6	23
Indeno[1,2,3-cd]pyrene	20.0	20.2		ug/L		101	1 - 151	7	60
Naphthalene	20.0	17.7		ug/L		89	36 - 120	15	39
Phenanthrene	20.0	19.6		ug/L		98	65 - 120	7	24
Pyrene	20.0	20.8		ug/L		104	70 - 120	9	30

Surrogate	LCSD		Limits
	%Recovery	Qualifier	
2,4,6-Tribromophenol (Surr)	95		28 - 127
2-Fluorobiphenyl (Surr)	80		31 - 120
2-Fluorophenol (Surr)	58		17 - 120
Nitrobenzene-d5 (Surr)	82		27 - 120
Phenol-d6 (Surr)	38		10 - 120
p-Terphenyl-d14 (Surr)	91		45 - 120

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-193858-1
SDG: Weekly: Aiea Wells Pumps 1&2 P2

Method: 625.1 SIM - Semivolatile Organic Compounds GC/MS (SIM) (Continued)

Lab Sample ID: 570-264273-D-1-A MS

Matrix: Water

Analysis Batch: 690589

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 686409

Analyte	Sample	Sample	Spike	MS	MS	Unit	D	%Rec	%Rec Limits
	Result	Qualifier	Added	Result	Qualifier				
1-Methylnaphthalene	<0.20		20.0	21.8		ug/L		109	36 - 120
2-Methylnaphthalene	<0.20		20.0	21.5		ug/L		107	32 - 124
Acenaphthene	<0.20		20.0	19.8		ug/L		99	47 - 145
Acenaphthylene	<0.20		20.0	20.2		ug/L		101	33 - 145
Anthracene	<0.20		20.0	21.0		ug/L		105	27 - 133
Benzo[a]anthracene	<0.20		20.0	22.0		ug/L		110	33 - 143
Benzo[a]pyrene	0.20		20.0	20.3		ug/L		101	17 - 163
Benzo[b]fluoranthene	<0.20		20.0	21.1		ug/L		105	24 - 159
Benzo[g,h,i]perylene	0.34		20.0	19.2		ug/L		95	1 - 219
Benzo[k]fluoranthene	<0.20		20.0	20.3		ug/L		101	11 - 162
Chrysene	<0.20		20.0	20.4		ug/L		102	17 - 168
Dibenz(a,h)anthracene	0.28		20.0	20.6		ug/L		102	1 - 227
Fluoranthene	<0.20		20.0	22.0		ug/L		110	26 - 137
Fluorene	<0.20		20.0	20.3		ug/L		102	59 - 121
Indeno[1,2,3-cd]pyrene	0.36		20.0	21.7		ug/L		107	1 - 171
Naphthalene	<0.20		20.0	19.7		ug/L		99	21 - 133
Phenanthrene	<0.20		20.0	20.4		ug/L		102	54 - 120
Pyrene	<0.20		20.0	21.3		ug/L		107	52 - 120

Surrogate	MS	MS	Limits
	%Recovery	Qualifier	
2,4,6-Tribromophenol (Surr)	102		28 - 127
2-Fluorobiphenyl (Surr)	91		31 - 120
2-Fluorophenol (Surr)	68		17 - 120
Nitrobenzene-d5 (Surr)	101		27 - 120
Phenol-d6 (Surr)	44		10 - 120
p-Terphenyl-d14 (Surr)	93		45 - 120

Lab Sample ID: 570-264273-F-1-A MSD

Matrix: Water

Analysis Batch: 690589

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 686409

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
	Result	Qualifier	Added	Result	Qualifier						
1-Methylnaphthalene	<0.20		19.9	18.6		ug/L		94	36 - 120	15	30
2-Methylnaphthalene	<0.20		19.9	18.8		ug/L		94	32 - 124	13	30
Acenaphthene	<0.20		19.9	16.9		ug/L		85	47 - 145	16	48
Acenaphthylene	<0.20		19.9	16.9		ug/L		85	33 - 145	18	74
Anthracene	<0.20		19.9	17.5		ug/L		88	27 - 133	18	66
Benzo[a]anthracene	<0.20		19.9	18.0		ug/L		91	33 - 143	20	53
Benzo[a]pyrene	0.20		19.9	15.4		ug/L		76	17 - 163	28	72
Benzo[b]fluoranthene	<0.20		19.9	16.5		ug/L		82	24 - 159	24	71
Benzo[g,h,i]perylene	0.34		19.9	15.4		ug/L		76	1 - 219	22	97
Benzo[k]fluoranthene	<0.20		19.9	15.6		ug/L		78	11 - 162	26	63
Chrysene	<0.20		19.9	16.6		ug/L		83	17 - 168	21	87
Dibenz(a,h)anthracene	0.28		19.9	16.7		ug/L		83	1 - 227	21	126
Fluoranthene	<0.20		19.9	17.4		ug/L		87	26 - 137	24	66
Fluorene	<0.20		19.9	17.0		ug/L		86	59 - 121	18	38
Indeno[1,2,3-cd]pyrene	0.36		19.9	17.5		ug/L		86	1 - 171	22	99
Naphthalene	<0.20		19.9	17.5		ug/L		88	21 - 133	12	65

Eurofins Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-193858-1
SDG: Weekly: Aiea Wells Pumps 1&2 P2

Method: 625.1 SIM - Semivolatile Organic Compounds GC/MS (SIM) (Continued)

Lab Sample ID: 570-264273-F-1-A MSD

Matrix: Water

Analysis Batch: 690589

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 686409

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec	%Rec	RPD	RPD
	Result	Qualifier	Added	Result	Qualifier				Limits		Limit
Phenanthrene	<0.20		19.9	16.9		ug/L		85	54 - 120	19	39
Pyrene	<0.20		19.9	18.1		ug/L		91	52 - 120	16	49

Surrogate	MSD	MSD	Limits
	%Recovery	Qualifier	
2,4,6-Tribromophenol (Surr)	85		28 - 127
2-Fluorobiphenyl (Surr)	77		31 - 120
2-Fluorophenol (Surr)	60		17 - 120
Nitrobenzene-d5 (Surr)	85		27 - 120
Phenol-d6 (Surr)	39		10 - 120
p-Terphenyl-d14 (Surr)	79		45 - 120

Method: 8015B GRO LL - Gasoline Range Organics - (GC)

Lab Sample ID: MB 570-687650/5

Matrix: Water

Analysis Batch: 687650

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB	MB	RL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier						
GRO (C6-C10)	<10		10	ug/L			01/27/26 14:47	1

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
4-Bromofluorobenzene (Surr)	85		38 - 134		01/27/26 14:47	1

Lab Sample ID: LCS 570-687650/3

Matrix: Water

Analysis Batch: 687650

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS	LCS	Unit	D	%Rec	%Rec	RPD	RPD
		Result	Qualifier				Limits		Limit
Gasoline Range Organics (C4-C13)	400	413		ug/L		103	78 - 120		

Surrogate	LCS	LCS	Limits
	%Recovery	Qualifier	
4-Bromofluorobenzene (Surr)	86		38 - 134

Lab Sample ID: LCSD 570-687650/4

Matrix: Water

Analysis Batch: 687650

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD	LCSD	Unit	D	%Rec	%Rec	RPD	RPD
		Result	Qualifier				Limits		Limit
Gasoline Range Organics (C4-C13)	400	432		ug/L		108	78 - 120	4	10

Surrogate	LCSD	LCSD	Limits
	%Recovery	Qualifier	
4-Bromofluorobenzene (Surr)	93		38 - 134

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-193858-1
SDG: Weekly: Aiea Wells Pumps 1&2 P2

Method: 8015B GRO LL - Gasoline Range Organics - (GC) (Continued)

Lab Sample ID: MRL 570-687650/6
Matrix: Water
Analysis Batch: 687650

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
Gasoline Range Organics (C4-C13)	10.0	<7.9		ug/L		68	50 - 150
Surrogate		MRL %Recovery	MRL Qualifier				Limits
4-Bromofluorobenzene (Surr)		86					38 - 134

Lab Sample ID: 380-193582-X-1 MS
Matrix: Water
Analysis Batch: 687650

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Gasoline Range Organics (C4-C13)	<10		400	383		ug/L		96	68 - 122
Surrogate		MS %Recovery		MS Qualifier					Limits
4-Bromofluorobenzene (Surr)		97							38 - 134

Lab Sample ID: 380-193582-Y-1 MSD
Matrix: Water
Analysis Batch: 687650

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Gasoline Range Organics (C4-C13)	<10		400	407		ug/L		102	68 - 122	6	18
Surrogate		MSD %Recovery		MSD Qualifier					Limits		
4-Bromofluorobenzene (Surr)		92							38 - 134		

Method: 8015B - Diesel Range Organics (DRO) (GC) Low Level

Lab Sample ID: MB 570-686737/1-A
Matrix: Water
Analysis Batch: 688261

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 686737

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics (C10-C24)	<25		25	ug/L		01/25/26 10:37	01/28/26 15:05	1
Motor Oil Range Organics [C24-C36]	<25		25	ug/L		01/25/26 10:37	01/28/26 15:05	1
C8-C18	<25		25	ug/L		01/25/26 10:37	01/28/26 15:05	1
Surrogate		MB %Recovery				Prepared	Analyzed	Dil Fac
n-Octacosane (Surr)		117				01/25/26 10:37	01/28/26 15:05	1

Lab Sample ID: LCS 570-686737/2-A
Matrix: Water
Analysis Batch: 688261

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 686737

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
C10-C28	1600	1030		ug/L		64	56 - 127

Eurofins Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-193858-1
SDG: Weekly: Aiea Wells Pumps 1&2 P2

Method: 8015B - Diesel Range Organics (DRO) (GC) Low Level (Continued)

Lab Sample ID: LCS 570-686737/2-A
Matrix: Water
Analysis Batch: 688261

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 686737

	LCS	LCS	
Surrogate	%Recovery	Qualifier	Limits
<i>n-Octacosane (Surr)</i>	92		60 - 130

Lab Sample ID: LCSD 570-686737/3-A
Matrix: Water
Analysis Batch: 688261

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 686737

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec		RPD	Limit
							Limits	RPD		
C10-C28	1600	1120		ug/L		70	56 - 127	8	23	

	LCSD	LCSD	
Surrogate	%Recovery	Qualifier	Limits
<i>n-Octacosane (Surr)</i>	102		60 - 130

Lab Sample ID: MRL 570-686737/4-A
Matrix: Water
Analysis Batch: 688261

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 686737

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec		RPD	Limit
							Limits	RPD		
C10-C28	0.0200	0.0281		mg/L		141	50 - 150			

	MRL	MRL	
Surrogate	%Recovery	Qualifier	Limits
<i>n-Octacosane (Surr)</i>	121		60 - 130

Lab Sample ID: 380-194233-C-1-A MS
Matrix: Water
Analysis Batch: 688261

Client Sample ID: Matrix Spike
Prep Type: Total/NA
Prep Batch: 686737

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec		RPD	Limit
									Limits	RPD		
C10-C28	<26		1630	1430		ug/L		88	70 - 130			

	MS	MS	
Surrogate	%Recovery	Qualifier	Limits
<i>n-Octacosane (Surr)</i>	120		60 - 130

Lab Sample ID: 380-194233-D-1-A MSD
Matrix: Water
Analysis Batch: 688261

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA
Prep Batch: 686737

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec		RPD	Limit
									Limits	RPD		
C10-C28	<26		1630	1370		ug/L		84	70 - 130	4	20	

	MSD	MSD	
Surrogate	%Recovery	Qualifier	Limits
<i>n-Octacosane (Surr)</i>	115		60 - 130

QC Association Summary

Client: City & County of Honolulu
 Project/Site: RED-HILL

Job ID: 380-193858-1
 SDG: Weekly: Aiea Wells Pumps 1&2 P2

GC/MS Semi VOA

Prep Batch: 200931

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-193858-1	AIEA WELLS PUMPS 1&2 (260) P2	Total/NA	Water	525.2	
MB 380-200931/21-A	Method Blank	Total/NA	Water	525.2	
LCS 380-200931/23-A	Lab Control Sample	Total/NA	Water	525.2	
MRL 380-200931/22-A	Lab Control Sample	Total/NA	Water	525.2	
380-193902-B-1-A MS	Matrix Spike	Total/NA	Water	525.2	
380-193911-B-1-A DU	Duplicate	Total/NA	Water	525.2	

Analysis Batch: 201255

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-193858-1	AIEA WELLS PUMPS 1&2 (260) P2	Total/NA	Water	525.2	200931
MB 380-200931/21-A	Method Blank	Total/NA	Water	525.2	200931
LCS 380-200931/23-A	Lab Control Sample	Total/NA	Water	525.2	200931
MRL 380-200931/22-A	Lab Control Sample	Total/NA	Water	525.2	200931
380-193902-B-1-A MS	Matrix Spike	Total/NA	Water	525.2	200931
380-193911-B-1-A DU	Duplicate	Total/NA	Water	525.2	200931

Prep Batch: 686409

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-193858-1	AIEA WELLS PUMPS 1&2 (260) P2	Total/NA	Water	625.1	
MB 570-686409/1-A	Method Blank	Total/NA	Water	625.1	
LCS 570-686409/2-A	Lab Control Sample	Total/NA	Water	625.1	
LCSD 570-686409/3-A	Lab Control Sample Dup	Total/NA	Water	625.1	
570-264273-D-1-A MS	Matrix Spike	Total/NA	Water	625.1	
570-264273-F-1-A MSD	Matrix Spike Duplicate	Total/NA	Water	625.1	

Analysis Batch: 689715

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 570-686409/1-A	Method Blank	Total/NA	Water	625.1 SIM	686409
LCS 570-686409/2-A	Lab Control Sample	Total/NA	Water	625.1 SIM	686409
LCSD 570-686409/3-A	Lab Control Sample Dup	Total/NA	Water	625.1 SIM	686409

Analysis Batch: 690589

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-193858-1	AIEA WELLS PUMPS 1&2 (260) P2	Total/NA	Water	625.1 SIM	686409
570-264273-D-1-A MS	Matrix Spike	Total/NA	Water	625.1 SIM	686409
570-264273-F-1-A MSD	Matrix Spike Duplicate	Total/NA	Water	625.1 SIM	686409

Analysis Batch: 691224

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-193858-1	AIEA WELLS PUMPS 1&2 (260) P2	Total/NA	Water	625.1	686409

GC VOA

Analysis Batch: 687650

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-193858-1	AIEA WELLS PUMPS 1&2 (260) P2	Total/NA	Water	8015B GRO LL	
380-193858-2	TB: AIEA WELLS PUMPS 1&2 (260)	Total/NA	Water	8015B GRO LL	
MB 570-687650/5	Method Blank	Total/NA	Water	8015B GRO LL	
LCS 570-687650/3	Lab Control Sample	Total/NA	Water	8015B GRO LL	
LCSD 570-687650/4	Lab Control Sample Dup	Total/NA	Water	8015B GRO LL	
MRL 570-687650/6	Lab Control Sample	Total/NA	Water	8015B GRO LL	

QC Association Summary

Client: City & County of Honolulu
 Project/Site: RED-HILL

Job ID: 380-193858-1
 SDG: Weekly: Aiea Wells Pumps 1&2 P2

GC VOA (Continued)

Analysis Batch: 687650 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-193582-X-1 MS	Matrix Spike	Total/NA	Water	8015B GRO LL	
380-193582-Y-1 MSD	Matrix Spike Duplicate	Total/NA	Water	8015B GRO LL	

GC Semi VOA

Prep Batch: 686737

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-193858-1	AIEA WELLS PUMPS 1&2 (260) P2	Total/NA	Water	3510C	
MB 570-686737/1-A	Method Blank	Total/NA	Water	3510C	
LCS 570-686737/2-A	Lab Control Sample	Total/NA	Water	3510C	
LCSD 570-686737/3-A	Lab Control Sample Dup	Total/NA	Water	3510C	
MRL 570-686737/4-A	Lab Control Sample	Total/NA	Water	3510C	
380-194233-C-1-A MS	Matrix Spike	Total/NA	Water	3510C	
380-194233-D-1-A MSD	Matrix Spike Duplicate	Total/NA	Water	3510C	

Analysis Batch: 688261

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-193858-1	AIEA WELLS PUMPS 1&2 (260) P2	Total/NA	Water	8015B	686737
MB 570-686737/1-A	Method Blank	Total/NA	Water	8015B	686737
LCS 570-686737/2-A	Lab Control Sample	Total/NA	Water	8015B	686737
LCSD 570-686737/3-A	Lab Control Sample Dup	Total/NA	Water	8015B	686737
MRL 570-686737/4-A	Lab Control Sample	Total/NA	Water	8015B	686737
380-194233-C-1-A MS	Matrix Spike	Total/NA	Water	8015B	686737
380-194233-D-1-A MSD	Matrix Spike Duplicate	Total/NA	Water	8015B	686737

Lab Chronicle

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-193858-1
SDG: Weekly: Aiea Wells Pumps 1&2 P2

Client Sample ID: AIEA WELLS PUMPS 1&2 (260) P2

Lab Sample ID: 380-193858-1

Date Collected: 01/20/26 11:10

Matrix: Water

Date Received: 01/22/26 09:55

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	525.2			200931	OTM3	EA POM	01/26/26 07:48
Total/NA	Analysis	525.2		1	201255	UPAC	EA POM	01/27/26 14:33
Total/NA	Prep	625.1			686409	S4EA	EET CAL 4	01/24/26 09:00
Total/NA	Analysis	625.1		1	691224	PQS1	EET CAL 4	02/04/26 15:50
Total/NA	Prep	625.1			686409	S4EA	EET CAL 4	01/24/26 09:00
Total/NA	Analysis	625.1 SIM		1	690589	PQS1	EET CAL 4	02/03/26 16:47
Total/NA	Analysis	8015B GRO LL		1	687650	A9VE	EET CAL 4	01/27/26 18:55
Total/NA	Prep	3510C			686737	TVD6	EET CAL 4	01/25/26 10:38
Total/NA	Analysis	8015B		1	688261	NR	EET CAL 4	01/28/26 19:02

Client Sample ID: TB: AIEA WELLS PUMPS 1&2 (260)

Lab Sample ID: 380-193858-2

Date Collected: 01/20/26 11:10

Matrix: Water

Date Received: 01/22/26 09:55

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8015B GRO LL		1	687650	A9VE	EET CAL 4	01/28/26 00:20

Laboratory References:

EA POM = Eurofins Pomona, 941 Corporate Center Drive, Pomona, CA 91768-2642, TEL (626)386-1100

EET CAL 4 = Eurofins Calscience Tustin, 2841 Dow Avenue, Tustin, CA 92780, TEL (714)895-5494

Accreditation/Certification Summary

Client: City & County of Honolulu
 Project/Site: RED-HILL

Job ID: 380-193858-1
 SDG: Weekly: Aiea Wells Pumps 1&2 P2

Laboratory: Eurofins Pomona

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
Hawaii	State	CA00006	01-31-26

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
525.2	525.2	Water	1-Methylnaphthalene
525.2	525.2	Water	2,4'-DDD
525.2	525.2	Water	2,4'-DDE
525.2	525.2	Water	2,4'-DDT
525.2	525.2	Water	2,4-Dinitrotoluene
525.2	525.2	Water	2,6-Dinitrotoluene
525.2	525.2	Water	2-Methylnaphthalene
525.2	525.2	Water	4,4'-DDD
525.2	525.2	Water	4,4'-DDE
525.2	525.2	Water	4,4' DDT
525.2	525.2	Water	Acetochlor
525.2	525.2	Water	alpha-BHC
525.2	525.2	Water	alpha-Chlordane
525.2	525.2	Water	beta-BHC
525.2	525.2	Water	Chlorobenzilate
525.2	525.2	Water	Chloroneb
525.2	525.2	Water	Chlorothalonil (Draconil, Bravo)
525.2	525.2	Water	Chlorpyrifos
525.2	525.2	Water	delta-BHC
525.2	525.2	Water	Diclorvos (DDVP)
525.2	525.2	Water	Endosulfan I (Alpha)
525.2	525.2	Water	Endosulfan II (Beta)
525.2	525.2	Water	Endosulfan sulfate
525.2	525.2	Water	Endrin aldehyde
525.2	525.2	Water	EPTC
525.2	525.2	Water	gamma-Chlordane
525.2	525.2	Water	Isophorone
525.2	525.2	Water	Malathion
525.2	525.2	Water	Parathion
525.2	525.2	Water	Pendimethalin (Penoxaline)
525.2	525.2	Water	Terbacil
525.2	525.2	Water	Terbutylazine
525.2	525.2	Water	Total Permethrin (mixed isomers)
525.2	525.2	Water	trans-Nonachlor

Laboratory: Eurofins Calscience

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
A2LA	Dept. of Defense ELAP	7296.01	11-30-26
A2LA	ISO/IEC 17025	7296.01	11-30-26
Alaska (UST)	State	25-005	03-02-26
Arizona	State	AZ0830	11-17-26
California	Los Angeles County Sanitation Districts	9257304	07-31-26
California	SCAQMD LAP	17LA0919	11-30-26

Accreditation/Certification Summary

Client: City & County of Honolulu
Project/Site: RED-HILL


Job ID: 380-193858-1
SDG: Weekly: Aiea Wells Pumps 1&2 P2

Laboratory: Eurofins Calscience (Continued)

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	State	3082	07-31-26
Kansas	NELAP	E-10420	07-31-26
Nevada	State	CA00111	07-31-26
Oregon	NELAP	4175	02-02-26 *
USDA	US Federal Programs	525-23-159-97150	06-08-26
Utah	NELAP	CA00111	02-28-26
Washington	State	C916	10-11-26

* Accreditation/Certification renewal pending - accreditation/certification considered valid.



Method Summary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-193858-1
SDG: Weekly: Aiea Wells Pumps 1&2 P2

Method	Method Description	Protocol	Laboratory
525.2	Semivolatile Organic Compounds (GC/MS)	EPA	EA POM
625.1	Semivolatile Organic Compounds (GC/MS)	EPA	EET CAL 4
625.1 SIM	Semivolatile Organic Compounds GC/MS (SIM)	EPA	EET CAL 4
8015B GRO LL	Gasoline Range Organics - (GC)	SW846	EET CAL 4
8015B	Diesel Range Organics (DRO) (GC) Low Level	SW846	EET CAL 4
3510C	Liquid-Liquid Extraction (Separatory Funnel)	SW846	EET CAL 4
5030C	Purge and Trap	SW846	EET CAL 4
525.2	Extraction of Semivolatile Compounds	EPA	EA POM
625.1	Liquid-Liquid Extraction	40CFR136A	EET CAL 4

Protocol References:

40CFR136A = "Methods for Organic Chemical Analysis of Municipal Industrial Wastewater", 40CFR, Part 136, Appendix A, October 26, 1984 and subsequent revisions.

EPA = US Environmental Protection Agency

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

EA POM = Eurofins Pomona, 941 Corporate Center Drive, Pomona, CA 91768-2642, TEL (626)386-1100

EET CAL 4 = Eurofins Calscience Tustin, 2841 Dow Avenue, Tustin, CA 92780, TEL (714)895-5494

Sample Summary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-193858-1
SDG: Weekly: Aiea Wells Pumps 1&2 P2

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Sample Origin
380-193858-1	AIEA WELLS PUMPS 1&2 (260) P2	Water	01/20/26 11:10	01/22/26 09:55	Hawaii
380-193858-2	TB: AIEA WELLS PUMPS 1&2 (260)	Water	01/20/26 11:10	01/22/26 09:55	Hawaii

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16

Login Sample Receipt Checklist

Client: City & County of Honolulu

Job Number: 380-193858-1

SDG Number: Weekly: Aiea Wells Pumps 1&2 P2

Login Number: 193858

List Number: 1

Creator: Edrosa, Rey

List Source: Eurofins Pomona

Question	Answer	Comment
The coolers custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
Samples were received on ice.	True	
Cooler(s) Temperature is acceptable.	True	
Cooler(s) Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and is legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
CIO4 headspace requirement met (>50% for CA, >30% for other states).	N/A	
Samples do not require splitting or compositing.	True	
Container provided by EEA	True	



Login Sample Receipt Checklist

Client: City & County of Honolulu

Job Number: 380-193858-1
SDG Number: Weekly: Aiea Wells Pumps 1&2 P2

Login Number: 193858

List Number: 2

Creator: Khana, Piyush

List Source: Eurofins Calscience

List Creation: 01/22/26 06:28 PM

Question	Answer	Comment
Radioactivity wasn't checked or is <=/ background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	1.5
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	N/A	Received project as a subcontract.
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	fgf5
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	False	