

ANALYTICAL REPORT

PREPARED FOR

Attn: Mr. Erwin Kawata
City & County of Honolulu
630 South Beretania Street
Public Service Bldg. Room 310
Honolulu, Hawaii 96843

Generated 8/26/2025 8:23:11 PM

JOB DESCRIPTION

RED-HILL
Weekly: Moanalua Wells P1
RUSH Weekly Red Hill

JOB NUMBER

380-165928-1

Eurofins Eaton Analytical Pomona

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Eaton Analytical, LLC Project Manager.

Compliance Statement

1. Laboratory is accredited in accordance with TNI 2016 Standards and ISO/IEC 17025:2017.
2. Laboratory certifies that the test results meet all TNI 2016 and ISO/IEC 17025:2017 requirements unless noted under the individual analysis
3. Test results relate only to the sample(s) tested.
4. This report shall not be reproduced except in full, without the written approval of the laboratory.
5. Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.
(DW, Water matrices)

Authorization



Authorized for release by
Maria Lopez, Project Manager
Maria.Lopez@et.eurofinsus.com
(626)386-1100

Generated
8/26/2025 8:23:11 PM

Table of Contents

Cover Page 1

Table of Contents 3

Definitions/Glossary 4

Case Narrative 5

Detection Summary 6

Client Sample Results 7

Action Limit Summary 11

Surrogate Summary 12

QC Sample Results 15

QC Association Summary 32

Lab Chronicle 34

Certification Summary 35

Method Summary 37

Sample Summary 38

Chain of Custody 39

Receipt Checklists 41



Definitions/Glossary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-165928-1
SDG: Weekly: Moanalua Wells P1

Qualifiers

GC/MS Semi VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

GC/MS Semi VOA TICs

Qualifier	Qualifier Description
J	Indicates an Estimated Value for TICs
N	Presumptive evidence of material.
T	Result is a tentatively identified compound (TIC) and an estimated value.

GC Semi VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: City & County of Honolulu
Project: RED-HILL

Job ID: 380-165928-1

Job ID: 380-165928-1

Eurofins Eaton Analytical Pomona

Job Narrative 380-165928-1

The analytical test results presented in this report meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page, unless otherwise noted. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable. Regulated compliance samples (e.g. SDWA, NPDES) must comply with associated agency requirements/permits.

- Matrix-specific batch QC (e.g., MS, MSD, SD) may not be reported when insufficient sample volume is available or when site-specific QC samples are not submitted. In such cases, a Laboratory Control Sample Duplicate (LCSD) may be analyzed to provide precision data for the batch.
- For samples analyzed using surrogate and/or isotope dilution analytes, any recoveries falling outside of established acceptance criteria are re-prepared and/or re-analyzed to confirm results, unless the deviation is due to sample dilution or otherwise explained in the case narrative.

Receipt

The samples were received on 8/13/2025 10:20 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 2.6°C.

GC/MS Semi VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Gasoline Range Organics

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Diesel Range Organics

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Detection Summary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-165928-1
SDG: Weekly: Moanalua Wells P1

Client Sample ID: MOANALUA WELLS P1

Lab Sample ID: 380-165928-1

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Dieldrin	0.017		0.0097	ug/L	1		525.2	Total/NA

Client Sample ID: TB: MOANALUA WELLS

Lab Sample ID: 380-165928-2

No Detections.

Client Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-165928-1
SDG: Weekly: Moanalua Wells P1

Client Sample ID: MOANALUA WELLS P1

Lab Sample ID: 380-165928-1

Date Collected: 08/11/25 09:56

Matrix: Drinking Water

Date Received: 08/13/25 10:20

Method: EPA 525.2 - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
1-Methylnaphthalene	<0.097		0.097	ug/L		08/15/25 14:08	08/17/25 14:10	1
2,4'-DDD	<0.097		0.097	ug/L		08/15/25 14:08	08/17/25 14:10	1
2,4'-DDE	<0.097		0.097	ug/L		08/15/25 14:08	08/17/25 14:10	1
2,4'-DDT	<0.097		0.097	ug/L		08/15/25 14:08	08/17/25 14:10	1
2,4-Dinitrotoluene	<0.097		0.097	ug/L		08/15/25 14:08	08/17/25 14:10	1
2,6-Dinitrotoluene	<0.097		0.097	ug/L		08/15/25 14:08	08/17/25 14:10	1
2-Methylnaphthalene	<0.097		0.097	ug/L		08/15/25 14:08	08/17/25 14:10	1
4,4'-DDD	<0.097		0.097	ug/L		08/15/25 14:08	08/17/25 14:10	1
4,4'-DDE	<0.097		0.097	ug/L		08/15/25 14:08	08/17/25 14:10	1
4,4'-DDT	<0.097		0.097	ug/L		08/15/25 14:08	08/17/25 14:10	1
Acenaphthene	<0.097		0.097	ug/L		08/15/25 14:08	08/17/25 14:10	1
Acenaphthylene	<0.097		0.097	ug/L		08/15/25 14:08	08/17/25 14:10	1
Acetochlor	<0.097		0.097	ug/L		08/15/25 14:08	08/17/25 14:10	1
Alachlor	<0.049		0.049	ug/L		08/15/25 14:08	08/17/25 14:10	1
alpha-BHC	<0.097		0.097	ug/L		08/15/25 14:08	08/17/25 14:10	1
alpha-Chlordane	<0.049		0.049	ug/L		08/15/25 14:08	08/17/25 14:10	1
Anthracene	<0.019		0.019	ug/L		08/15/25 14:08	08/17/25 14:10	1
Atrazine	<0.049		0.049	ug/L		08/15/25 14:08	08/17/25 14:10	1
Benz(a)anthracene	<0.049		0.049	ug/L		08/15/25 14:08	08/17/25 14:10	1
Benzo[a]pyrene	<0.019		0.019	ug/L		08/15/25 14:08	08/17/25 14:10	1
Benzo[b]fluoranthene	<0.019		0.019	ug/L		08/15/25 14:08	08/17/25 14:10	1
Benzo[g,h,i]perylene	<0.049		0.049	ug/L		08/15/25 14:08	08/17/25 14:10	1
Benzo[k]fluoranthene	<0.019		0.019	ug/L		08/15/25 14:08	08/17/25 14:10	1
beta-BHC	<0.097		0.097	ug/L		08/15/25 14:08	08/17/25 14:10	1
Bis(2-ethylhexyl) phthalate	<0.58		0.58	ug/L		08/15/25 14:08	08/17/25 14:10	1
Bromacil	<0.097		0.097	ug/L		08/15/25 14:08	08/17/25 14:10	1
Butachlor	<0.049		0.049	ug/L		08/15/25 14:08	08/17/25 14:10	1
Butylbenzylphthalate	<0.49		0.49	ug/L		08/15/25 14:08	08/17/25 14:10	1
Chlorobenzilate	<0.097		0.097	ug/L		08/15/25 14:08	08/17/25 14:10	1
Chloroneb	<0.097		0.097	ug/L		08/15/25 14:08	08/17/25 14:10	1
Chlorothalonil (Draconil, Bravo)	<0.097		0.097	ug/L		08/15/25 14:08	08/17/25 14:10	1
Chlorpyrifos	<0.049		0.049	ug/L		08/15/25 14:08	08/17/25 14:10	1
Chrysene	<0.019		0.019	ug/L		08/15/25 14:08	08/17/25 14:10	1
delta-BHC	<0.097		0.097	ug/L		08/15/25 14:08	08/17/25 14:10	1
Di(2-ethylhexyl)adipate	<0.58		0.58	ug/L		08/15/25 14:08	08/17/25 14:10	1
Dibenz(a,h)anthracene	<0.049		0.049	ug/L		08/15/25 14:08	08/17/25 14:10	1
Diclorvos (DDVP)	<0.049		0.049	ug/L		08/15/25 14:08	08/17/25 14:10	1
Dieldrin	0.017		0.0097	ug/L		08/15/25 14:08	08/17/25 14:10	1
Diethylphthalate	<0.49		0.49	ug/L		08/15/25 14:08	08/17/25 14:10	1
Dimethylphthalate	<0.49		0.49	ug/L		08/15/25 14:08	08/17/25 14:10	1
Di-n-butyl phthalate	<0.97		0.97	ug/L		08/15/25 14:08	08/17/25 14:10	1
Di-n-octyl phthalate	<0.097		0.097	ug/L		08/15/25 14:08	08/17/25 14:10	1
Endosulfan I (Alpha)	<0.097		0.097	ug/L		08/15/25 14:08	08/17/25 14:10	1
Endosulfan II (Beta)	<0.097		0.097	ug/L		08/15/25 14:08	08/17/25 14:10	1
Endosulfan sulfate	<0.097		0.097	ug/L		08/15/25 14:08	08/17/25 14:10	1
Endrin	<0.0097		0.0097	ug/L		08/15/25 14:08	08/17/25 14:10	1
Endrin aldehyde	<0.097		0.097	ug/L		08/15/25 14:08	08/17/25 14:10	1
EPTC	<0.097		0.097	ug/L		08/15/25 14:08	08/17/25 14:10	1
Fluoranthene	<0.097		0.097	ug/L		08/15/25 14:08	08/17/25 14:10	1

Eurofins Eaton Analytical Pomona

Client Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-165928-1
SDG: Weekly: Moanalua Wells P1

Client Sample ID: MOANALUA WELLS P1

Lab Sample ID: 380-165928-1

Date Collected: 08/11/25 09:56

Matrix: Drinking Water

Date Received: 08/13/25 10:20

Method: EPA 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Fluorene	<0.049		0.049	ug/L		08/15/25 14:08	08/17/25 14:10	1
gamma-Chlordane	<0.049		0.049	ug/L		08/15/25 14:08	08/17/25 14:10	1
Heptachlor	<0.0097		0.0097	ug/L		08/15/25 14:08	08/17/25 14:10	1
Heptachlor epoxide (isomer B)	<0.0097		0.0097	ug/L		08/15/25 14:08	08/17/25 14:10	1
Hexachlorobenzene	<0.049		0.049	ug/L		08/15/25 14:08	08/17/25 14:10	1
Hexachlorocyclopentadiene	<0.049		0.049	ug/L		08/15/25 14:08	08/17/25 14:10	1
Indeno[1,2,3-cd]pyrene	<0.049		0.049	ug/L		08/15/25 14:08	08/17/25 14:10	1
Isophorone	<0.097		0.097	ug/L		08/15/25 14:08	08/17/25 14:10	1
Lindane	<0.0097		0.0097	ug/L		08/15/25 14:08	08/17/25 14:10	1
Malathion	<0.097		0.097	ug/L		08/15/25 14:08	08/17/25 14:10	1
Methoxychlor	<0.049		0.049	ug/L		08/15/25 14:08	08/17/25 14:10	1
Metolachlor	<0.049		0.049	ug/L		08/15/25 14:08	08/17/25 14:10	1
Molinate	<0.097		0.097	ug/L		08/15/25 14:08	08/17/25 14:10	1
Naphthalene	<0.097		0.097	ug/L		08/15/25 14:08	08/17/25 14:10	1
Parathion	<0.097		0.097	ug/L		08/15/25 14:08	08/17/25 14:10	1
Pendimethalin (Penoxaline)	<0.097		0.097	ug/L		08/15/25 14:08	08/17/25 14:10	1
Phenanthrene	<0.039		0.039	ug/L		08/15/25 14:08	08/17/25 14:10	1
Propachlor	<0.049		0.049	ug/L		08/15/25 14:08	08/17/25 14:10	1
Pyrene	<0.049		0.049	ug/L		08/15/25 14:08	08/17/25 14:10	1
Simazine	<0.049		0.049	ug/L		08/15/25 14:08	08/17/25 14:10	1
Terbacil	<0.097		0.097	ug/L		08/15/25 14:08	08/17/25 14:10	1
Terbutylazine	<0.097		0.097	ug/L		08/15/25 14:08	08/17/25 14:10	1
Thiobencarb	<0.097		0.097	ug/L		08/15/25 14:08	08/17/25 14:10	1
Total Permethrin (mixed isomers)	<0.19		0.19	ug/L		08/15/25 14:08	08/17/25 14:10	1
trans-Nonachlor	<0.049		0.049	ug/L		08/15/25 14:08	08/17/25 14:10	1
Trifluralin	<0.097		0.097	ug/L		08/15/25 14:08	08/17/25 14:10	1

Tentatively Identified Compound	Est. Result	Qualifier	Unit	D	RT	CAS No.	Prepared	Analyzed	Dil Fac
Tentatively Identified Compound	None		ug/L			N/A	08/15/25 14:08	08/17/25 14:10	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2-Nitro-m-xylene	94		70 - 130	08/15/25 14:08	08/17/25 14:10	1
Perylene-d12	92		70 - 130	08/15/25 14:08	08/17/25 14:10	1
Triphenylphosphate	98		70 - 130	08/15/25 14:08	08/17/25 14:10	1

Method: EPA 625.1 SIM - Semivolatile Organic Compounds GC/MS (SIM)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
1-Methylnaphthalene	<0.19		0.19	ug/L		08/15/25 09:51	08/23/25 14:37	1
2-Methylnaphthalene	<0.19		0.19	ug/L		08/15/25 09:51	08/23/25 14:37	1
Acenaphthene	<0.19		0.19	ug/L		08/15/25 09:51	08/23/25 14:37	1
Acenaphthylene	<0.19		0.19	ug/L		08/15/25 09:51	08/23/25 14:37	1
Anthracene	<0.19		0.19	ug/L		08/15/25 09:51	08/23/25 14:37	1
Benzo[a]anthracene	<0.19		0.19	ug/L		08/15/25 09:51	08/23/25 14:37	1
Benzo[a]pyrene	<0.19		0.19	ug/L		08/15/25 09:51	08/23/25 14:37	1
Benzo[b]fluoranthene	<0.19		0.19	ug/L		08/15/25 09:51	08/23/25 14:37	1
Benzo[g,h,i]perylene	<0.19		0.19	ug/L		08/15/25 09:51	08/23/25 14:37	1
Benzo[k]fluoranthene	<0.19		0.19	ug/L		08/15/25 09:51	08/23/25 14:37	1
Chrysene	<0.19		0.19	ug/L		08/15/25 09:51	08/23/25 14:37	1
Dibenz(a,h)anthracene	<0.19		0.19	ug/L		08/15/25 09:51	08/23/25 14:37	1
Fluoranthene	<0.19		0.19	ug/L		08/15/25 09:51	08/23/25 14:37	1

Eurofins Eaton Analytical Pomona

Client Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-165928-1
SDG: Weekly: Moanalua Wells P1

Client Sample ID: MOANALUA WELLS P1

Lab Sample ID: 380-165928-1

Date Collected: 08/11/25 09:56

Matrix: Drinking Water

Date Received: 08/13/25 10:20

Method: EPA 625.1 SIM - Semivolatile Organic Compounds GC/MS (SIM) (Continued)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Fluorene	<0.19		0.19	ug/L		08/15/25 09:51	08/23/25 14:37	1
Indeno[1,2,3-cd]pyrene	<0.19		0.19	ug/L		08/15/25 09:51	08/23/25 14:37	1
Naphthalene	<0.19		0.19	ug/L		08/15/25 09:51	08/23/25 14:37	1
Phenanthrene	<0.19		0.19	ug/L		08/15/25 09:51	08/23/25 14:37	1
Pyrene	<0.19		0.19	ug/L		08/15/25 09:51	08/23/25 14:37	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2,4,6-Tribromophenol (Surr)	84		28 - 127	08/15/25 09:51	08/23/25 14:37	1
2-Fluorobiphenyl (Surr)	69		31 - 120	08/15/25 09:51	08/23/25 14:37	1
2-Fluorophenol (Surr)	45		17 - 120	08/15/25 09:51	08/23/25 14:37	1
Nitrobenzene-d5 (Surr)	78		27 - 120	08/15/25 09:51	08/23/25 14:37	1
Phenol-d6 (Surr)	28		10 - 120	08/15/25 09:51	08/23/25 14:37	1
p-Terphenyl-d14 (Surr)	69		45 - 120	08/15/25 09:51	08/23/25 14:37	1

Method: EPA 625.1 - Semivolatile Organic Compounds (GC/MS)

Tentatively Identified Compound	Est. Result	Qualifier	Unit	D	RT	CAS No.	Prepared	Analyzed	Dil Fac
Tentatively Identified Compound	None		ug/L			N/A	08/15/25 09:51	08/26/25 12:36	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2,4,6-Tribromophenol (Surr)	68		33 - 139	08/15/25 09:51	08/26/25 12:36	1
2-Fluorobiphenyl (Surr)	70		33 - 126	08/15/25 09:51	08/26/25 12:36	1
2-Fluorophenol (Surr)	40		12 - 120	08/15/25 09:51	08/26/25 12:36	1
Nitrobenzene-d5 (Surr)	66		36 - 120	08/15/25 09:51	08/26/25 12:36	1
Phenol-d6 (Surr)	20		10 - 120	08/15/25 09:51	08/26/25 12:36	1
p-Terphenyl-d14 (Surr)	77		47 - 131	08/15/25 09:51	08/26/25 12:36	1

Method: SW846 8015B GRO LL - Gasoline Range Organics - (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
GRO (C6-C10)	<10		10	ug/L			08/16/25 17:52	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	84		38 - 134		08/16/25 17:52	1

Method: SW846 8015B - Diesel Range Organics (DRO) (GC) Low Level

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics (C10-C24)	<25		25	ug/L		08/17/25 14:45	08/21/25 02:47	1
Motor Oil Range Organics [C24-C36]	<25		25	ug/L		08/17/25 14:45	08/21/25 02:47	1
C8-C18	<25		25	ug/L		08/17/25 14:45	08/21/25 02:47	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
n-Octacosane (Surr)	91		60 - 130	08/17/25 14:45	08/21/25 02:47	1

Client Sample ID: TB: MOANALUA WELLS

Lab Sample ID: 380-165928-2

Date Collected: 08/11/25 09:56

Matrix: Water

Date Received: 08/13/25 10:20

Method: SW846 8015B GRO LL - Gasoline Range Organics - (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
GRO (C6-C10)	<10		10	ug/L			08/16/25 22:46	1

Eurofins Eaton Analytical Pomona

Client Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-165928-1
SDG: Weekly: Moanalua Wells P1

Client Sample ID: TB: MOANALUA WELLS

Lab Sample ID: 380-165928-2

Date Collected: 08/11/25 09:56

Matrix: Water

Date Received: 08/13/25 10:20

<i>Surrogate</i>	<i>%Recovery</i>	<i>Qualifier</i>	<i>Limits</i>	<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
4-Bromofluorobenzene (Surr)	81		38 - 134		08/16/25 22:46	1

Action Limit Summary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-165928-1
SDG: Weekly: Moanalua Wells P1

Client Sample ID: MOANALUA WELLS P1

Lab Sample ID: 380-165928-1

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL	RL	Method	Prep Type
				Limit			
Alachlor	<0.049		ug/L	2	0.049	525.2	Total/NA
Atrazine	<0.049		ug/L	3	0.049	525.2	Total/NA
Benzo[a]pyrene	<0.019		ug/L	0.2	0.019	525.2	Total/NA
Bis(2-ethylhexyl) phthalate	<0.58		ug/L	6	0.58	525.2	Total/NA
Di(2-ethylhexyl)adipate	<0.58		ug/L	400	0.58	525.2	Total/NA
Endrin	<0.0097		ug/L	2	0.0097	525.2	Total/NA
Heptachlor	<0.0097		ug/L	0.4	0.0097	525.2	Total/NA
Heptachlor epoxide (isomer B)	<0.0097		ug/L	0.2	0.0097	525.2	Total/NA
Hexachlorobenzene	<0.049		ug/L	1	0.049	525.2	Total/NA
Hexachlorocyclopentadiene	<0.049		ug/L	50	0.049	525.2	Total/NA
Lindane	<0.0097		ug/L	0.2	0.0097	525.2	Total/NA
Methoxychlor	<0.049		ug/L	40	0.049	525.2	Total/NA
Simazine	<0.049		ug/L	4	0.049	525.2	Total/NA
Benzo[a]pyrene	<0.19		ug/L	0.2	0.19	625.1 SIM	Total/NA

Surrogate Summary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-165928-1
SDG: Weekly: Moanalua Wells P1

Method: 525.2 - Semivolatile Organic Compounds (GC/MS)

Matrix: Drinking Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)						
		2NMX (70-130)	PRY (70-130)	TPP (70-130)				
380-165928-1	MOANALUA WELLS P1	94	92	98				
380-165928-1 DU	MOANALUA WELLS P1	94	93	105				
Surrogate Legend								
2NMX = 2-Nitro-m-xylene								
PRY = Perylene-d12								
TPP = Triphenylphosphate								

Method: 525.2 - Semivolatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)						
		2NMX (70-130)	PRY (70-130)	TPP (70-130)				
380-165884-S-2-A MS	Matrix Spike	93	98	112				
LCS 380-168773/21-A	Lab Control Sample	93	96	103				
LCSD 380-168773/22-A	Lab Control Sample Dup	92	98	106				
MB 380-168773/19-A	Method Blank	94	90	104				
MRL 380-168773/20-A	Lab Control Sample	93	92	101				
Surrogate Legend								
2NMX = 2-Nitro-m-xylene								
PRY = Perylene-d12								
TPP = Triphenylphosphate								

Method: 625.1 - Semivolatile Organic Compounds (GC/MS)

Matrix: Drinking Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)							
		TBP (33-139)	FBP (33-126)	2FP (12-120)	NBZ (36-120)	PHL6 (10-120)	TPHd14 (47-131)		
380-165928-1	MOANALUA WELLS P1	68	70	40	66	20	77		
Surrogate Legend									
TBP = 2,4,6-Tribromophenol (Surr)									
FBP = 2-Fluorobiphenyl (Surr)									
2FP = 2-Fluorophenol (Surr)									
NBZ = Nitrobenzene-d5 (Surr)									
PHL6 = Phenol-d6 (Surr)									
TPHd14 = p-Terphenyl-d14 (Surr)									

Method: 625.1 - Semivolatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)							
		TBP (33-139)	FBP (33-126)	2FP (12-120)	NBZ (36-120)	PHL6 (10-120)	TPHd14 (47-131)		
MB 570-611589/1-A	Method Blank	88	87	52	84	36	102		
Surrogate Legend									
TBP = 2,4,6-Tribromophenol (Surr)									
FBP = 2-Fluorobiphenyl (Surr)									
2FP = 2-Fluorophenol (Surr)									

Eurofins Eaton Analytical Pomona

Surrogate Summary

Client: City & County of Honolulu

Project/Site: RED-HILL

Job ID: 380-165928-1

SDG: Weekly: Moanalua Wells P1

NBZ = Nitrobenzene-d5 (Surr)

PHL6 = Phenol-d6 (Surr)

TPHd14 = p-Terphenyl-d14 (Surr)

Method: 625.1 SIM - Semivolatile Organic Compounds GC/MS (SIM)

Matrix: Drinking Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)					
		TBP (28-127)	FBP (31-120)	2FP (17-120)	NBZ (27-120)	PHL6 (10-120)	TPHd14 (45-120)
380-165928-1	MOANALUA WELLS P1	84	69	45	78	28	69

Surrogate Legend

TBP = 2,4,6-Tribromophenol (Surr)

FBP = 2-Fluorobiphenyl (Surr)

2FP = 2-Fluorophenol (Surr)

NBZ = Nitrobenzene-d5 (Surr)

PHL6 = Phenol-d6 (Surr)

TPHd14 = p-Terphenyl-d14 (Surr)

Method: 625.1 SIM - Semivolatile Organic Compounds GC/MS (SIM)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)					
		TBP (28-127)	FBP (31-120)	2FP (17-120)	NBZ (27-120)	PHL6 (10-120)	TPHd14 (45-120)
380-165934-A-1-A MS	Matrix Spike	90	77	56	75	36	76
380-165934-A-1-B MSD	Matrix Spike Duplicate	92	81	58	74	37	77
LCS 570-611589/2-A	Lab Control Sample	97	84	71	78	48	87
LCSD 570-611589/3-A	Lab Control Sample Dup	96	83	70	78	47	86
MB 570-611589/1-A	Method Blank	111	87	68	102	43	87

Surrogate Legend

TBP = 2,4,6-Tribromophenol (Surr)

FBP = 2-Fluorobiphenyl (Surr)

2FP = 2-Fluorophenol (Surr)

NBZ = Nitrobenzene-d5 (Surr)

PHL6 = Phenol-d6 (Surr)

TPHd14 = p-Terphenyl-d14 (Surr)

Method: 8015B GRO LL - Gasoline Range Organics - (GC)

Matrix: Drinking Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)					
		BFB1 (38-134)					
380-165928-1	MOANALUA WELLS P1	84					

Surrogate Legend

BFB = 4-Bromofluorobenzene (Surr)

Method: 8015B GRO LL - Gasoline Range Organics - (GC)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)					
		BFB1 (38-134)					
380-164502-C-1 MS	Matrix Spike	92					
380-164502-C-1 MSD	Matrix Spike Duplicate	91					

Eurofins Eaton Analytical Pomona

Surrogate Summary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-165928-1
SDG: Weekly: Moanalua Wells P1

Method: 8015B GRO LL - Gasoline Range Organics - (GC) (Continued)

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)		
Lab Sample ID	Client Sample ID	BFB1 (38-134)
380-165928-2	TB: MOANALUA WELLS	81
LCS 570-612596/3	Lab Control Sample	92
LCSD 570-612596/4	Lab Control Sample Dup	91
MB 570-612596/5	Method Blank	80
MRL 570-612596/6	Lab Control Sample	83
Surrogate Legend		
BFB = 4-Bromofluorobenzene (Surr)		

Method: 8015B - Diesel Range Organics (DRO) (GC) Low Level

Matrix: Drinking Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)		
Lab Sample ID	Client Sample ID	OTCSN1 (60-130)
380-165928-1	MOANALUA WELLS P1	91
Surrogate Legend		
OTCSN = n-Octacosane (Surr)		

Method: 8015B - Diesel Range Organics (DRO) (GC) Low Level

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)		
Lab Sample ID	Client Sample ID	OTCSN1 (60-130)
380-165934-B-1-A MS	Matrix Spike	93
380-165934-B-1-B MSD	Matrix Spike Duplicate	96
LCS 570-612680/2-A	Lab Control Sample	96
LCSD 570-612680/3-A	Lab Control Sample Dup	90
MB 570-612680/1-A	Method Blank	85
MRL 570-612680/4-A	Lab Control Sample	87
Surrogate Legend		
OTCSN = n-Octacosane (Surr)		

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-165928-1
SDG: Weekly: Moanalua Wells P1

Method: 525.2 - Semivolatile Organic Compounds (GC/MS)

Lab Sample ID: MB 380-168773/19-A
Matrix: Water
Analysis Batch: 168886

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 168773

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
1-Methylnaphthalene	<0.098		0.098	ug/L		08/15/25 14:08	08/17/25 13:29	1
2,4'-DDD	<0.098		0.098	ug/L		08/15/25 14:08	08/17/25 13:29	1
2,4'-DDE	<0.098		0.098	ug/L		08/15/25 14:08	08/17/25 13:29	1
2,4'-DDT	<0.098		0.098	ug/L		08/15/25 14:08	08/17/25 13:29	1
2,4-Dinitrotoluene	<0.098		0.098	ug/L		08/15/25 14:08	08/17/25 13:29	1
2,6-Dinitrotoluene	<0.098		0.098	ug/L		08/15/25 14:08	08/17/25 13:29	1
2-Methylnaphthalene	<0.098		0.098	ug/L		08/15/25 14:08	08/17/25 13:29	1
4,4'-DDD	<0.098		0.098	ug/L		08/15/25 14:08	08/17/25 13:29	1
4,4'-DDE	<0.098		0.098	ug/L		08/15/25 14:08	08/17/25 13:29	1
4,4'-DDT	<0.098		0.098	ug/L		08/15/25 14:08	08/17/25 13:29	1
Acenaphthene	<0.098		0.098	ug/L		08/15/25 14:08	08/17/25 13:29	1
Acenaphthylene	<0.098		0.098	ug/L		08/15/25 14:08	08/17/25 13:29	1
Acetochlor	<0.098		0.098	ug/L		08/15/25 14:08	08/17/25 13:29	1
Alachlor	<0.049		0.049	ug/L		08/15/25 14:08	08/17/25 13:29	1
alpha-BHC	<0.098		0.098	ug/L		08/15/25 14:08	08/17/25 13:29	1
alpha-Chlordane	<0.049		0.049	ug/L		08/15/25 14:08	08/17/25 13:29	1
Anthracene	<0.020		0.020	ug/L		08/15/25 14:08	08/17/25 13:29	1
Atrazine	<0.049		0.049	ug/L		08/15/25 14:08	08/17/25 13:29	1
Benz(a)anthracene	<0.049		0.049	ug/L		08/15/25 14:08	08/17/25 13:29	1
Benzo[a]pyrene	<0.020		0.020	ug/L		08/15/25 14:08	08/17/25 13:29	1
Benzo[b]fluoranthene	<0.020		0.020	ug/L		08/15/25 14:08	08/17/25 13:29	1
Benzo[g,h,i]perylene	<0.049		0.049	ug/L		08/15/25 14:08	08/17/25 13:29	1
Benzo[k]fluoranthene	<0.020		0.020	ug/L		08/15/25 14:08	08/17/25 13:29	1
beta-BHC	<0.098		0.098	ug/L		08/15/25 14:08	08/17/25 13:29	1
Bis(2-ethylhexyl) phthalate	<0.59		0.59	ug/L		08/15/25 14:08	08/17/25 13:29	1
Bromacil	<0.098		0.098	ug/L		08/15/25 14:08	08/17/25 13:29	1
Butachlor	<0.049		0.049	ug/L		08/15/25 14:08	08/17/25 13:29	1
Butylbenzylphthalate	<0.49		0.49	ug/L		08/15/25 14:08	08/17/25 13:29	1
Chlorobenzilate	<0.098		0.098	ug/L		08/15/25 14:08	08/17/25 13:29	1
Chloroneb	<0.098		0.098	ug/L		08/15/25 14:08	08/17/25 13:29	1
Chlorothalonil (Draconil, Bravo)	<0.098		0.098	ug/L		08/15/25 14:08	08/17/25 13:29	1
Chlorpyrifos	<0.049		0.049	ug/L		08/15/25 14:08	08/17/25 13:29	1
Chrysene	<0.020		0.020	ug/L		08/15/25 14:08	08/17/25 13:29	1
delta-BHC	<0.098		0.098	ug/L		08/15/25 14:08	08/17/25 13:29	1
Di(2-ethylhexyl)adipate	<0.59		0.59	ug/L		08/15/25 14:08	08/17/25 13:29	1
Dibenz(a,h)anthracene	<0.049		0.049	ug/L		08/15/25 14:08	08/17/25 13:29	1
Diclorvos (DDVP)	<0.049		0.049	ug/L		08/15/25 14:08	08/17/25 13:29	1
Dieldrin	<0.0098		0.0098	ug/L		08/15/25 14:08	08/17/25 13:29	1
Diethylphthalate	<0.49		0.49	ug/L		08/15/25 14:08	08/17/25 13:29	1
Dimethylphthalate	<0.49		0.49	ug/L		08/15/25 14:08	08/17/25 13:29	1
Di-n-butyl phthalate	<0.98		0.98	ug/L		08/15/25 14:08	08/17/25 13:29	1
Di-n-octyl phthalate	<0.098		0.098	ug/L		08/15/25 14:08	08/17/25 13:29	1
Endosulfan I (Alpha)	<0.098		0.098	ug/L		08/15/25 14:08	08/17/25 13:29	1
Endosulfan II (Beta)	<0.098		0.098	ug/L		08/15/25 14:08	08/17/25 13:29	1
Endosulfan sulfate	<0.098		0.098	ug/L		08/15/25 14:08	08/17/25 13:29	1
Endrin	<0.0098		0.0098	ug/L		08/15/25 14:08	08/17/25 13:29	1
Endrin aldehyde	<0.098		0.098	ug/L		08/15/25 14:08	08/17/25 13:29	1
EPTC	<0.098		0.098	ug/L		08/15/25 14:08	08/17/25 13:29	1

Eurofins Eaton Analytical Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-165928-1
SDG: Weekly: Moanalua Wells P1

Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 380-168773/19-A

Matrix: Water

Analysis Batch: 168886

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 168773

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Fluoranthene	<0.098		0.098	ug/L		08/15/25 14:08	08/17/25 13:29	1
Fluorene	<0.049		0.049	ug/L		08/15/25 14:08	08/17/25 13:29	1
gamma-Chlordane	<0.049		0.049	ug/L		08/15/25 14:08	08/17/25 13:29	1
Heptachlor	<0.0098		0.0098	ug/L		08/15/25 14:08	08/17/25 13:29	1
Heptachlor epoxide (isomer B)	<0.0098		0.0098	ug/L		08/15/25 14:08	08/17/25 13:29	1
Hexachlorobenzene	<0.049		0.049	ug/L		08/15/25 14:08	08/17/25 13:29	1
Hexachlorocyclopentadiene	<0.049		0.049	ug/L		08/15/25 14:08	08/17/25 13:29	1
Indeno[1,2,3-cd]pyrene	<0.049		0.049	ug/L		08/15/25 14:08	08/17/25 13:29	1
Isophorone	<0.098		0.098	ug/L		08/15/25 14:08	08/17/25 13:29	1
Lindane	<0.0098		0.0098	ug/L		08/15/25 14:08	08/17/25 13:29	1
Malathion	<0.098		0.098	ug/L		08/15/25 14:08	08/17/25 13:29	1
Methoxychlor	<0.049		0.049	ug/L		08/15/25 14:08	08/17/25 13:29	1
Metolachlor	<0.049		0.049	ug/L		08/15/25 14:08	08/17/25 13:29	1
Molinate	<0.098		0.098	ug/L		08/15/25 14:08	08/17/25 13:29	1
Naphthalene	<0.098		0.098	ug/L		08/15/25 14:08	08/17/25 13:29	1
Parathion	<0.098		0.098	ug/L		08/15/25 14:08	08/17/25 13:29	1
Pendimethalin (Penoxaline)	<0.098		0.098	ug/L		08/15/25 14:08	08/17/25 13:29	1
Phenanthrene	<0.039		0.039	ug/L		08/15/25 14:08	08/17/25 13:29	1
Propachlor	<0.049		0.049	ug/L		08/15/25 14:08	08/17/25 13:29	1
Pyrene	<0.049		0.049	ug/L		08/15/25 14:08	08/17/25 13:29	1
Simazine	<0.049		0.049	ug/L		08/15/25 14:08	08/17/25 13:29	1
Terbacil	<0.098		0.098	ug/L		08/15/25 14:08	08/17/25 13:29	1
Terbutylazine	<0.098		0.098	ug/L		08/15/25 14:08	08/17/25 13:29	1
Thiobencarb	<0.098		0.098	ug/L		08/15/25 14:08	08/17/25 13:29	1
Total Permethrin (mixed isomers)	<0.20		0.20	ug/L		08/15/25 14:08	08/17/25 13:29	1
trans-Nonachlor	<0.049		0.049	ug/L		08/15/25 14:08	08/17/25 13:29	1
Trifluralin	<0.098		0.098	ug/L		08/15/25 14:08	08/17/25 13:29	1

Tentatively Identified Compound	MB Est. Result	MB Qualifier	Unit	D	RT	CAS No.	Prepared	Analyzed	Dil Fac
Decane	2.26	T J N	ug/L		2.71	124-18-5	08/15/25 14:08	08/17/25 13:29	1
Cyclopentasiloxane, decamethyl-	0.596	T J N	ug/L		3.19	541-02-6	08/15/25 14:08	08/17/25 13:29	1
Cyclohexasiloxane, dodecamethyl-	0.958	T J N	ug/L		3.80	540-97-6	08/15/25 14:08	08/17/25 13:29	1
Phenol, 4-(1,1-dimethylpropyl)-	0.701	T J N	ug/L		4.19	80-46-6	08/15/25 14:08	08/17/25 13:29	1
13-Docosenamide, (Z)-	0.518	T J N	ug/L		10.29	112-84-5	08/15/25 14:08	08/17/25 13:29	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
2-Nitro-m-xylene	94		70 - 130	08/15/25 14:08	08/17/25 13:29	1
Perylene-d12	90		70 - 130	08/15/25 14:08	08/17/25 13:29	1
Triphenylphosphate	104		70 - 130	08/15/25 14:08	08/17/25 13:29	1

Lab Sample ID: LCS 380-168773/21-A

Matrix: Water

Analysis Batch: 168886

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 168773

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1-Methylnaphthalene	1.96	1.87		ug/L		95	70 - 130
2,4'-DDD	1.96	2.12		ug/L		108	70 - 130
2,4'-DDE	1.96	2.00		ug/L		102	70 - 130

Eurofins Eaton Analytical Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-165928-1
SDG: Weekly: Moanalua Wells P1

Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 380-168773/21-A

Matrix: Water

Analysis Batch: 168886

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 168773

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
2,4'-DDT	1.96	1.97		ug/L		100	70 - 130
2,4-Dinitrotoluene	1.96	2.03		ug/L		104	70 - 130
2,6-Dinitrotoluene	1.96	1.79		ug/L		91	70 - 130
2-Methylnaphthalene	1.96	1.85		ug/L		94	70 - 130
4,4'-DDD	1.96	2.05		ug/L		104	70 - 130
4,4'-DDE	1.96	2.02		ug/L		103	70 - 130
4,4'-DDT	1.96	1.93		ug/L		98	70 - 130
Acenaphthene	1.96	1.87		ug/L		95	70 - 130
Acenaphthylene	1.96	1.87		ug/L		95	70 - 130
Acetochlor	1.96	1.97		ug/L		100	70 - 130
Alachlor	1.96	1.97		ug/L		100	70 - 130
alpha-BHC	1.96	1.90		ug/L		96	70 - 130
alpha-Chlordane	1.96	2.31		ug/L		118	70 - 130
Anthracene	1.96	1.92		ug/L		98	70 - 130
Atrazine	1.96	2.04		ug/L		104	70 - 130
Benz(a)anthracene	1.96	1.90		ug/L		97	70 - 130
Benzo[a]pyrene	1.96	2.07		ug/L		105	70 - 130
Benzo[b]fluoranthene	1.96	2.04		ug/L		104	70 - 130
Benzo[g,h,i]perylene	1.96	1.89		ug/L		96	70 - 130
Benzo[k]fluoranthene	1.96	2.13		ug/L		108	70 - 130
beta-BHC	1.96	1.94		ug/L		99	70 - 130
Bis(2-ethylhexyl) phthalate	1.96	1.73		ug/L		88	70 - 130
Bromacil	1.96	1.92		ug/L		98	70 - 130
Butachlor	1.96	1.91		ug/L		97	70 - 130
Butylbenzylphthalate	1.96	1.78		ug/L		91	70 - 130
Chlorobenzilate	1.96	1.76		ug/L		90	70 - 130
Chloroneb	1.96	1.97		ug/L		100	70 - 130
Chlorothalonil (Draconil, Bravo)	1.96	2.07		ug/L		106	70 - 130
Chlorpyrifos	1.96	2.05		ug/L		104	70 - 130
Chrysene	1.96	1.99		ug/L		101	70 - 130
delta-BHC	1.96	1.75		ug/L		89	70 - 130
Di(2-ethylhexyl)adipate	1.96	1.81		ug/L		92	70 - 130
Dibenz(a,h)anthracene	1.96	1.93		ug/L		98	70 - 130
Diclorvos (DDVP)	1.96	1.93		ug/L		98	70 - 130
Dieldrin	1.96	1.92		ug/L		98	70 - 130
Diethylphthalate	1.96	2.02		ug/L		103	70 - 130
Dimethylphthalate	1.96	1.99		ug/L		101	70 - 130
Di-n-butyl phthalate	3.93	4.36		ug/L		111	70 - 130
Di-n-octyl phthalate	1.96	1.87		ug/L		95	70 - 130
Endosulfan I (Alpha)	1.96	1.93		ug/L		98	70 - 130
Endosulfan II (Beta)	1.96	1.83		ug/L		93	70 - 130
Endosulfan sulfate	1.96	1.83		ug/L		93	70 - 130
Endrin	1.96	2.13		ug/L		108	70 - 130
Endrin aldehyde	1.96	1.99		ug/L		101	60 - 130
EPTC	1.96	2.00		ug/L		102	70 - 130
Fluoranthene	1.96	2.03		ug/L		103	70 - 130
Fluorene	1.96	1.94		ug/L		99	70 - 130
gamma-Chlordane	1.96	2.27		ug/L		115	70 - 130
Heptachlor	1.96	2.13		ug/L		109	70 - 130

Eurofins Eaton Analytical Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-165928-1
SDG: Weekly: Moanalua Wells P1

Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 380-168773/21-A

Matrix: Water

Analysis Batch: 168886

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 168773

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Heptachlor epoxide (isomer B)	1.96	2.13		ug/L		108	70 - 130
Hexachlorobenzene	1.96	2.05		ug/L		104	70 - 130
Hexachlorocyclopentadiene	1.96	2.19		ug/L		112	70 - 130
Indeno[1,2,3-cd]pyrene	1.96	2.05		ug/L		104	70 - 130
Isophorone	1.96	2.09		ug/L		106	70 - 130
Lindane	1.96	2.10		ug/L		107	70 - 130
Malathion	1.96	1.91		ug/L		97	70 - 130
Methoxychlor	1.96	2.13		ug/L		108	70 - 130
Metolachlor	1.96	2.08		ug/L		106	70 - 130
Molinate	1.96	2.01		ug/L		102	70 - 130
Naphthalene	1.96	1.88		ug/L		96	70 - 130
Parathion	1.96	1.84		ug/L		94	70 - 130
Pendimethalin (Penoxaline)	1.96	2.16		ug/L		110	70 - 130
Phenanthrene	1.96	1.79		ug/L		91	70 - 130
Propachlor	1.96	1.96		ug/L		100	70 - 130
Pyrene	1.96	2.07		ug/L		105	70 - 130
Simazine	1.96	1.92		ug/L		98	70 - 130
Terbacil	1.96	1.88		ug/L		96	70 - 130
Terbutylazine	1.96	2.07		ug/L		105	70 - 130
Thiobencarb	1.96	1.95		ug/L		99	70 - 130
trans-Nonachlor	1.96	2.38		ug/L		121	70 - 130
Trifluralin	1.96	2.16		ug/L		110	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
2-Nitro-m-xylene	93		70 - 130
Perylene-d12	96		70 - 130
Triphenylphosphate	103		70 - 130

Lab Sample ID: LCSD 380-168773/22-A

Matrix: Water

Analysis Batch: 168886

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 168773

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1-Methylnaphthalene	1.96	1.83		ug/L		93	70 - 130	2	20
2,4'-DDD	1.96	2.16		ug/L		110	70 - 130	2	20
2,4'-DDE	1.96	2.01		ug/L		102	70 - 130	1	20
2,4'-DDT	1.96	2.00		ug/L		102	70 - 130	2	20
2,4-Dinitrotoluene	1.96	1.96		ug/L		100	70 - 130	4	20
2,6-Dinitrotoluene	1.96	1.71		ug/L		87	70 - 130	4	20
2-Methylnaphthalene	1.96	1.83		ug/L		93	70 - 130	1	20
4,4'-DDD	1.96	2.07		ug/L		106	70 - 130	1	20
4,4'-DDE	1.96	2.04		ug/L		104	70 - 130	1	20
4,4'-DDT	1.96	1.90		ug/L		97	70 - 130	2	20
Acenaphthene	1.96	1.85		ug/L		94	70 - 130	1	20
Acenaphthylene	1.96	1.97		ug/L		100	70 - 130	5	20
Acetochlor	1.96	2.02		ug/L		103	70 - 130	2	20
Alachlor	1.96	2.00		ug/L		102	70 - 130	1	20
alpha-BHC	1.96	1.89		ug/L		96	70 - 130	0	20

Eurofins Eaton Analytical Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-165928-1
SDG: Weekly: Moanalua Wells P1

Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCSD 380-168773/22-A

Matrix: Water

Analysis Batch: 168886

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 168773

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
alpha-Chlordane	1.96	2.38		ug/L		121	70 - 130	3	20
Anthracene	1.96	1.96		ug/L		100	70 - 130	2	20
Atrazine	1.96	2.01		ug/L		102	70 - 130	1	20
Benz(a)anthracene	1.96	1.93		ug/L		98	70 - 130	1	20
Benzo[a]pyrene	1.96	2.13		ug/L		108	70 - 130	3	20
Benzo[b]fluoranthene	1.96	2.07		ug/L		105	70 - 130	1	20
Benzo[g,h,i]perylene	1.96	1.86		ug/L		95	70 - 130	2	20
Benzo[k]fluoranthene	1.96	2.07		ug/L		105	70 - 130	3	20
beta-BHC	1.96	1.93		ug/L		98	70 - 130	1	20
Bis(2-ethylhexyl) phthalate	1.96	1.70		ug/L		87	70 - 130	1	20
Bromacil	1.96	1.83		ug/L		93	70 - 130	5	20
Butachlor	1.96	1.94		ug/L		99	70 - 130	2	20
Butylbenzylphthalate	1.96	1.79		ug/L		91	70 - 130	0	20
Chlorobenzilate	1.96	1.79		ug/L		91	70 - 130	2	20
Chloroneb	1.96	1.91		ug/L		97	70 - 130	3	20
Chlorothalonil (Draconil, Bravo)	1.96	2.11		ug/L		107	70 - 130	2	20
Chlorpyrifos	1.96	2.08		ug/L		106	70 - 130	1	20
Chrysene	1.96	2.00		ug/L		102	70 - 130	1	20
delta-BHC	1.96	1.78		ug/L		91	70 - 130	2	20
Di(2-ethylhexyl)adipate	1.96	1.77		ug/L		90	70 - 130	2	20
Dibenz(a,h)anthracene	1.96	1.94		ug/L		99	70 - 130	1	20
Diclorvos (DDVP)	1.96	1.86		ug/L		95	70 - 130	4	20
Dieldrin	1.96	1.94		ug/L		99	70 - 130	1	20
Diethylphthalate	1.96	1.99		ug/L		102	70 - 130	1	20
Dimethylphthalate	1.96	1.90		ug/L		97	70 - 130	4	20
Di-n-butyl phthalate	3.93	4.35		ug/L		111	70 - 130	0	20
Di-n-octyl phthalate	1.96	1.87		ug/L		95	70 - 130	0	20
Endosulfan I (Alpha)	1.96	1.96		ug/L		100	70 - 130	2	20
Endosulfan II (Beta)	1.96	1.86		ug/L		95	70 - 130	2	20
Endosulfan sulfate	1.96	1.86		ug/L		95	70 - 130	2	20
Endrin	1.96	2.18		ug/L		111	70 - 130	2	20
Endrin aldehyde	1.96	2.07		ug/L		105	60 - 130	4	20
EPTC	1.96	1.99		ug/L		101	70 - 130	1	20
Fluoranthene	1.96	2.05		ug/L		104	70 - 130	1	20
Fluorene	1.96	1.93		ug/L		98	70 - 130	0	20
gamma-Chlordane	1.96	2.33		ug/L		118	70 - 130	3	20
Heptachlor	1.96	2.17		ug/L		110	70 - 130	2	20
Heptachlor epoxide (isomer B)	1.96	2.19		ug/L		111	70 - 130	3	20
Hexachlorobenzene	1.96	2.01		ug/L		102	70 - 130	2	20
Hexachlorocyclopentadiene	1.96	2.19		ug/L		111	70 - 130	0	20
Indeno[1,2,3-cd]pyrene	1.96	2.09		ug/L		106	70 - 130	2	20
Isophorone	1.96	2.08		ug/L		106	70 - 130	0	20
Lindane	1.96	2.06		ug/L		105	70 - 130	2	20
Malathion	1.96	1.96		ug/L		100	70 - 130	3	20
Methoxychlor	1.96	2.18		ug/L		111	70 - 130	3	20
Metolachlor	1.96	2.11		ug/L		107	70 - 130	1	20
Molinate	1.96	1.98		ug/L		101	70 - 130	1	20
Naphthalene	1.96	1.86		ug/L		95	70 - 130	1	20
Parathion	1.96	1.89		ug/L		96	70 - 130	2	20

Eurofins Eaton Analytical Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-165928-1
SDG: Weekly: Moanalua Wells P1

Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCSD 380-168773/22-A

Matrix: Water

Analysis Batch: 168886

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 168773

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Pendimethalin (Penoxaline)	1.96	2.25		ug/L		115	70 - 130	4	20
Phenanthrene	1.96	1.78		ug/L		91	70 - 130	1	20
Propachlor	1.96	1.93		ug/L		98	70 - 130	1	20
Pyrene	1.96	2.09		ug/L		106	70 - 130	1	20
Simazine	1.96	1.87		ug/L		95	70 - 130	3	20
Terbacil	1.96	1.85		ug/L		94	70 - 130	2	20
Terbutylazine	1.96	2.05		ug/L		104	70 - 130	1	20
Thiobencarb	1.96	1.97		ug/L		100	70 - 130	1	20
trans-Nonachlor	1.96	2.44		ug/L		124	70 - 130	2	20
Trifluralin	1.96	2.20		ug/L		112	70 - 130	2	20

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
2-Nitro-m-xylene	92		70 - 130
Perylene-d12	98		70 - 130
Triphenylphosphate	106		70 - 130

Lab Sample ID: MRL 380-168773/20-A

Matrix: Water

Analysis Batch: 168886

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 168773

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
1-Methylnaphthalene	0.0983	0.113		ug/L		115	50 - 150
2,4'-DDD	0.0983	0.0911	J	ug/L		93	50 - 150
2,4'-DDE	0.0983	0.106		ug/L		108	50 - 150
2,4'-DDT	0.0983	0.121		ug/L		123	50 - 150
2,4-Dinitrotoluene	0.0983	0.103		ug/L		105	50 - 150
2,6-Dinitrotoluene	0.0983	0.103		ug/L		104	50 - 150
2-Methylnaphthalene	0.0983	0.102		ug/L		104	50 - 150
4,4'-DDD	0.0983	0.101		ug/L		103	50 - 150
4,4'-DDE	0.0983	0.0959	J	ug/L		98	50 - 150
4,4'-DDT	0.0983	0.123		ug/L		125	50 - 150
Acenaphthene	0.0983	0.0930	J	ug/L		95	50 - 150
Acenaphthylene	0.0983	0.0858	J	ug/L		87	50 - 150
Acetochlor	0.0983	0.100		ug/L		102	50 - 150
Alachlor	0.0491	0.0492		ug/L		100	50 - 150
alpha-BHC	0.0983	0.100		ug/L		102	50 - 150
alpha-Chlordane	0.0246	0.0295	J	ug/L		120	50 - 150
Anthracene	0.0197	0.0213		ug/L		109	50 - 150
Atrazine	0.0491	0.0563		ug/L		114	50 - 150
Benz(a)anthracene	0.0491	0.0507		ug/L		103	50 - 150
Benzo[a]pyrene	0.0197	0.0222		ug/L		113	50 - 150
Benzo[b]fluoranthene	0.0197	0.0235		ug/L		119	50 - 150
Benzo[g,h,i]perylene	0.0491	0.0524		ug/L		107	50 - 150
Benzo[k]fluoranthene	0.0197	0.0217		ug/L		111	50 - 150
beta-BHC	0.0983	0.105		ug/L		106	50 - 150
Bis(2-ethylhexyl) phthalate	0.590	0.509	J	ug/L		86	50 - 150
Bromacil	0.0983	0.111		ug/L		113	50 - 150
Butachlor	0.0491	0.0571		ug/L		116	50 - 150

Eurofins Eaton Analytical Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-165928-1
SDG: Weekly: Moanalua Wells P1

Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MRL 380-168773/20-A

Matrix: Water

Analysis Batch: 168886

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 168773

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
Butylbenzylphthalate	0.491	0.483	J	ug/L		98	50 - 150
Chlorobenzilate	0.0983	0.105		ug/L		107	50 - 150
Chloroneb	0.0983	0.103		ug/L		105	50 - 150
Chlorothalonil (Draconil, Bravo)	0.0983	0.0850	J	ug/L		87	50 - 150
Chlorpyrifos	0.0491	0.0488	J	ug/L		99	50 - 150
Chrysene	0.0197	0.0237		ug/L		121	50 - 150
delta-BHC	0.0983	0.0912	J	ug/L		93	50 - 150
Di(2-ethylhexyl)adipate	0.590	0.567	J	ug/L		96	50 - 150
Dibenz(a,h)anthracene	0.0491	0.0561		ug/L		114	50 - 150
Diclorvos (DDVP)	0.0491	0.0549		ug/L		112	50 - 150
Dieldrin	0.00983	0.0116		ug/L		118	50 - 150
Diethylphthalate	0.491	0.526		ug/L		107	50 - 150
Dimethylphthalate	0.491	0.504		ug/L		103	50 - 150
Di-n-butyl phthalate	0.491	0.801	J	ug/L		163	49 - 243
Di-n-octyl phthalate	0.0983	0.0926	J	ug/L		94	50 - 150
Endosulfan I (Alpha)	0.0983	0.0998		ug/L		102	50 - 150
Endosulfan II (Beta)	0.0983	0.0972	J	ug/L		99	50 - 150
Endosulfan sulfate	0.0983	0.107		ug/L		109	50 - 150
Endrin	0.00983	0.0136		ug/L		138	50 - 150
Endrin aldehyde	0.0983	0.127		ug/L		130	50 - 150
EPTC	0.0983	0.0948	J	ug/L		96	50 - 150
Fluoranthene	0.0983	0.0988		ug/L		100	50 - 150
Fluorene	0.0491	<0.049		ug/L		99	50 - 150
gamma-Chlordane	0.0246	0.0278	J	ug/L		113	50 - 150
Heptachlor	0.00983	0.0125		ug/L		127	50 - 150
Heptachlor epoxide (isomer B)	0.00983	0.0115		ug/L		117	50 - 150
Hexachlorobenzene	0.0491	0.0518		ug/L		105	50 - 150
Hexachlorocyclopentadiene	0.0491	0.0467	J	ug/L		95	50 - 150
Indeno[1,2,3-cd]pyrene	0.0491	0.0568		ug/L		116	50 - 150
Isophorone	0.0983	0.120		ug/L		122	50 - 150
Lindane	0.00983	0.0122		ug/L		124	50 - 150
Malathion	0.0983	0.107		ug/L		109	50 - 150
Methoxychlor	0.0491	0.0622		ug/L		127	50 - 150
Metolachlor	0.0491	0.0575		ug/L		117	50 - 150
Molinate	0.0983	0.0977	J	ug/L		99	50 - 150
Naphthalene	0.0983	0.0928	J	ug/L		94	50 - 150
Parathion	0.0983	0.0986		ug/L		100	50 - 150
Pendimethalin (Penoxaline)	0.0983	0.123		ug/L		125	50 - 150
Phenanthrene	0.0393	0.0396		ug/L		101	50 - 150
Propachlor	0.0491	0.0557		ug/L		113	50 - 150
Pyrene	0.0491	0.0495		ug/L		101	50 - 150
Simazine	0.0491	0.0567		ug/L		115	50 - 150
Terbacil	0.0983	0.117		ug/L		119	50 - 150
Terbuthylazine	0.0983	0.113		ug/L		115	50 - 150
Thiobencarb	0.0983	0.0931	J	ug/L		95	50 - 150
trans-Nonachlor	0.0246	0.0306	J	ug/L		124	50 - 150
Trifluralin	0.0983	0.129		ug/L		131	50 - 150

Eurofins Eaton Analytical Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-165928-1
SDG: Weekly: Moanalua Wells P1

Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MRL 380-168773/20-A

Matrix: Water

Analysis Batch: 168886

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 168773

Surrogate	MRL %Recovery	MRL Qualifier	Limits
2-Nitro-m-xylene	93		70 - 130
Perylene-d12	92		70 - 130
Triphenylphosphate	101		70 - 130

Lab Sample ID: 380-165884-S-2-A MS

Matrix: Water

Analysis Batch: 168886

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 168773

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
1-Methylnaphthalene	<0.097		1.94	1.82		ug/L		93	70 - 130
2,4'-DDD	<0.097		1.94	2.18		ug/L		112	70 - 130
2,4'-DDE	<0.097		1.94	1.99		ug/L		103	70 - 130
2,4'-DDT	<0.097		1.94	2.05		ug/L		105	70 - 130
2,4-Dinitrotoluene	<0.097		1.94	2.14		ug/L		110	70 - 130
2,6-Dinitrotoluene	<0.097		1.94	1.86		ug/L		96	70 - 130
2-Methylnaphthalene	<0.097		1.94	1.83		ug/L		93	70 - 130
4,4'-DDD	<0.097		1.94	2.14		ug/L		110	70 - 130
4,4'-DDE	<0.097		1.94	2.07		ug/L		107	70 - 130
4,4'-DDT	<0.097		1.94	1.95		ug/L		101	70 - 130
Acenaphthene	<0.097		1.94	1.83		ug/L		94	70 - 130
Acenaphthylene	<0.097		1.94	1.91		ug/L		98	70 - 130
Acetochlor	<0.097		1.94	2.03		ug/L		104	70 - 130
Alachlor	<0.049		1.94	2.03		ug/L		104	70 - 130
alpha-BHC	<0.097		1.94	1.89		ug/L		97	70 - 130
alpha-Chlordane	<0.049		1.94	2.37		ug/L		122	70 - 130
Anthracene	<0.019		1.94	1.47		ug/L		75	70 - 130
Atrazine	<0.049		1.94	1.98		ug/L		100	70 - 130
Benz(a)anthracene	<0.049		1.94	1.93		ug/L		99	70 - 130
Benzo[a]pyrene	<0.019		1.94	2.00		ug/L		103	70 - 130
Benzo[b]fluoranthene	<0.019		1.94	2.10		ug/L		108	70 - 130
Benzo[g,h,i]perylene	<0.049		1.94	1.88		ug/L		97	70 - 130
Benzo[k]fluoranthene	<0.019		1.94	2.13		ug/L		109	70 - 130
beta-BHC	<0.097		1.94	1.91		ug/L		98	70 - 130
Bis(2-ethylhexyl) phthalate	<0.58		1.94	1.74		ug/L		89	70 - 130
Bromacil	<0.097		1.94	2.05		ug/L		105	70 - 130
Butachlor	<0.049		1.94	2.02		ug/L		104	70 - 130
Butylbenzylphthalate	<0.49		1.94	1.85		ug/L		95	70 - 130
Chlorobenzilate	<0.097		1.94	1.90		ug/L		98	70 - 130
Chloroneb	<0.097		1.94	1.93		ug/L		99	70 - 130
Chlorothalonil (Draconil, Bravo)	<0.097		1.94	2.12		ug/L		109	70 - 130
Chlorpyrifos	<0.049		1.94	2.11		ug/L		108	70 - 130
Chrysene	<0.019		1.94	1.98		ug/L		102	70 - 130
delta-BHC	<0.097		1.94	1.80		ug/L		92	70 - 130
Di(2-ethylhexyl)adipate	<0.58		1.94	1.78		ug/L		92	70 - 130
Dibenz(a,h)anthracene	<0.049		1.94	1.98		ug/L		102	70 - 130
Diclorvos (DDVP)	<0.049		1.94	1.92		ug/L		99	70 - 130
Dieldrin	<0.0097		1.94	1.98		ug/L		102	70 - 130
Diethylphthalate	<0.49		1.94	2.00		ug/L		103	70 - 130

Eurofins Eaton Analytical Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-165928-1
SDG: Weekly: Moanalua Wells P1

Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 380-165884-S-2-A MS

Matrix: Water

Analysis Batch: 168886

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 168773

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Dimethylphthalate	<0.49		1.94	1.97		ug/L		101	70 - 130
Di-n-butyl phthalate	<0.97		3.89	4.72		ug/L		111	70 - 130
Di-n-octyl phthalate	<0.097		1.94	1.87		ug/L		96	70 - 130
Endosulfan I (Alpha)	<0.097		1.94	1.95		ug/L		100	70 - 130
Endosulfan II (Beta)	<0.097		1.94	1.90		ug/L		98	70 - 130
Endosulfan sulfate	<0.097		1.94	1.89		ug/L		97	70 - 130
Endrin	<0.0097		1.94	2.12		ug/L		109	70 - 130
Endrin aldehyde	<0.097		1.94	1.63		ug/L		84	60 - 130
EPTC	<0.097		1.94	1.97		ug/L		101	70 - 130
Fluoranthene	<0.097		1.94	2.07		ug/L		106	70 - 130
Fluorene	<0.049		1.94	1.93		ug/L		99	70 - 130
gamma-Chlordane	<0.049		1.94	2.34		ug/L		120	70 - 130
Heptachlor	<0.0097		1.94	2.24		ug/L		115	70 - 130
Heptachlor epoxide (isomer B)	<0.0097		1.94	2.26		ug/L		116	70 - 130
Hexachlorobenzene	<0.049		1.94	2.03		ug/L		104	70 - 130
Hexachlorocyclopentadiene	<0.049		1.94	2.22		ug/L		114	70 - 130
Indeno[1,2,3-cd]pyrene	<0.049		1.94	2.13		ug/L		110	70 - 130
Isophorone	<0.097		1.94	2.09		ug/L		108	70 - 130
Lindane	<0.0097		1.94	2.02		ug/L		104	70 - 130
Malathion	<0.097		1.94	2.05		ug/L		105	70 - 130
Methoxychlor	<0.049		1.94	2.25		ug/L		116	70 - 130
Metolachlor	<0.049		1.94	2.16		ug/L		111	70 - 130
Molinate	<0.097		1.94	1.97		ug/L		101	70 - 130
Naphthalene	<0.097		1.94	1.86		ug/L		95	70 - 130
Parathion	<0.097		1.94	1.96		ug/L		101	70 - 130
Pendimethalin (Penoxaline)	<0.097		1.94	2.37		ug/L		122	70 - 130
Phenanthrene	<0.039		1.94	1.79		ug/L		92	70 - 130
Propachlor	<0.049		1.94	1.98		ug/L		102	70 - 130
Pyrene	<0.049		1.94	2.10		ug/L		108	70 - 130
Simazine	<0.049		1.94	1.80		ug/L		92	70 - 130
Terbacil	<0.097		1.94	1.97		ug/L		101	70 - 130
Terbutylazine	<0.097		1.94	1.99		ug/L		102	70 - 130
Thiobencarb	<0.097		1.94	2.01		ug/L		103	70 - 130
trans-Nonachlor	<0.049		1.94	2.45		ug/L		126	70 - 130
Trifluralin	<0.097		1.94	2.29		ug/L		118	70 - 130

Surrogate	MS %Recovery	MS Qualifier	Limits
2-Nitro-m-xylene	93		70 - 130
Perylene-d12	98		70 - 130
Triphenylphosphate	112		70 - 130

Lab Sample ID: 380-165928-1 DU

Matrix: Drinking Water

Analysis Batch: 168886

Client Sample ID: MOANALUA WELLS P1

Prep Type: Total/NA

Prep Batch: 168773

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
1-Methylnaphthalene	<0.097		<0.098		ug/L		NC	20
2,4'-DDD	<0.097		<0.098		ug/L		NC	20

Eurofins Eaton Analytical Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-165928-1
SDG: Weekly: Moanalua Wells P1

Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 380-165928-1 DU

Matrix: Drinking Water

Analysis Batch: 168886

Client Sample ID: MOANALUA WELLS P1

Prep Type: Total/NA

Prep Batch: 168773

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	Limit
2,4'-DDE	<0.097		<0.098		ug/L		NC	20
2,4'-DDT	<0.097		<0.098		ug/L		NC	20
2,4-Dinitrotoluene	<0.097		<0.098		ug/L		NC	20
2,6-Dinitrotoluene	<0.097		<0.098		ug/L		NC	20
2-Methylnaphthalene	<0.097		<0.098		ug/L		NC	20
4,4'-DDD	<0.097		<0.098		ug/L		NC	20
4,4'-DDE	<0.097		<0.098		ug/L		NC	20
4,4'-DDT	<0.097		<0.098		ug/L		NC	20
Acenaphthene	<0.097		<0.098		ug/L		NC	20
Acenaphthylene	<0.097		<0.098		ug/L		NC	20
Acetochlor	<0.097		<0.098		ug/L		NC	20
Alachlor	<0.049		<0.049		ug/L		NC	20
alpha-BHC	<0.097		<0.098		ug/L		NC	20
alpha-Chlordane	<0.049		<0.049		ug/L		NC	20
Anthracene	<0.019		<0.020		ug/L		NC	20
Atrazine	<0.049		<0.049		ug/L		NC	20
Benz(a)anthracene	<0.049		<0.049		ug/L		NC	20
Benzo[a]pyrene	<0.019		<0.020		ug/L		NC	20
Benzo[b]fluoranthene	<0.019		<0.020		ug/L		NC	20
Benzo[g,h,i]perylene	<0.049		<0.049		ug/L		NC	20
Benzo[k]fluoranthene	<0.019		<0.020		ug/L		NC	20
beta-BHC	<0.097		<0.098		ug/L		NC	20
Bis(2-ethylhexyl) phthalate	<0.58		<0.59		ug/L		NC	20
Bromacil	<0.097		<0.098		ug/L		NC	20
Butachlor	<0.049		<0.049		ug/L		NC	20
Butylbenzylphthalate	<0.49		<0.49		ug/L		NC	20
Chlorobenzilate	<0.097		<0.098		ug/L		NC	20
Chloroneb	<0.097		<0.098		ug/L		NC	20
Chlorothalonil (Draconil, Bravo)	<0.097		<0.098		ug/L		NC	20
Chlorpyrifos	<0.049		<0.049		ug/L		NC	20
Chrysene	<0.019		<0.020		ug/L		NC	20
delta-BHC	<0.097		<0.098		ug/L		NC	20
Di(2-ethylhexyl)adipate	<0.58		<0.59		ug/L		NC	20
Dibenz(a,h)anthracene	<0.049		<0.049		ug/L		NC	20
Diclorvos (DDVP)	<0.049		<0.049		ug/L		NC	20
Dieldrin	0.017		0.0161		ug/L		4	20
Diethylphthalate	<0.49		<0.49		ug/L		NC	20
Dimethylphthalate	<0.49		<0.49		ug/L		NC	20
Di-n-butyl phthalate	<0.97		<0.98		ug/L		NC	20
Di-n-octyl phthalate	<0.097		<0.098		ug/L		NC	20
Endosulfan I (Alpha)	<0.097		<0.098		ug/L		NC	20
Endosulfan II (Beta)	<0.097		<0.098		ug/L		NC	20
Endosulfan sulfate	<0.097		<0.098		ug/L		NC	20
Endrin	<0.0097		<0.0098		ug/L		NC	20
Endrin aldehyde	<0.097		<0.098		ug/L		NC	20
EPTC	<0.097		<0.098		ug/L		NC	20
Fluoranthene	<0.097		<0.098		ug/L		NC	20
Fluorene	<0.049		<0.049		ug/L		NC	20
gamma-Chlordane	<0.049		<0.049		ug/L		NC	20

Eurofins Eaton Analytical Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-165928-1
SDG: Weekly: Moanalua Wells P1

Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 380-165928-1 DU

Matrix: Drinking Water

Analysis Batch: 168886

Client Sample ID: MOANALUA WELLS P1

Prep Type: Total/NA

Prep Batch: 168773

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	Limit
Heptachlor	<0.0097		<0.0098		ug/L		NC	20
Heptachlor epoxide (isomer B)	<0.0097		<0.0098		ug/L		NC	20
Hexachlorobenzene	<0.049		<0.049		ug/L		NC	20
Hexachlorocyclopentadiene	<0.049		<0.049		ug/L		NC	20
Indeno[1,2,3-cd]pyrene	<0.049		<0.049		ug/L		NC	20
Isophorone	<0.097		<0.098		ug/L		NC	20
Lindane	<0.0097		<0.0098		ug/L		NC	20
Malathion	<0.097		<0.098		ug/L		NC	20
Methoxychlor	<0.049		<0.049		ug/L		NC	20
Metolachlor	<0.049		<0.049		ug/L		NC	20
Molinate	<0.097		<0.098		ug/L		NC	20
Naphthalene	<0.097		<0.098		ug/L		NC	20
Parathion	<0.097		<0.098		ug/L		NC	20
Pendimethalin (Penoxaline)	<0.097		<0.098		ug/L		NC	20
Phenanthrene	<0.039		<0.039		ug/L		NC	20
Propachlor	<0.049		<0.049		ug/L		NC	20
Pyrene	<0.049		<0.049		ug/L		NC	20
Simazine	<0.049		<0.049		ug/L		NC	20
Terbacil	<0.097		<0.098		ug/L		NC	20
Terbutylazine	<0.097		<0.098		ug/L		NC	20
Thiobencarb	<0.097		<0.098		ug/L		NC	20
Total Permethrin (mixed isomers)	<0.19		<0.20		ug/L		NC	20
trans-Nonachlor	<0.049		<0.049		ug/L		NC	20
Trifluralin	<0.097		<0.098		ug/L		NC	20

Surrogate	%Recovery	Qualifier	Limits
2-Nitro-m-xylene	94		70 - 130
Perylene-d12	93		70 - 130
Triphenylphosphate	105		70 - 130

Method: 625.1 - Semivolatile Organic Compounds (GC/MS)

Lab Sample ID: MB 570-611589/1-A

Matrix: Water

Analysis Batch: 616861

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 611589

Tentatively Identified Compound	Est. Result	Qualifier	Unit	D	RT	CAS No.	Prepared	Analyzed	Dil Fac
Tentatively Identified Compound	None		ug/L			N/A	08/14/25 11:43	08/26/25 12:12	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2,4,6-Tribromophenol (Surr)	88		33 - 139	08/14/25 11:43	08/26/25 12:12	1
2-Fluorobiphenyl (Surr)	87		33 - 126	08/14/25 11:43	08/26/25 12:12	1
2-Fluorophenol (Surr)	52		12 - 120	08/14/25 11:43	08/26/25 12:12	1
Nitrobenzene-d5 (Surr)	84		36 - 120	08/14/25 11:43	08/26/25 12:12	1
Phenol-d6 (Surr)	36		10 - 120	08/14/25 11:43	08/26/25 12:12	1
p-Terphenyl-d14 (Surr)	102		47 - 131	08/14/25 11:43	08/26/25 12:12	1

Eurofins Eaton Analytical Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-165928-1
SDG: Weekly: Moanalua Wells P1

Method: 625.1 SIM - Semivolatile Organic Compounds GC/MS (SIM)

Lab Sample ID: MB 570-611589/1-A

Matrix: Water

Analysis Batch: 615762

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 611589

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
1-Methylnaphthalene	<0.20		0.20	ug/L		08/14/25 11:43	08/23/25 08:48	1
2-Methylnaphthalene	<0.20		0.20	ug/L		08/14/25 11:43	08/23/25 08:48	1
Acenaphthene	<0.20		0.20	ug/L		08/14/25 11:43	08/23/25 08:48	1
Acenaphthylene	<0.20		0.20	ug/L		08/14/25 11:43	08/23/25 08:48	1
Anthracene	<0.20		0.20	ug/L		08/14/25 11:43	08/23/25 08:48	1
Benzo[a]anthracene	<0.20		0.20	ug/L		08/14/25 11:43	08/23/25 08:48	1
Benzo[a]pyrene	<0.20		0.20	ug/L		08/14/25 11:43	08/23/25 08:48	1
Benzo[b]fluoranthene	<0.20		0.20	ug/L		08/14/25 11:43	08/23/25 08:48	1
Benzo[g,h,i]perylene	<0.20		0.20	ug/L		08/14/25 11:43	08/23/25 08:48	1
Benzo[k]fluoranthene	<0.20		0.20	ug/L		08/14/25 11:43	08/23/25 08:48	1
Chrysene	<0.20		0.20	ug/L		08/14/25 11:43	08/23/25 08:48	1
Dibenz(a,h)anthracene	<0.20		0.20	ug/L		08/14/25 11:43	08/23/25 08:48	1
Fluoranthene	<0.20		0.20	ug/L		08/14/25 11:43	08/23/25 08:48	1
Fluorene	<0.20		0.20	ug/L		08/14/25 11:43	08/23/25 08:48	1
Indeno[1,2,3-cd]pyrene	<0.20		0.20	ug/L		08/14/25 11:43	08/23/25 08:48	1
Naphthalene	<0.20		0.20	ug/L		08/14/25 11:43	08/23/25 08:48	1
Phenanthrene	<0.20		0.20	ug/L		08/14/25 11:43	08/23/25 08:48	1
Pyrene	<0.20		0.20	ug/L		08/14/25 11:43	08/23/25 08:48	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
2,4,6-Tribromophenol (Surr)	111		28 - 127	08/14/25 11:43	08/23/25 08:48	1
2-Fluorobiphenyl (Surr)	87		31 - 120	08/14/25 11:43	08/23/25 08:48	1
2-Fluorophenol (Surr)	68		17 - 120	08/14/25 11:43	08/23/25 08:48	1
Nitrobenzene-d5 (Surr)	102		27 - 120	08/14/25 11:43	08/23/25 08:48	1
Phenol-d6 (Surr)	43		10 - 120	08/14/25 11:43	08/23/25 08:48	1
p-Terphenyl-d14 (Surr)	87		45 - 120	08/14/25 11:43	08/23/25 08:48	1

Lab Sample ID: LCS 570-611589/2-A

Matrix: Water

Analysis Batch: 615762

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 611589

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1-Methylnaphthalene	20.0	18.3		ug/L		91	47 - 120
2-Methylnaphthalene	20.0	17.8		ug/L		89	43 - 120
Acenaphthene	20.0	21.4		ug/L		107	60 - 132
Acenaphthylene	20.0	22.1		ug/L		110	54 - 126
Anthracene	20.0	21.3		ug/L		107	43 - 120
Benzo[a]anthracene	20.0	22.4		ug/L		112	42 - 133
Benzo[a]pyrene	20.0	22.9		ug/L		114	32 - 148
Benzo[b]fluoranthene	20.0	23.1		ug/L		116	42 - 140
Benzo[g,h,i]perylene	20.0	21.9		ug/L		110	1 - 195
Benzo[k]fluoranthene	20.0	22.2		ug/L		111	25 - 146
Chrysene	20.0	21.7		ug/L		109	44 - 140
Dibenz(a,h)anthracene	20.0	22.6		ug/L		113	1 - 200
Fluoranthene	20.0	23.5		ug/L		117	43 - 121
Fluorene	20.0	22.0		ug/L		110	70 - 120
Indeno[1,2,3-cd]pyrene	20.0	22.1		ug/L		110	1 - 151
Naphthalene	20.0	16.8		ug/L		84	36 - 120

Eurofins Eaton Analytical Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-165928-1
SDG: Weekly: Moanalua Wells P1

Method: 625.1 SIM - Semivolatile Organic Compounds GC/MS (SIM) (Continued)

Lab Sample ID: LCS 570-611589/2-A

Matrix: Water

Analysis Batch: 615762

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 611589

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Phenanthrene	20.0	21.4		ug/L		107	65 - 120
Pyrene	20.0	22.0		ug/L		110	70 - 120

Surrogate	LCS %Recovery	LCS Qualifier	Limits
2,4,6-Tribromophenol (Surr)	97		28 - 127
2-Fluorobiphenyl (Surr)	84		31 - 120
2-Fluorophenol (Surr)	71		17 - 120
Nitrobenzene-d5 (Surr)	78		27 - 120
Phenol-d6 (Surr)	48		10 - 120
p-Terphenyl-d14 (Surr)	87		45 - 120

Lab Sample ID: LCSD 570-611589/3-A

Matrix: Water

Analysis Batch: 615762

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 611589

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1-Methylnaphthalene	20.0	18.3		ug/L		92	47 - 120	0	20
2-Methylnaphthalene	20.0	17.7		ug/L		88	43 - 120	1	20
Acenaphthene	20.0	21.5		ug/L		107	60 - 132	0	29
Acenaphthylene	20.0	21.9		ug/L		110	54 - 126	1	45
Anthracene	20.0	21.5		ug/L		107	43 - 120	1	40
Benzo[a]anthracene	20.0	22.9		ug/L		115	42 - 133	2	32
Benzo[a]pyrene	20.0	23.3		ug/L		116	32 - 148	2	43
Benzo[b]fluoranthene	20.0	23.2		ug/L		116	42 - 140	0	43
Benzo[g,h,i]perylene	20.0	22.4		ug/L		112	1 - 195	2	61
Benzo[k]fluoranthene	20.0	22.9		ug/L		114	25 - 146	3	38
Chrysene	20.0	21.8		ug/L		109	44 - 140	0	53
Dibenz(a,h)anthracene	20.0	23.0		ug/L		115	1 - 200	2	75
Fluoranthene	20.0	23.8		ug/L		119	43 - 121	1	40
Fluorene	20.0	22.4		ug/L		112	70 - 120	2	23
Indeno[1,2,3-cd]pyrene	20.0	22.3		ug/L		111	1 - 151	1	60
Naphthalene	20.0	16.9		ug/L		84	36 - 120	1	39
Phenanthrene	20.0	21.8		ug/L		109	65 - 120	2	24
Pyrene	20.0	22.3		ug/L		112	70 - 120	1	30

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
2,4,6-Tribromophenol (Surr)	96		28 - 127
2-Fluorobiphenyl (Surr)	83		31 - 120
2-Fluorophenol (Surr)	70		17 - 120
Nitrobenzene-d5 (Surr)	78		27 - 120
Phenol-d6 (Surr)	47		10 - 120
p-Terphenyl-d14 (Surr)	86		45 - 120

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-165928-1
SDG: Weekly: Moanalua Wells P1

Method: 625.1 SIM - Semivolatile Organic Compounds GC/MS (SIM) (Continued)

Lab Sample ID: 380-165934-A-1-A MS

Matrix: Water

Analysis Batch: 615762

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 611589

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
1-Methylnaphthalene	<0.19		19.2	17.1		ug/L		89	36 - 120
2-Methylnaphthalene	<0.19		19.2	16.7		ug/L		87	32 - 124
Acenaphthene	<0.19		19.2	19.6		ug/L		102	47 - 145
Acenaphthylene	<0.19		19.2	20.0		ug/L		104	33 - 145
Anthracene	<0.19		19.2	19.6		ug/L		102	27 - 133
Benzo[a]anthracene	<0.19		19.2	20.6		ug/L		108	33 - 143
Benzo[a]pyrene	<0.19		19.2	21.0		ug/L		109	17 - 163
Benzo[b]fluoranthene	<0.19		19.2	20.6		ug/L		107	24 - 159
Benzo[g,h,i]perylene	<0.19		19.2	20.1		ug/L		105	1 - 219
Benzo[k]fluoranthene	<0.19		19.2	20.2		ug/L		105	11 - 162
Chrysene	<0.19		19.2	19.9		ug/L		104	17 - 168
Dibenz(a,h)anthracene	<0.19		19.2	20.6		ug/L		107	1 - 227
Fluoranthene	<0.19		19.2	21.8		ug/L		113	26 - 137
Fluorene	<0.19		19.2	20.2		ug/L		105	59 - 121
Indeno[1,2,3-cd]pyrene	<0.19		19.2	20.0		ug/L		104	1 - 171
Naphthalene	<0.19		19.2	16.1		ug/L		84	21 - 133
Phenanthrene	<0.19		19.2	19.7		ug/L		103	54 - 120
Pyrene	<0.19		19.2	20.3		ug/L		106	52 - 120

Surrogate	MS %Recovery	MS Qualifier	Limits
2,4,6-Tribromophenol (Surr)	90		28 - 127
2-Fluorobiphenyl (Surr)	77		31 - 120
2-Fluorophenol (Surr)	56		17 - 120
Nitrobenzene-d5 (Surr)	75		27 - 120
Phenol-d6 (Surr)	36		10 - 120
p-Terphenyl-d14 (Surr)	76		45 - 120

Lab Sample ID: 380-165934-A-1-B MSD

Matrix: Water

Analysis Batch: 615762

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 611589

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1-Methylnaphthalene	<0.19		19.1	18.8		ug/L		99	36 - 120	9	30
2-Methylnaphthalene	<0.19		19.1	18.5		ug/L		97	32 - 124	10	30
Acenaphthene	<0.19		19.1	22.1		ug/L		116	47 - 145	12	48
Acenaphthylene	<0.19		19.1	22.7		ug/L		119	33 - 145	13	74
Anthracene	<0.19		19.1	21.7		ug/L		114	27 - 133	10	66
Benzo[a]anthracene	<0.19		19.1	22.8		ug/L		120	33 - 143	10	53
Benzo[a]pyrene	<0.19		19.1	23.3		ug/L		122	17 - 163	10	72
Benzo[b]fluoranthene	<0.19		19.1	23.4		ug/L		123	24 - 159	13	71
Benzo[g,h,i]perylene	<0.19		19.1	22.2		ug/L		116	1 - 219	10	97
Benzo[k]fluoranthene	<0.19		19.1	22.1		ug/L		116	11 - 162	9	63
Chrysene	<0.19		19.1	22.0		ug/L		115	17 - 168	10	87
Dibenz(a,h)anthracene	<0.19		19.1	22.9		ug/L		120	1 - 227	11	126
Fluoranthene	<0.19		19.1	24.0		ug/L		126	26 - 137	10	66
Fluorene	<0.19		19.1	22.6		ug/L		118	59 - 121	11	38
Indeno[1,2,3-cd]pyrene	<0.19		19.1	22.2		ug/L		116	1 - 171	10	99
Naphthalene	<0.19		19.1	17.5		ug/L		92	21 - 133	8	65

Eurofins Eaton Analytical Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-165928-1
SDG: Weekly: Moanalua Wells P1

Method: 625.1 SIM - Semivolatile Organic Compounds GC/MS (SIM) (Continued)

Lab Sample ID: 380-165934-A-1-B MSD

Matrix: Water

Analysis Batch: 615762

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 611589

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Phenanthrene	<0.19		19.1	21.7		ug/L		114	54 - 120	10	39
Pyrene	<0.19		19.1	22.5		ug/L		118	52 - 120	10	49
Surrogate	MSD %Recovery	MSD Qualifier	Limits								
2,4,6-Tribromophenol (Surr)	92		28 - 127								
2-Fluorobiphenyl (Surr)	81		31 - 120								
2-Fluorophenol (Surr)	58		17 - 120								
Nitrobenzene-d5 (Surr)	74		27 - 120								
Phenol-d6 (Surr)	37		10 - 120								
p-Terphenyl-d14 (Surr)	77		45 - 120								

Method: 8015B GRO LL - Gasoline Range Organics - (GC)

Lab Sample ID: MB 570-612596/5

Matrix: Water

Analysis Batch: 612596

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
GRO (C6-C10)	<10		10	ug/L			08/16/25 12:35	1
Surrogate	MB %Recovery	MB Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	80		38 - 134				08/16/25 12:35	1

Lab Sample ID: LCS 570-612596/3

Matrix: Water

Analysis Batch: 612596

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits		
Gasoline Range Organics (C4-C13)	400	346		ug/L		86	78 - 120		
Surrogate	LCS %Recovery	LCS Qualifier	Limits						
4-Bromofluorobenzene (Surr)	92		38 - 134						

Lab Sample ID: LCSD 570-612596/4

Matrix: Water

Analysis Batch: 612596

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Gasoline Range Organics (C4-C13)	400	330		ug/L		83	78 - 120	5	10
Surrogate	LCSD %Recovery	LCSD Qualifier	Limits						
4-Bromofluorobenzene (Surr)	91		38 - 134						

Eurofins Eaton Analytical Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-165928-1
SDG: Weekly: Moanalua Wells P1

Method: 8015B GRO LL - Gasoline Range Organics - (GC) (Continued)

Lab Sample ID: MRL 570-612596/6

Matrix: Water

Analysis Batch: 612596

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

				Spike	MRL	MRL				
Analyte				Added	Result	Qualifier	Unit	D	%Rec	%Rec Limits
Gasoline Range Organics (C4-C13)				10.0	<7.9		ug/L		75	50 - 150
				MRL	MRL					
Surrogate	%Recovery	Qualifier	Limits							
4-Bromofluorobenzene (Surr)	83		38 - 134							

Lab Sample ID: 380-164502-C-1 MS

Matrix: Water

Analysis Batch: 612596

Client Sample ID: Matrix Spike

Prep Type: Total/NA

	Sample	Sample	Spike	MS	MS				%Rec		
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits		
Gasoline Range Organics (C4-C13)	<10		400	346		ug/L		86	68 - 122		
Surrogate	MS %Recovery	MS Qualifier	Limits								
4-Bromofluorobenzene (Surr)	92		38 - 134								

Lab Sample ID: 380-164502-C-1 MSD

Matrix: Water

Analysis Batch: 612596

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

	Sample	Sample	Spike	MSD	MSD				%Rec		RPD
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Gasoline Range Organics (C4-C13)	<10		400	309		ug/L		77	68 - 122	11	18
Surrogate	MSD %Recovery	MSD Qualifier	Limits								
4-Bromofluorobenzene (Surr)	91		38 - 134								

Method: 8015B - Diesel Range Organics (DRO) (GC) Low Level

Lab Sample ID: MB 570-612680/1-A

Matrix: Water

Analysis Batch: 614435

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 612680

Analyte	MB	MB	RL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier						
Diesel Range Organics (C10-C24)	<25		25	ug/L		08/16/25 15:51	08/20/25 23:33	1
Motor Oil Range Organics [C24-C36]	<25		25	ug/L		08/16/25 15:51	08/20/25 23:33	1
C8-C18	<25		25	ug/L		08/16/25 15:51	08/20/25 23:33	1
Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac		
%Recovery	Qualifier							
n-Octacosane (Surr)	85		60 - 130	08/16/25 15:51	08/20/25 23:33	1		

Lab Sample ID: LCS 570-612680/2-A

Matrix: Water

Analysis Batch: 614435

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 612680

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
C10-C28	1600	1540		ug/L		96	56 - 127

Eurofins Eaton Analytical Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-165928-1
SDG: Weekly: Moanalua Wells P1

Method: 8015B - Diesel Range Organics (DRO) (GC) Low Level (Continued)

Lab Sample ID: LCS 570-612680/2-A

Matrix: Water

Analysis Batch: 614435

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 612680

	LCS	LCS	
Surrogate	%Recovery	Qualifier	Limits
n-Octacosane (Surr)	96		60 - 130

Lab Sample ID: LCSD 570-612680/3-A

Matrix: Water

Analysis Batch: 614435

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 612680

		Spike	LCSD	LCSD					%Rec	
Analyte		Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit
C10-C28		1600	1440		ug/L		90	56 - 127	7	23

	LCSD	LCSD	
Surrogate	%Recovery	Qualifier	Limits
n-Octacosane (Surr)	90		60 - 130

Lab Sample ID: MRL 570-612680/4-A

Matrix: Water

Analysis Batch: 614435

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 612680

		Spike	MRL	MRL					%Rec	
Analyte		Added	Result	Qualifier	Unit	D	%Rec	Limits		
C10-C28		0.0200	0.0213	J	mg/L		106	50 - 150		

	MRL	MRL	
Surrogate	%Recovery	Qualifier	Limits
n-Octacosane (Surr)	87		60 - 130

Lab Sample ID: 380-165934-B-1-A MS

Matrix: Water

Analysis Batch: 614435

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 612680

	Sample	Sample	Spike	MS	MS				%Rec	
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	
C10-C28	<26		1610	1570		ug/L		97	70 - 130	

	MS	MS	
Surrogate	%Recovery	Qualifier	Limits
n-Octacosane (Surr)	93		60 - 130

Lab Sample ID: 380-165934-B-1-B MSD

Matrix: Water

Analysis Batch: 614435

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 612680

	Sample	Sample	Spike	MSD	MSD				%Rec	
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD
C10-C28	<26		1620	1620		ug/L		100	70 - 130	3

	MSD	MSD	
Surrogate	%Recovery	Qualifier	Limits
n-Octacosane (Surr)	96		60 - 130

QC Association Summary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-165928-1
SDG: Weekly: Moanalua Wells P1

GC/MS Semi VOA

Prep Batch: 168773

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-165928-1	MOANALUA WELLS P1	Total/NA	Drinking Water	525.2	
MB 380-168773/19-A	Method Blank	Total/NA	Water	525.2	
LCS 380-168773/21-A	Lab Control Sample	Total/NA	Water	525.2	
LCSD 380-168773/22-A	Lab Control Sample Dup	Total/NA	Water	525.2	
MRL 380-168773/20-A	Lab Control Sample	Total/NA	Water	525.2	
380-165884-S-2-A MS	Matrix Spike	Total/NA	Water	525.2	
380-165928-1 DU	MOANALUA WELLS P1	Total/NA	Drinking Water	525.2	

Analysis Batch: 168886

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-165928-1	MOANALUA WELLS P1	Total/NA	Drinking Water	525.2	168773
MB 380-168773/19-A	Method Blank	Total/NA	Water	525.2	168773
LCS 380-168773/21-A	Lab Control Sample	Total/NA	Water	525.2	168773
LCSD 380-168773/22-A	Lab Control Sample Dup	Total/NA	Water	525.2	168773
MRL 380-168773/20-A	Lab Control Sample	Total/NA	Water	525.2	168773
380-165884-S-2-A MS	Matrix Spike	Total/NA	Water	525.2	168773
380-165928-1 DU	MOANALUA WELLS P1	Total/NA	Drinking Water	525.2	168773

Prep Batch: 611589

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-165928-1	MOANALUA WELLS P1	Total/NA	Drinking Water	625.1	
MB 570-611589/1-A	Method Blank	Total/NA	Water	625.1	
LCS 570-611589/2-A	Lab Control Sample	Total/NA	Water	625.1	
LCSD 570-611589/3-A	Lab Control Sample Dup	Total/NA	Water	625.1	
380-165934-A-1-A MS	Matrix Spike	Total/NA	Water	625.1	
380-165934-A-1-B MSD	Matrix Spike Duplicate	Total/NA	Water	625.1	

Analysis Batch: 615762

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-165928-1	MOANALUA WELLS P1	Total/NA	Drinking Water	625.1 SIM	611589
MB 570-611589/1-A	Method Blank	Total/NA	Water	625.1 SIM	611589
LCS 570-611589/2-A	Lab Control Sample	Total/NA	Water	625.1 SIM	611589
LCSD 570-611589/3-A	Lab Control Sample Dup	Total/NA	Water	625.1 SIM	611589
380-165934-A-1-A MS	Matrix Spike	Total/NA	Water	625.1 SIM	611589
380-165934-A-1-B MSD	Matrix Spike Duplicate	Total/NA	Water	625.1 SIM	611589

Analysis Batch: 616861

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-165928-1	MOANALUA WELLS P1	Total/NA	Drinking Water	625.1	611589
MB 570-611589/1-A	Method Blank	Total/NA	Water	625.1	611589

GC VOA

Analysis Batch: 612596

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-165928-1	MOANALUA WELLS P1	Total/NA	Drinking Water	8015B GRO LL	
380-165928-2	TB: MOANALUA WELLS	Total/NA	Water	8015B GRO LL	
MB 570-612596/5	Method Blank	Total/NA	Water	8015B GRO LL	
LCS 570-612596/3	Lab Control Sample	Total/NA	Water	8015B GRO LL	
LCSD 570-612596/4	Lab Control Sample Dup	Total/NA	Water	8015B GRO LL	
MRL 570-612596/6	Lab Control Sample	Total/NA	Water	8015B GRO LL	

Eurofins Eaton Analytical Pomona

QC Association Summary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-165928-1
SDG: Weekly: Moanalua Wells P1

GC VOA (Continued)

Analysis Batch: 612596 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-164502-C-1 MS	Matrix Spike	Total/NA	Water	8015B GRO LL	
380-164502-C-1 MSD	Matrix Spike Duplicate	Total/NA	Water	8015B GRO LL	

GC Semi VOA

Prep Batch: 612680

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-165928-1	MOANALUA WELLS P1	Total/NA	Drinking Water	3510C	
MB 570-612680/1-A	Method Blank	Total/NA	Water	3510C	
LCS 570-612680/2-A	Lab Control Sample	Total/NA	Water	3510C	
LCSD 570-612680/3-A	Lab Control Sample Dup	Total/NA	Water	3510C	
MRL 570-612680/4-A	Lab Control Sample	Total/NA	Water	3510C	
380-165934-B-1-A MS	Matrix Spike	Total/NA	Water	3510C	
380-165934-B-1-B MSD	Matrix Spike Duplicate	Total/NA	Water	3510C	

Analysis Batch: 614435

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-165928-1	MOANALUA WELLS P1	Total/NA	Drinking Water	8015B	612680
MB 570-612680/1-A	Method Blank	Total/NA	Water	8015B	612680
LCS 570-612680/2-A	Lab Control Sample	Total/NA	Water	8015B	612680
LCSD 570-612680/3-A	Lab Control Sample Dup	Total/NA	Water	8015B	612680
MRL 570-612680/4-A	Lab Control Sample	Total/NA	Water	8015B	612680
380-165934-B-1-A MS	Matrix Spike	Total/NA	Water	8015B	612680
380-165934-B-1-B MSD	Matrix Spike Duplicate	Total/NA	Water	8015B	612680

Lab Chronicle

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-165928-1
SDG: Weekly: Moanalua Wells P1

Client Sample ID: MOANALUA WELLS P1

Lab Sample ID: 380-165928-1

Date Collected: 08/11/25 09:56

Matrix: Drinking Water

Date Received: 08/13/25 10:20

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	525.2			168773	IQ42	EA POM	08/15/25 14:08
Total/NA	Analysis	525.2		1	168886	Q8LA	EA POM	08/17/25 14:10
Total/NA	Prep	625.1			611589	S4EA	EET CAL 4	08/15/25 09:51
Total/NA	Analysis	625.1		1	616861	CG	EET CAL 4	08/26/25 12:36
Total/NA	Prep	625.1			611589	S4EA	EET CAL 4	08/15/25 09:51
Total/NA	Analysis	625.1 SIM		1	615762	PQS1	EET CAL 4	08/23/25 14:37
Total/NA	Analysis	8015B GRO LL		1	612596	W4LC	EET CAL 4	08/16/25 17:52
Total/NA	Prep	3510C			612680	H6FE	EET CAL 4	08/17/25 14:45
Total/NA	Analysis	8015B		1	614435	NR	EET CAL 4	08/21/25 02:47

Client Sample ID: TB: MOANALUA WELLS

Lab Sample ID: 380-165928-2

Date Collected: 08/11/25 09:56

Matrix: Water

Date Received: 08/13/25 10:20

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8015B GRO LL		1	612596	W4LC	EET CAL 4	08/16/25 22:46

Laboratory References:

EA POM = Eurofins Eaton Analytical Pomona, 941 Corporate Center Drive, Pomona, CA 91768-2642, TEL (626)386-1100

EET CAL 4 = Eurofins Calscience Tustin, 2841 Dow Avenue, Tustin, CA 92780, TEL (714)895-5494

Accreditation/Certification Summary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-165928-1
SDG: Weekly: Moanalua Wells P1

Laboratory: Eurofins Eaton Analytical Pomona

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
Hawaii	State	CA00006	01-31-26
The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.			
Analysis Method	Prep Method	Matrix	Analyte
525.2	525.2	Drinking Water	1-Methylnaphthalene
525.2	525.2	Drinking Water	2,4'-DDD
525.2	525.2	Drinking Water	2,4'-DDE
525.2	525.2	Drinking Water	2,4'-DDT
525.2	525.2	Drinking Water	2,4-Dinitrotoluene
525.2	525.2	Drinking Water	2,6-Dinitrotoluene
525.2	525.2	Drinking Water	2-Methylnaphthalene
525.2	525.2	Drinking Water	4,4'-DDD
525.2	525.2	Drinking Water	4,4'-DDE
525.2	525.2	Drinking Water	4,4' DDT
525.2	525.2	Drinking Water	Acetochlor
525.2	525.2	Drinking Water	alpha-BHC
525.2	525.2	Drinking Water	alpha-Chlordane
525.2	525.2	Drinking Water	beta-BHC
525.2	525.2	Drinking Water	Chlorobenzilate
525.2	525.2	Drinking Water	Chloroneb
525.2	525.2	Drinking Water	Chlorothalonil (Draconil, Bravo)
525.2	525.2	Drinking Water	Chlorpyrifos
525.2	525.2	Drinking Water	delta-BHC
525.2	525.2	Drinking Water	Diclorvos (DDVP)
525.2	525.2	Drinking Water	Endosulfan I (Alpha)
525.2	525.2	Drinking Water	Endosulfan II (Beta)
525.2	525.2	Drinking Water	Endosulfan sulfate
525.2	525.2	Drinking Water	Endrin aldehyde
525.2	525.2	Drinking Water	EPTC
525.2	525.2	Drinking Water	gamma-Chlordane
525.2	525.2	Drinking Water	Isophorone
525.2	525.2	Drinking Water	Malathion
525.2	525.2	Drinking Water	Parathion
525.2	525.2	Drinking Water	Pendimethalin (Penoxaline)
525.2	525.2	Drinking Water	Terbacil
525.2	525.2	Drinking Water	Terbutylazine
525.2	525.2	Drinking Water	Total Permethrin (mixed isomers)
525.2	525.2	Drinking Water	trans-Nonachlor

Laboratory: Eurofins Calscience

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
A2LA	Dept. of Defense ELAP	7296.01	11-30-26
A2LA	ISO/IEC 17025	7296.01	11-30-26
Alaska (UST)	State	25-005	03-02-26
Arizona	State	AZ0830	11-16-25
California	Los Angeles County Sanitation Districts	9257304	07-31-26
California	SCAQMD LAP	17LA0919	11-30-25

Eurofins Eaton Analytical Pomona

Accreditation/Certification Summary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-165928-1
SDG: Weekly: Moanalua Wells P1

Laboratory: Eurofins Calscience (Continued)

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	State	3082	07-31-26
Kansas	NELAP	E-10420	07-31-26
Nevada	State	CA00111	07-31-26
Oregon	NELAP	4175	02-02-26
USDA	US Federal Programs	525-23-159-97150	06-08-26
Utah	NELAP	CA00111	02-28-26
Washington	State	C916	10-11-25

Method Summary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-165928-1
SDG: Weekly: Moanalua Wells P1

Method	Method Description	Protocol	Laboratory
525.2	Semivolatile Organic Compounds (GC/MS)	EPA	EA POM
625.1	Semivolatile Organic Compounds (GC/MS)	EPA	EET CAL 4
625.1 SIM	Semivolatile Organic Compounds GC/MS (SIM)	EPA	EET CAL 4
8015B GRO LL	Gasoline Range Organics - (GC)	SW846	EET CAL 4
8015B	Diesel Range Organics (DRO) (GC) Low Level	SW846	EET CAL 4
3510C	Liquid-Liquid Extraction (Separatory Funnel)	SW846	EET CAL 4
5030C	Purge and Trap	SW846	EET CAL 4
525.2	Extraction of Semivolatile Compounds	EPA	EA POM
625.1	Liquid-Liquid Extraction	40CFR136A	EET CAL 4

Protocol References:

40CFR136A = "Methods for Organic Chemical Analysis of Municipal Industrial Wastewater", 40CFR, Part 136, Appendix A, October 26, 1984 and subsequent revisions.

EPA = US Environmental Protection Agency

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

EA POM = Eurofins Eaton Analytical Pomona, 941 Corporate Center Drive, Pomona, CA 91768-2642, TEL (626)386-1100

EET CAL 4 = Eurofins Calscience Tustin, 2841 Dow Avenue, Tustin, CA 92780, TEL (714)895-5494

Sample Summary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-165928-1
SDG: Weekly: Moanalua Wells P1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Sample Origin
380-165928-1	MOANALUA WELLS P1	Drinking Water	08/11/25 09:56	08/13/25 10:20	Hawaii
380-165928-2	TB: MOANALUA WELLS	Water	08/11/25 09:56	08/13/25 10:20	Hawaii

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16

Ver- 04/02/2024

941 Corporate Center Drive
Pomona, CA 91768-2642
Phone: 626-386-1100

Chain of Custody Record



Envi

Loc: 380

165928

[illegible]

Login Sample Receipt Checklist

Client: City & County of Honolulu

Job Number: 380-165928-1

SDG Number: Weekly: Moanalua Wells P1

Login Number: 165928

List Number: 1

Creator: Segura, Ryan

List Source: Eurofins Eaton Analytical Pomona

Question	Answer	Comment
The coolers custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
Samples were received on ice.	True	
Cooler(s) Temperature is acceptable.	True	
Cooler(s) Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and is legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
CIO4 headspace requirement met (>50% for CA, >30% for other states).	True	
Samples do not require splitting or compositing.	True	
Container provided by EEA	True	

Login Sample Receipt Checklist

Client: City & County of Honolulu

Job Number: 380-165928-1
SDG Number: Weekly: Moanalua Wells P1

Login Number: 165928

List Number: 2

Creator: Mills, Mary

List Source: Eurofins Calscience

List Creation: 08/14/25 04:25 PM

Question	Answer	Comment
Radioactivity wasn't checked or is $\leq$ background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	2.8, 2.1, 3.4
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	N/A	Received project as a subcontract.
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is $<6\text{mm}$ (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	