

ANALYTICAL REPORT

PREPARED FOR

Attn: Mr. Erwin Kawata
City & County of Honolulu
630 South Beretania Street
Public Service Bldg. Room 310
Honolulu, Hawaii 96843

Generated 8/27/2025 4:03:02 PM

JOB DESCRIPTION

RED-HILL
Weekly: Halawa Wells Units 1&2 P1 (MS/MSD), Aiea Wells Pumps 1&2 P2
RUSH Weekly Red Hill

JOB NUMBER

380-165934-1

Eurofins Eaton Analytical Pomona

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Eaton Analytical, LLC Project Manager.

Compliance Statement

1. Laboratory is accredited in accordance with TNI 2016 Standards and ISO/IEC 17025:2017.
2. Laboratory certifies that the test results meet all TNI 2016 and ISO/IEC 17025:2017 requirements unless noted under the individual analysis
3. Test results relate only to the sample(s) tested.
4. This report shall not be reproduced except in full, without the written approval of the laboratory.
5. Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.
(DW, Water matrices)

Authorization



Authorized for release by
Maria Lopez, Project Manager
Maria.Lopez@et.eurofinsus.com
(626)386-1100

Generated
8/27/2025 4:03:02 PM

Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Detection Summary	6
Client Sample Results	7
Action Limit Summary	14
Surrogate Summary	15
QC Sample Results	18
QC Association Summary	36
Lab Chronicle	38
Certification Summary	40
Method Summary	42
Sample Summary	43
Chain of Custody	44
Receipt Checklists	46



Definitions/Glossary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-165934-1
SDG: Weekly: Halawa Wells Units 1&2 P1 (MS/MSD), Aiea
Wells Pumps 1&2 P2

Qualifiers

GC/MS Semi VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

GC/MS Semi VOA TICs

Qualifier	Qualifier Description
J	Indicates an Estimated Value for TICs
N	Presumptive evidence of material.
T	Result is a tentatively identified compound (TIC) and an estimated value.

GC VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

GC Semi VOA

Qualifier	Qualifier Description
^3+	Reporting Limit Check Standard is outside acceptance limits, high biased
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: City & County of Honolulu
Project: RED-HILL

Job ID: 380-165934-1

Job ID: 380-165934-1

Eurofins Eaton Analytical Pomona

Job Narrative 380-165934-1

The analytical test results presented in this report meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page, unless otherwise noted. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable. Regulated compliance samples (e.g. SDWA, NPDES) must comply with associated agency requirements/permits.

- Matrix-specific batch QC (e.g., MS, MSD, SD) may not be reported when insufficient sample volume is available or when site-specific QC samples are not submitted. In such cases, a Laboratory Control Sample Duplicate (LCSD) may be analyzed to provide precision data for the batch.
- For samples analyzed using surrogate and/or isotope dilution analytes, any recoveries falling outside of established acceptance criteria are re-prepared and/or re-analyzed to confirm results, unless the deviation is due to sample dilution or otherwise explained in the case narrative.

Receipt

The samples were received on 8/13/2025 10:20 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperatures of the 2 coolers at receipt time were 2.7°C and 4.9°C.

Receipt Exceptions

One or more containers for the following sample(s) was received broken or leaking:
Vial for 8015B_GRO received broken (1 of 2).

GC/MS Semi VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Gasoline Range Organics

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Diesel Range Organics

Method 8015B_DRO_LL_CS: The method reporting limit check (MRL) for preparation batch 570-612680 and analytical batch 570-616108 recovered outside control limits for the following analytes: C10-C28. These analytes were biased high in the MRL and were not detected in the associated samples; therefore, the data have been reported.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Detection Summary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-165934-1
SDG: Weekly: Halawa Wells Units 1&2 P1 (MS/MSD), Aiea
Wells Pumps 1&2 P2

**Client Sample ID: HALAWA WELLS UNITS 1 & 2 P1
(331-206-TP065)**

Lab Sample ID: 380-165934-1

PWSID Number: HI0000331

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Dieldrin	0.031		0.0097	ug/L	1		525.2	Total/NA
Heptachlor epoxide (isomer B)	0.0099		0.0097	ug/L	1		525.2	Total/NA

**Client Sample ID: TB: HALAWA WELLS UNITS 1 & 2
(331-206-TP065)**

Lab Sample ID: 380-165934-2

PWSID Number: HI0000331

No Detections.

**Client Sample ID: AIEA WELLS PUMPS 1&2 P2 (260)
(331-203-TP400)**

Lab Sample ID: 380-165934-3

PWSID Number: HI0000331

No Detections.

**Client Sample ID: TB: AIEA WELLS PUMPS 1&2 (260)
(331-203-TP400)**

Lab Sample ID: 380-165934-4

PWSID Number: HI0000331

No Detections.

Client Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-165934-1
SDG: Weekly: Halawa Wells Units 1&2 P1 (MS/MSD), Aiea
Wells Pumps 1&2 P2

**Client Sample ID: HALAWA WELLS UNITS 1 & 2 P1
(331-206-TP065)**

Lab Sample ID: 380-165934-1

Date Collected: 08/11/25 10:28

Matrix: Drinking Water

Date Received: 08/13/25 10:20

PWSID Number: HI0000331

Method: EPA 525.2 - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
1-Methylnaphthalene	<0.097		0.097	ug/L		08/18/25 07:55	08/18/25 16:08	1
2,4'-DDD	<0.097		0.097	ug/L		08/18/25 07:55	08/18/25 16:08	1
2,4'-DDE	<0.097		0.097	ug/L		08/18/25 07:55	08/18/25 16:08	1
2,4' DDT	<0.097		0.097	ug/L		08/18/25 07:55	08/18/25 16:08	1
2,4-Dinitrotoluene	<0.097		0.097	ug/L		08/18/25 07:55	08/18/25 16:08	1
2,6-Dinitrotoluene	<0.097		0.097	ug/L		08/18/25 07:55	08/18/25 16:08	1
2-Methylnaphthalene	<0.097		0.097	ug/L		08/18/25 07:55	08/18/25 16:08	1
4,4'-DDD	<0.097		0.097	ug/L		08/18/25 07:55	08/18/25 16:08	1
4,4'-DDE	<0.097		0.097	ug/L		08/18/25 07:55	08/18/25 16:08	1
4,4'-DDT	<0.097		0.097	ug/L		08/18/25 07:55	08/18/25 16:08	1
Acenaphthene	<0.097		0.097	ug/L		08/18/25 07:55	08/18/25 16:08	1
Acenaphthylene	<0.097		0.097	ug/L		08/18/25 07:55	08/18/25 16:08	1
Acetochlor	<0.097		0.097	ug/L		08/18/25 07:55	08/18/25 16:08	1
Alachlor	<0.049		0.049	ug/L		08/18/25 07:55	08/18/25 16:08	1
alpha-BHC	<0.097		0.097	ug/L		08/18/25 07:55	08/18/25 16:08	1
alpha-Chlordane	<0.049		0.049	ug/L		08/18/25 07:55	08/18/25 16:08	1
Anthracene	<0.019		0.019	ug/L		08/18/25 07:55	08/18/25 16:08	1
Atrazine	<0.049		0.049	ug/L		08/18/25 07:55	08/18/25 16:08	1
Benz(a)anthracene	<0.049		0.049	ug/L		08/18/25 07:55	08/18/25 16:08	1
Benzo[a]pyrene	<0.019		0.019	ug/L		08/18/25 07:55	08/18/25 16:08	1
Benzo[b]fluoranthene	<0.019		0.019	ug/L		08/18/25 07:55	08/18/25 16:08	1
Benzo[g,h,i]perylene	<0.049		0.049	ug/L		08/18/25 07:55	08/18/25 16:08	1
Benzo[k]fluoranthene	<0.019		0.019	ug/L		08/18/25 07:55	08/18/25 16:08	1
beta-BHC	<0.097		0.097	ug/L		08/18/25 07:55	08/18/25 16:08	1
Bis(2-ethylhexyl) phthalate	<0.58		0.58	ug/L		08/18/25 07:55	08/18/25 16:08	1
Bromacil	<0.097		0.097	ug/L		08/18/25 07:55	08/18/25 16:08	1
Butachlor	<0.049		0.049	ug/L		08/18/25 07:55	08/18/25 16:08	1
Butylbenzylphthalate	<0.49		0.49	ug/L		08/18/25 07:55	08/18/25 16:08	1
Chlorobenzilate	<0.097		0.097	ug/L		08/18/25 07:55	08/18/25 16:08	1
Chloroneb	<0.097		0.097	ug/L		08/18/25 07:55	08/18/25 16:08	1
Chlorothalonil (Draconil, Bravo)	<0.097		0.097	ug/L		08/18/25 07:55	08/18/25 16:08	1
Chlorpyrifos	<0.049		0.049	ug/L		08/18/25 07:55	08/18/25 16:08	1
Chrysene	<0.019		0.019	ug/L		08/18/25 07:55	08/18/25 16:08	1
delta-BHC	<0.097		0.097	ug/L		08/18/25 07:55	08/18/25 16:08	1
Di(2-ethylhexyl)adipate	<0.58		0.58	ug/L		08/18/25 07:55	08/18/25 16:08	1
Dibenz(a,h)anthracene	<0.049		0.049	ug/L		08/18/25 07:55	08/18/25 16:08	1
Diclorvos (DDVP)	<0.049		0.049	ug/L		08/18/25 07:55	08/18/25 16:08	1
Dieldrin	0.031		0.0097	ug/L		08/18/25 07:55	08/18/25 16:08	1
Diethylphthalate	<0.49		0.49	ug/L		08/18/25 07:55	08/18/25 16:08	1
Dimethylphthalate	<0.49		0.49	ug/L		08/18/25 07:55	08/18/25 16:08	1
Di-n-butyl phthalate	<0.97		0.97	ug/L		08/18/25 07:55	08/18/25 16:08	1
Di-n-octyl phthalate	<0.097		0.097	ug/L		08/18/25 07:55	08/18/25 16:08	1
Endosulfan I (Alpha)	<0.097		0.097	ug/L		08/18/25 07:55	08/18/25 16:08	1
Endosulfan II (Beta)	<0.097		0.097	ug/L		08/18/25 07:55	08/18/25 16:08	1
Endosulfan sulfate	<0.097		0.097	ug/L		08/18/25 07:55	08/18/25 16:08	1
Endrin	<0.0097		0.0097	ug/L		08/18/25 07:55	08/18/25 16:08	1
Endrin aldehyde	<0.097		0.097	ug/L		08/18/25 07:55	08/18/25 16:08	1

Eurofins Eaton Analytical Pomona

Client Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-165934-1
SDG: Weekly: Halawa Wells Units 1&2 P1 (MS/MSD), Aiea
Wells Pumps 1&2 P2

**Client Sample ID: HALAWA WELLS UNITS 1 & 2 P1
(331-206-TP065)**

Lab Sample ID: 380-165934-1

Date Collected: 08/11/25 10:28

Matrix: Drinking Water

Date Received: 08/13/25 10:20

PWSID Number: HI0000331

Method: EPA 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
EPTC	<0.097		0.097	ug/L		08/18/25 07:55	08/18/25 16:08	1
Fluoranthene	<0.097		0.097	ug/L		08/18/25 07:55	08/18/25 16:08	1
Fluorene	<0.049		0.049	ug/L		08/18/25 07:55	08/18/25 16:08	1
gamma-Chlordane	0.049		0.049	ug/L		08/18/25 07:55	08/18/25 16:08	1
Heptachlor	<0.0097		0.0097	ug/L		08/18/25 07:55	08/18/25 16:08	1
Heptachlor epoxide (isomer B)	0.0099		0.0097	ug/L		08/18/25 07:55	08/18/25 16:08	1
Hexachlorobenzene	<0.049		0.049	ug/L		08/18/25 07:55	08/18/25 16:08	1
Hexachlorocyclopentadiene	<0.049		0.049	ug/L		08/18/25 07:55	08/18/25 16:08	1
Indeno[1,2,3-cd]pyrene	<0.049		0.049	ug/L		08/18/25 07:55	08/18/25 16:08	1
Isophorone	<0.097		0.097	ug/L		08/18/25 07:55	08/18/25 16:08	1
Lindane	<0.0097		0.0097	ug/L		08/18/25 07:55	08/18/25 16:08	1
Malathion	<0.097		0.097	ug/L		08/18/25 07:55	08/18/25 16:08	1
Methoxychlor	<0.049		0.049	ug/L		08/18/25 07:55	08/18/25 16:08	1
Metolachlor	<0.049		0.049	ug/L		08/18/25 07:55	08/18/25 16:08	1
Molinate	<0.097		0.097	ug/L		08/18/25 07:55	08/18/25 16:08	1
Naphthalene	<0.097		0.097	ug/L		08/18/25 07:55	08/18/25 16:08	1
Parathion	<0.097		0.097	ug/L		08/18/25 07:55	08/18/25 16:08	1
Pendimethalin (Penoxaline)	<0.097		0.097	ug/L		08/18/25 07:55	08/18/25 16:08	1
Phenanthrene	<0.039		0.039	ug/L		08/18/25 07:55	08/18/25 16:08	1
Propachlor	<0.049		0.049	ug/L		08/18/25 07:55	08/18/25 16:08	1
Pyrene	<0.049		0.049	ug/L		08/18/25 07:55	08/18/25 16:08	1
Simazine	<0.049		0.049	ug/L		08/18/25 07:55	08/18/25 16:08	1
Terbacil	<0.097		0.097	ug/L		08/18/25 07:55	08/18/25 16:08	1
Terbutylazine	<0.097		0.097	ug/L		08/18/25 07:55	08/18/25 16:08	1
Thiobencarb	<0.097		0.097	ug/L		08/18/25 07:55	08/18/25 16:08	1
Total Permethrin (mixed isomers)	<0.19		0.19	ug/L		08/18/25 07:55	08/18/25 16:08	1
trans-Nonachlor	<0.049		0.049	ug/L		08/18/25 07:55	08/18/25 16:08	1
Trifluralin	<0.097		0.097	ug/L		08/18/25 07:55	08/18/25 16:08	1

Tentatively Identified Compound	Est. Result	Qualifier	Unit	D	RT	CAS No.	Prepared	Analyzed	Dil Fac
Tentatively Identified Compound	None		ug/L			N/A	08/18/25 07:55	08/18/25 16:08	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2-Nitro-m-xylene	97		70 - 130	08/18/25 07:55	08/18/25 16:08	1
Perylene-d12	88		70 - 130	08/18/25 07:55	08/18/25 16:08	1
Triphenylphosphate	96		70 - 130	08/18/25 07:55	08/18/25 16:08	1

Method: EPA 625.1 SIM - Semivolatile Organic Compounds GC/MS (SIM)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
1-Methylnaphthalene	<0.19		0.19	ug/L		08/15/25 09:51	08/23/25 14:15	1
2-Methylnaphthalene	<0.19		0.19	ug/L		08/15/25 09:51	08/23/25 14:15	1
Acenaphthene	<0.19		0.19	ug/L		08/15/25 09:51	08/23/25 14:15	1
Acenaphthylene	<0.19		0.19	ug/L		08/15/25 09:51	08/23/25 14:15	1
Anthracene	<0.19		0.19	ug/L		08/15/25 09:51	08/23/25 14:15	1
Benzo[a]anthracene	<0.19		0.19	ug/L		08/15/25 09:51	08/23/25 14:15	1
Benzo[a]pyrene	<0.19		0.19	ug/L		08/15/25 09:51	08/23/25 14:15	1
Benzo[b]fluoranthene	<0.19		0.19	ug/L		08/15/25 09:51	08/23/25 14:15	1
Benzo[g,h,i]perylene	<0.19		0.19	ug/L		08/15/25 09:51	08/23/25 14:15	1

Eurofins Eaton Analytical Pomona

Client Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-165934-1
SDG: Weekly: Halawa Wells Units 1&2 P1 (MS/MSD), Aiea
Wells Pumps 1&2 P2

**Client Sample ID: HALAWA WELLS UNITS 1 & 2 P1
(331-206-TP065)**

Lab Sample ID: 380-165934-1

Date Collected: 08/11/25 10:28

Matrix: Drinking Water

Date Received: 08/13/25 10:20

PWSID Number: HI0000331

Method: EPA 625.1 SIM - Semivolatile Organic Compounds GC/MS (SIM) (Continued)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzo[k]fluoranthene	<0.19		0.19	ug/L		08/15/25 09:51	08/23/25 14:15	1
Chrysene	<0.19		0.19	ug/L		08/15/25 09:51	08/23/25 14:15	1
Dibenz(a,h)anthracene	<0.19		0.19	ug/L		08/15/25 09:51	08/23/25 14:15	1
Fluoranthene	<0.19		0.19	ug/L		08/15/25 09:51	08/23/25 14:15	1
Fluorene	<0.19		0.19	ug/L		08/15/25 09:51	08/23/25 14:15	1
Indeno[1,2,3-cd]pyrene	<0.19		0.19	ug/L		08/15/25 09:51	08/23/25 14:15	1
Naphthalene	<0.19		0.19	ug/L		08/15/25 09:51	08/23/25 14:15	1
Phenanthrene	<0.19		0.19	ug/L		08/15/25 09:51	08/23/25 14:15	1
Pyrene	<0.19		0.19	ug/L		08/15/25 09:51	08/23/25 14:15	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2,4,6-Tribromophenol (Surr)	98		28 - 127	08/15/25 09:51	08/23/25 14:15	1
2-Fluorobiphenyl (Surr)	75		31 - 120	08/15/25 09:51	08/23/25 14:15	1
2-Fluorophenol (Surr)	52		17 - 120	08/15/25 09:51	08/23/25 14:15	1
Nitrobenzene-d5 (Surr)	89		27 - 120	08/15/25 09:51	08/23/25 14:15	1
Phenol-d6 (Surr)	32		10 - 120	08/15/25 09:51	08/23/25 14:15	1
p-Terphenyl-d14 (Surr)	78		45 - 120	08/15/25 09:51	08/23/25 14:15	1

Method: EPA 625.1 - Semivolatile Organic Compounds (GC/MS)

Tentatively Identified Compound	Est. Result	Qualifier	Unit	D	RT	CAS No.	Prepared	Analyzed	Dil Fac
Tentatively Identified Compound	None		ug/L			N/A	08/15/25 09:51	08/26/25 14:37	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2,4,6-Tribromophenol (Surr)	80		33 - 139	08/15/25 09:51	08/26/25 14:37	1
2-Fluorobiphenyl (Surr)	80		33 - 126	08/15/25 09:51	08/26/25 14:37	1
2-Fluorophenol (Surr)	41		12 - 120	08/15/25 09:51	08/26/25 14:37	1
Nitrobenzene-d5 (Surr)	77		36 - 120	08/15/25 09:51	08/26/25 14:37	1
Phenol-d6 (Surr)	20		10 - 120	08/15/25 09:51	08/26/25 14:37	1
p-Terphenyl-d14 (Surr)	83		47 - 131	08/15/25 09:51	08/26/25 14:37	1

Method: SW846 8015B GRO LL - Gasoline Range Organics - (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
GRO (C6-C10)	<10		10	ug/L			08/24/25 16:13	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	86		38 - 134		08/24/25 16:13	1

Method: SW846 8015B - Diesel Range Organics (DRO) (GC) Low Level

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics (C10-C24)	<26		26	ug/L		08/17/25 14:45	08/21/25 02:04	1
Motor Oil Range Organics [C24-C36]	<26		26	ug/L		08/17/25 14:45	08/21/25 02:04	1
C8-C18	<26		26	ug/L		08/17/25 14:45	08/21/25 02:04	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
n-Octacosane (Surr)	91		60 - 130	08/17/25 14:45	08/21/25 02:04	1

Eurofins Eaton Analytical Pomona

Client Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-165934-1
SDG: Weekly: Halawa Wells Units 1&2 P1 (MS/MSD), Aiea
Wells Pumps 1&2 P2

**Client Sample ID: TB: HALAWA WELLS UNITS 1 & 2
(331-206-TP065)**

Lab Sample ID: 380-165934-2

Date Collected: 08/11/25 10:28

Matrix: Drinking Water

Date Received: 08/13/25 10:20

PWSID Number: HI0000331

Method: SW846 8015B GRO LL - Gasoline Range Organics - (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
GRO (C6-C10)	<10		10	ug/L			08/25/25 00:39	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	88		38 - 134				08/25/25 00:39	1

**Client Sample ID: AIEA WELLS PUMPS 1&2 P2 (260)
(331-203-TP400)**

Lab Sample ID: 380-165934-3

Date Collected: 08/11/25 11:39

Matrix: Water

Date Received: 08/13/25 10:20

PWSID Number: HI0000331

Method: EPA 525.2 - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
1-Methylnaphthalene	<0.097		0.097	ug/L		08/18/25 07:55	08/18/25 17:30	1
2,4'-DDD	<0.097		0.097	ug/L		08/18/25 07:55	08/18/25 17:30	1
2,4'-DDE	<0.097		0.097	ug/L		08/18/25 07:55	08/18/25 17:30	1
2,4'-DDT	<0.097		0.097	ug/L		08/18/25 07:55	08/18/25 17:30	1
2,4-Dinitrotoluene	<0.097		0.097	ug/L		08/18/25 07:55	08/18/25 17:30	1
2,6-Dinitrotoluene	<0.097		0.097	ug/L		08/18/25 07:55	08/18/25 17:30	1
2-Methylnaphthalene	<0.097		0.097	ug/L		08/18/25 07:55	08/18/25 17:30	1
4,4'-DDD	<0.097		0.097	ug/L		08/18/25 07:55	08/18/25 17:30	1
4,4'-DDE	<0.097		0.097	ug/L		08/18/25 07:55	08/18/25 17:30	1
4,4'-DDT	<0.097		0.097	ug/L		08/18/25 07:55	08/18/25 17:30	1
Acenaphthene	<0.097		0.097	ug/L		08/18/25 07:55	08/18/25 17:30	1
Acenaphthylene	<0.097		0.097	ug/L		08/18/25 07:55	08/18/25 17:30	1
Acetochlor	<0.097		0.097	ug/L		08/18/25 07:55	08/18/25 17:30	1
Alachlor	<0.048		0.048	ug/L		08/18/25 07:55	08/18/25 17:30	1
alpha-BHC	<0.097		0.097	ug/L		08/18/25 07:55	08/18/25 17:30	1
alpha-Chlordane	<0.048		0.048	ug/L		08/18/25 07:55	08/18/25 17:30	1
Anthracene	<0.019		0.019	ug/L		08/18/25 07:55	08/18/25 17:30	1
Atrazine	<0.048		0.048	ug/L		08/18/25 07:55	08/18/25 17:30	1
Benz(a)anthracene	<0.048		0.048	ug/L		08/18/25 07:55	08/18/25 17:30	1
Benzo[a]pyrene	<0.019		0.019	ug/L		08/18/25 07:55	08/18/25 17:30	1
Benzo[b]fluoranthene	<0.019		0.019	ug/L		08/18/25 07:55	08/18/25 17:30	1
Benzo[g,h,i]perylene	<0.048		0.048	ug/L		08/18/25 07:55	08/18/25 17:30	1
Benzo[k]fluoranthene	<0.019		0.019	ug/L		08/18/25 07:55	08/18/25 17:30	1
beta-BHC	<0.097		0.097	ug/L		08/18/25 07:55	08/18/25 17:30	1
Bis(2-ethylhexyl) phthalate	<0.58		0.58	ug/L		08/18/25 07:55	08/18/25 17:30	1
Bromacil	<0.097		0.097	ug/L		08/18/25 07:55	08/18/25 17:30	1
Butachlor	<0.048		0.048	ug/L		08/18/25 07:55	08/18/25 17:30	1
Butylbenzylphthalate	<0.48		0.48	ug/L		08/18/25 07:55	08/18/25 17:30	1
Chlorobenzilate	<0.097		0.097	ug/L		08/18/25 07:55	08/18/25 17:30	1
Chloroneb	<0.097		0.097	ug/L		08/18/25 07:55	08/18/25 17:30	1
Chlorothalonil (Draconil, Bravo)	<0.097		0.097	ug/L		08/18/25 07:55	08/18/25 17:30	1
Chlorpyrifos	<0.048		0.048	ug/L		08/18/25 07:55	08/18/25 17:30	1
Chrysene	<0.019		0.019	ug/L		08/18/25 07:55	08/18/25 17:30	1
delta-BHC	<0.097		0.097	ug/L		08/18/25 07:55	08/18/25 17:30	1
Di(2-ethylhexyl)adipate	<0.58		0.58	ug/L		08/18/25 07:55	08/18/25 17:30	1
Dibenz(a,h)anthracene	<0.048		0.048	ug/L		08/18/25 07:55	08/18/25 17:30	1

Eurofins Eaton Analytical Pomona

Client Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-165934-1
SDG: Weekly: Halawa Wells Units 1&2 P1 (MS/MSD), Aiea
Wells Pumps 1&2 P2

Client Sample ID: AIEA WELLS PUMPS 1&2 P2 (260)
(331-203-TP400)

Lab Sample ID: 380-165934-3

Date Collected: 08/11/25 11:39
Date Received: 08/13/25 10:20

Matrix: Water
PWSID Number: HI0000331

Method: EPA 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diclorvos (DDVP)	<0.048		0.048	ug/L		08/18/25 07:55	08/18/25 17:30	1
Dieldrin	<0.0097		0.0097	ug/L		08/18/25 07:55	08/18/25 17:30	1
Diethylphthalate	<0.48		0.48	ug/L		08/18/25 07:55	08/18/25 17:30	1
Dimethylphthalate	<0.48		0.48	ug/L		08/18/25 07:55	08/18/25 17:30	1
Di-n-butyl phthalate	<0.97		0.97	ug/L		08/18/25 07:55	08/18/25 17:30	1
Di-n-octyl phthalate	<0.097		0.097	ug/L		08/18/25 07:55	08/18/25 17:30	1
Endosulfan I (Alpha)	<0.097		0.097	ug/L		08/18/25 07:55	08/18/25 17:30	1
Endosulfan II (Beta)	<0.097		0.097	ug/L		08/18/25 07:55	08/18/25 17:30	1
Endosulfan sulfate	<0.097		0.097	ug/L		08/18/25 07:55	08/18/25 17:30	1
Endrin	<0.0097		0.0097	ug/L		08/18/25 07:55	08/18/25 17:30	1
Endrin aldehyde	<0.097		0.097	ug/L		08/18/25 07:55	08/18/25 17:30	1
EPTC	<0.097		0.097	ug/L		08/18/25 07:55	08/18/25 17:30	1
Fluoranthene	<0.097		0.097	ug/L		08/18/25 07:55	08/18/25 17:30	1
Fluorene	<0.048		0.048	ug/L		08/18/25 07:55	08/18/25 17:30	1
gamma-Chlordane	<0.048		0.048	ug/L		08/18/25 07:55	08/18/25 17:30	1
Heptachlor	<0.0097		0.0097	ug/L		08/18/25 07:55	08/18/25 17:30	1
Heptachlor epoxide (isomer B)	<0.0097		0.0097	ug/L		08/18/25 07:55	08/18/25 17:30	1
Hexachlorobenzene	<0.048		0.048	ug/L		08/18/25 07:55	08/18/25 17:30	1
Hexachlorocyclopentadiene	<0.048		0.048	ug/L		08/18/25 07:55	08/18/25 17:30	1
Indeno[1,2,3-cd]pyrene	<0.048		0.048	ug/L		08/18/25 07:55	08/18/25 17:30	1
Isophorone	<0.097		0.097	ug/L		08/18/25 07:55	08/18/25 17:30	1
Lindane	<0.0097		0.0097	ug/L		08/18/25 07:55	08/18/25 17:30	1
Malathion	<0.097		0.097	ug/L		08/18/25 07:55	08/18/25 17:30	1
Methoxychlor	<0.048		0.048	ug/L		08/18/25 07:55	08/18/25 17:30	1
Metolachlor	<0.048		0.048	ug/L		08/18/25 07:55	08/18/25 17:30	1
Molinate	<0.097		0.097	ug/L		08/18/25 07:55	08/18/25 17:30	1
Naphthalene	<0.097		0.097	ug/L		08/18/25 07:55	08/18/25 17:30	1
Parathion	<0.097		0.097	ug/L		08/18/25 07:55	08/18/25 17:30	1
Pendimethalin (Penoxaline)	<0.097		0.097	ug/L		08/18/25 07:55	08/18/25 17:30	1
Phenanthrene	<0.039		0.039	ug/L		08/18/25 07:55	08/18/25 17:30	1
Propachlor	<0.048		0.048	ug/L		08/18/25 07:55	08/18/25 17:30	1
Pyrene	<0.048		0.048	ug/L		08/18/25 07:55	08/18/25 17:30	1
Simazine	<0.048		0.048	ug/L		08/18/25 07:55	08/18/25 17:30	1
Terbacil	<0.097		0.097	ug/L		08/18/25 07:55	08/18/25 17:30	1
Terbutylazine	<0.097		0.097	ug/L		08/18/25 07:55	08/18/25 17:30	1
Thiobencarb	<0.097		0.097	ug/L		08/18/25 07:55	08/18/25 17:30	1
Total Permethrin (mixed isomers)	<0.19		0.19	ug/L		08/18/25 07:55	08/18/25 17:30	1
trans-Nonachlor	<0.048		0.048	ug/L		08/18/25 07:55	08/18/25 17:30	1
Trifluralin	<0.097		0.097	ug/L		08/18/25 07:55	08/18/25 17:30	1

Tentatively Identified Compound	Est. Result	Qualifier	Unit	D	RT	CAS No.	Prepared	Analyzed	Dil Fac
Tentatively Identified Compound	None		ug/L			N/A	08/18/25 07:55	08/18/25 17:30	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2-Nitro-m-xylene	95		70 - 130	08/18/25 07:55	08/18/25 17:30	1
Perylene-d12	85		70 - 130	08/18/25 07:55	08/18/25 17:30	1
Triphenylphosphate	95		70 - 130	08/18/25 07:55	08/18/25 17:30	1

Eurofins Eaton Analytical Pomona

Client Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-165934-1
SDG: Weekly: Halawa Wells Units 1&2 P1 (MS/MSD), Aiea
Wells Pumps 1&2 P2

Client Sample ID: AIEA WELLS PUMPS 1&2 P2 (260)
(331-203-TP400)

Lab Sample ID: 380-165934-3

Date Collected: 08/11/25 11:39
Date Received: 08/13/25 10:20

Matrix: Water
PWSID Number: HI0000331

Method: EPA 625.1 SIM - Semivolatile Organic Compounds GC/MS (SIM)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
1-Methylnaphthalene	<0.19		0.19	ug/L		08/15/25 09:51	08/23/25 13:10	1
2-Methylnaphthalene	<0.19		0.19	ug/L		08/15/25 09:51	08/23/25 13:10	1
Acenaphthene	<0.19		0.19	ug/L		08/15/25 09:51	08/23/25 13:10	1
Acenaphthylene	<0.19		0.19	ug/L		08/15/25 09:51	08/23/25 13:10	1
Anthracene	<0.19		0.19	ug/L		08/15/25 09:51	08/23/25 13:10	1
Benzo[a]anthracene	<0.19		0.19	ug/L		08/15/25 09:51	08/23/25 13:10	1
Benzo[a]pyrene	<0.19		0.19	ug/L		08/15/25 09:51	08/23/25 13:10	1
Benzo[b]fluoranthene	<0.19		0.19	ug/L		08/15/25 09:51	08/23/25 13:10	1
Benzo[g,h,i]perylene	<0.19		0.19	ug/L		08/15/25 09:51	08/23/25 13:10	1
Benzo[k]fluoranthene	<0.19		0.19	ug/L		08/15/25 09:51	08/23/25 13:10	1
Chrysene	<0.19		0.19	ug/L		08/15/25 09:51	08/23/25 13:10	1
Dibenz(a,h)anthracene	<0.19		0.19	ug/L		08/15/25 09:51	08/23/25 13:10	1
Fluoranthene	<0.19		0.19	ug/L		08/15/25 09:51	08/23/25 13:10	1
Fluorene	<0.19		0.19	ug/L		08/15/25 09:51	08/23/25 13:10	1
Indeno[1,2,3-cd]pyrene	<0.19		0.19	ug/L		08/15/25 09:51	08/23/25 13:10	1
Naphthalene	<0.19		0.19	ug/L		08/15/25 09:51	08/23/25 13:10	1
Phenanthrene	<0.19		0.19	ug/L		08/15/25 09:51	08/23/25 13:10	1
Pyrene	<0.19		0.19	ug/L		08/15/25 09:51	08/23/25 13:10	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2,4,6-Tribromophenol (Surr)	100		28 - 127	08/15/25 09:51	08/23/25 13:10	1
2-Fluorobiphenyl (Surr)	78		31 - 120	08/15/25 09:51	08/23/25 13:10	1
2-Fluorophenol (Surr)	51		17 - 120	08/15/25 09:51	08/23/25 13:10	1
Nitrobenzene-d5 (Surr)	94		27 - 120	08/15/25 09:51	08/23/25 13:10	1
Phenol-d6 (Surr)	32		10 - 120	08/15/25 09:51	08/23/25 13:10	1
p-Terphenyl-d14 (Surr)	75		45 - 120	08/15/25 09:51	08/23/25 13:10	1

Method: EPA 625.1 - Semivolatile Organic Compounds (GC/MS)

Tentatively Identified Compound	Est. Result	Qualifier	Unit	D	RT	CAS No.	Prepared	Analyzed	Dil Fac
Tentatively Identified Compound	None		ug/L			N/A	08/15/25 09:51	08/26/25 15:01	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2,4,6-Tribromophenol (Surr)	70		33 - 139	08/15/25 09:51	08/26/25 15:01	1
2-Fluorobiphenyl (Surr)	81		33 - 126	08/15/25 09:51	08/26/25 15:01	1
2-Fluorophenol (Surr)	40		12 - 120	08/15/25 09:51	08/26/25 15:01	1
Nitrobenzene-d5 (Surr)	75		36 - 120	08/15/25 09:51	08/26/25 15:01	1
Phenol-d6 (Surr)	20		10 - 120	08/15/25 09:51	08/26/25 15:01	1
p-Terphenyl-d14 (Surr)	75		47 - 131	08/15/25 09:51	08/26/25 15:01	1

Method: SW846 8015B GRO LL - Gasoline Range Organics - (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
GRO (C6-C10)	<10		10	ug/L			08/24/25 16:37	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	88		38 - 134		08/24/25 16:37	1

Eurofins Eaton Analytical Pomona

Client Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-165934-1
SDG: Weekly: Halawa Wells Units 1&2 P1 (MS/MSD), Aiea
Wells Pumps 1&2 P2

Client Sample ID: AIEA WELLS PUMPS 1&2 P2 (260)
(331-203-TP400)

Lab Sample ID: 380-165934-3

Date Collected: 08/11/25 11:39
Date Received: 08/13/25 10:20

Matrix: Water
PWSID Number: HI0000331

Method: SW846 8015B - Diesel Range Organics (DRO) (GC) Low Level

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics (C10-C24)	<25		25	ug/L		08/17/25 14:45	08/25/25 05:11	1
Motor Oil Range Organics [C24-C36]	<25		25	ug/L		08/17/25 14:45	08/25/25 05:11	1
C8-C18	<25		25	ug/L		08/17/25 14:45	08/25/25 05:11	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
n-Octacosane (Surr)	75		60 - 130			08/17/25 14:45	08/25/25 05:11	1

Client Sample ID: TB: AIEA WELLS PUMPS 1&2 (260)
(331-203-TP400)

Lab Sample ID: 380-165934-4

Date Collected: 08/11/25 11:39
Date Received: 08/13/25 10:20

Matrix: Water
PWSID Number: HI0000331

Method: SW846 8015B GRO LL - Gasoline Range Organics - (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
GRO (C6-C10)	<10		10	ug/L			08/25/25 01:03	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	89		38 - 134				08/25/25 01:03	1

Action Limit Summary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-165934-1
SDG: Weekly: Halawa Wells Units 1&2 P1 (MS/MSD), Aiea
Wells Pumps 1&2 P2

**Client Sample ID: HALAWA WELLS UNITS 1 & 2 P1
(331-206-TP065)**

Lab Sample ID: 380-165934-1

PWSID Number: HI0000331

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL	RL	Method	Prep Type
				Limit			
Alachlor	<0.049		ug/L	2	0.049	525.2	Total/NA
Atrazine	<0.049		ug/L	3	0.049	525.2	Total/NA
Benzo[a]pyrene	<0.019		ug/L	0.2	0.019	525.2	Total/NA
Bis(2-ethylhexyl) phthalate	<0.58		ug/L	6	0.58	525.2	Total/NA
Di(2-ethylhexyl)adipate	<0.58		ug/L	400	0.58	525.2	Total/NA
Endrin	<0.0097		ug/L	2	0.0097	525.2	Total/NA
Heptachlor	<0.0097		ug/L	0.4	0.0097	525.2	Total/NA
Heptachlor epoxide (isomer B)	0.0099		ug/L	0.2	0.0097	525.2	Total/NA
Hexachlorobenzene	<0.049		ug/L	1	0.049	525.2	Total/NA
Hexachlorocyclopentadiene	<0.049		ug/L	50	0.049	525.2	Total/NA
Lindane	<0.0097		ug/L	0.2	0.0097	525.2	Total/NA
Methoxychlor	<0.049		ug/L	40	0.049	525.2	Total/NA
Simazine	<0.049		ug/L	4	0.049	525.2	Total/NA
Benzo[a]pyrene	<0.19		ug/L	0.2	0.19	625.1 SIM	Total/NA

**Client Sample ID: AIEA WELLS PUMPS 1&2 P2 (260)
(331-203-TP400)**

Lab Sample ID: 380-165934-3

PWSID Number: HI0000331

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL	RL	Method	Prep Type
				Limit			
Alachlor	<0.048		ug/L	2	0.048	525.2	Total/NA
Atrazine	<0.048		ug/L	3	0.048	525.2	Total/NA
Benzo[a]pyrene	<0.019		ug/L	0.2	0.019	525.2	Total/NA
Bis(2-ethylhexyl) phthalate	<0.58		ug/L	6	0.58	525.2	Total/NA
Di(2-ethylhexyl)adipate	<0.58		ug/L	400	0.58	525.2	Total/NA
Endrin	<0.0097		ug/L	2	0.0097	525.2	Total/NA
Heptachlor	<0.0097		ug/L	0.4	0.0097	525.2	Total/NA
Heptachlor epoxide (isomer B)	<0.0097		ug/L	0.2	0.0097	525.2	Total/NA
Hexachlorobenzene	<0.048		ug/L	1	0.048	525.2	Total/NA
Hexachlorocyclopentadiene	<0.048		ug/L	50	0.048	525.2	Total/NA
Lindane	<0.0097		ug/L	0.2	0.0097	525.2	Total/NA
Methoxychlor	<0.048		ug/L	40	0.048	525.2	Total/NA
Simazine	<0.048		ug/L	4	0.048	525.2	Total/NA
Benzo[a]pyrene	<0.19		ug/L	0.2	0.19	625.1 SIM	Total/NA

Surrogate Summary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-165934-1
SDG: Weekly: Halawa Wells Units 1&2 P1 (MS/MSD), Aiea
Wells Pumps 1&2 P2

Method: 525.2 - Semivolatile Organic Compounds (GC/MS)

Matrix: Drinking Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)		
		2NMX (70-130)	PRY (70-130)	TPP (70-130)
380-165934-1	HALAWA WELLS UNITS 1 & 2 F	97	88	96
380-165934-1 MS	HALAWA WELLS UNITS 1 & 2 P1 (331-206-TP065)	95	92	107

Surrogate Legend

2NMX = 2-Nitro-m-xylene

PRY = Perylene-d12

TPP = Triphenylphosphate

Method: 525.2 - Semivolatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)		
		2NMX (70-130)	PRY (70-130)	TPP (70-130)
380-165934-3	AIEA WELLS PUMPS 1&2 P2 (2	95	85	95
380-166534-Q-1-A DU	Duplicate	97	80	100
LCS 380-169040/21-A	Lab Control Sample	95	94	99
LCSD 380-169040/22-A	Lab Control Sample Dup	95	94	98
MB 380-169040/19-A	Method Blank	96	83	95
MRL 380-169040/20-A	Lab Control Sample	95	81	101

Surrogate Legend

2NMX = 2-Nitro-m-xylene

PRY = Perylene-d12

TPP = Triphenylphosphate

Method: 625.1 - Semivolatile Organic Compounds (GC/MS)

Matrix: Drinking Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)					
		TBP (33-139)	FBP (33-126)	2FP (12-120)	NBZ (36-120)	PHL6 (10-120)	TPHd14 (47-131)
380-165934-1	HALAWA WELLS UNITS 1 & 2 F	80	80	41	77	20	83

Surrogate Legend

TBP = 2,4,6-Tribromophenol (Surr)

FBP = 2-Fluorobiphenyl (Surr)

2FP = 2-Fluorophenol (Surr)

NBZ = Nitrobenzene-d5 (Surr)

PHL6 = Phenol-d6 (Surr)

TPHd14 = p-Terphenyl-d14 (Surr)

Method: 625.1 - Semivolatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)					
		TBP (33-139)	FBP (33-126)	2FP (12-120)	NBZ (36-120)	PHL6 (10-120)	TPHd14 (47-131)
380-165934-3	AIEA WELLS PUMPS 1&2 P2 (2	70	81	40	75	20	75
MB 570-611589/1-A	Method Blank	88	87	52	84	36	102

Eurofins Eaton Analytical Pomona

Surrogate Summary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-165934-1
SDG: Weekly: Halawa Wells Units 1&2 P1 (MS/MSD), Aiea
Wells Pumps 1&2 P2

Surrogate Legend

TBP = 2,4,6-Tribromophenol (Surr)
FBP = 2-Fluorobiphenyl (Surr)
2FP = 2-Fluorophenol (Surr)
NBZ = Nitrobenzene-d5 (Surr)
PHL6 = Phenol-d6 (Surr)
TPHd14 = p-Terphenyl-d14 (Surr)

Method: 625.1 SIM - Semivolatile Organic Compounds GC/MS (SIM)

Matrix: Drinking Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)					
		TBP (28-127)	FBP (31-120)	2FP (17-120)	NBZ (27-120)	PHL6 (10-120)	TPHd14 (45-120)
380-165934-1	HALAWA WELLS UNITS 1 & 2	98	75	52	89	32	78
380-165934-1 MS	HALAWA WELLS UNITS 1 & 2 (331-206-TP065)	90	77	56	75	36	76
380-165934-1 MSD	HALAWA WELLS UNITS 1 & 2 (331-206-TP065)	92	81	58	74	37	77

Surrogate Legend

TBP = 2,4,6-Tribromophenol (Surr)
FBP = 2-Fluorobiphenyl (Surr)
2FP = 2-Fluorophenol (Surr)
NBZ = Nitrobenzene-d5 (Surr)
PHL6 = Phenol-d6 (Surr)
TPHd14 = p-Terphenyl-d14 (Surr)

Method: 625.1 SIM - Semivolatile Organic Compounds GC/MS (SIM)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)					
		TBP (28-127)	FBP (31-120)	2FP (17-120)	NBZ (27-120)	PHL6 (10-120)	TPHd14 (45-120)
380-165934-3	AIEA WELLS PUMPS 1&2 P2 (2	100	78	51	94	32	75
LCS 570-611589/2-A	Lab Control Sample	97	84	71	78	48	87
LCSD 570-611589/3-A	Lab Control Sample Dup	96	83	70	78	47	86
MB 570-611589/1-A	Method Blank	111	87	68	102	43	87

Surrogate Legend

TBP = 2,4,6-Tribromophenol (Surr)
FBP = 2-Fluorobiphenyl (Surr)
2FP = 2-Fluorophenol (Surr)
NBZ = Nitrobenzene-d5 (Surr)
PHL6 = Phenol-d6 (Surr)
TPHd14 = p-Terphenyl-d14 (Surr)

Method: 8015B GRO LL - Gasoline Range Organics - (GC)

Matrix: Drinking Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)					
		BFB1 (38-134)					
380-165934-1	HALAWA WELLS UNITS 1 & 2	86					
380-165934-1 MS	HALAWA WELLS UNITS 1 & 2 P1 (331-206-TP065)	98					
380-165934-1 MSD	HALAWA WELLS UNITS 1 & 2 (331-206-TP065)	96					

Eurofins Eaton Analytical Pomona

Surrogate Summary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-165934-1
SDG: Weekly: Halawa Wells Units 1&2 P1 (MS/MSD), Aiea
Wells Pumps 1&2 P2

Method: 8015B GRO LL - Gasoline Range Organics - (GC) (Continued)

Matrix: Drinking Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	BFB1 (38-134)
380-165934-2	TB: HALAWA WELLS UNITS 1 & 2	88

Surrogate Legend

BFB = 4-Bromofluorobenzene (Surr)

Method: 8015B GRO LL - Gasoline Range Organics - (GC)

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	BFB1 (38-134)
380-165934-3	AIEA WELLS PUMPS 1&2 P2 (2	88
380-165934-4	TB: AIEA WELLS PUMPS 1&2 (260) (331-203-TP400)	89
LCS 570-615990/1008	Lab Control Sample	98
LCSD 570-615990/9	Lab Control Sample Dup	97
MB 570-615990/10	Method Blank	84
MRL 570-615990/1003	Lab Control Sample	88

Surrogate Legend

BFB = 4-Bromofluorobenzene (Surr)

Method: 8015B - Diesel Range Organics (DRO) (GC) Low Level

Matrix: Drinking Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	OTCSN1 (60-130)
380-165934-1	HALAWA WELLS UNITS 1 & 2	91
380-165934-1 MS	HALAWA WELLS UNITS 1 & 2 (331-206-TP065)	93
380-165934-1 MSD	HALAWA WELLS UNITS 1 & 2 (331-206-TP065)	96

Surrogate Legend

OTCSN = n-Octacosane (Surr)

Method: 8015B - Diesel Range Organics (DRO) (GC) Low Level

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	OTCSN1 (60-130)
380-165934-3	AIEA WELLS PUMPS 1&2 P2 (2	75
LCS 570-612680/2-A	Lab Control Sample	96
LCSD 570-612680/3-A	Lab Control Sample Dup	90
MB 570-612680/1-A	Method Blank	85
MRL 570-612680/4-A	Lab Control Sample	87
MRL 570-612680/4-A	Lab Control Sample	91

Surrogate Legend

OTCSN = n-Octacosane (Surr)

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-165934-1
SDG: Weekly: Halawa Wells Units 1&2 P1 (MS/MSD), Aiea
Wells Pumps 1&2 P2

Method: 525.2 - Semivolatile Organic Compounds (GC/MS)

Lab Sample ID: MB 380-169040/19-A

Matrix: Water

Analysis Batch: 169094

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 169040

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
1-Methylnaphthalene	<0.097		0.097	ug/L		08/18/25 07:55	08/18/25 15:48	1
2,4'-DDD	<0.097		0.097	ug/L		08/18/25 07:55	08/18/25 15:48	1
2,4'-DDE	<0.097		0.097	ug/L		08/18/25 07:55	08/18/25 15:48	1
2,4'-DDT	<0.097		0.097	ug/L		08/18/25 07:55	08/18/25 15:48	1
2,4-Dinitrotoluene	<0.097		0.097	ug/L		08/18/25 07:55	08/18/25 15:48	1
2,6-Dinitrotoluene	<0.097		0.097	ug/L		08/18/25 07:55	08/18/25 15:48	1
2-Methylnaphthalene	<0.097		0.097	ug/L		08/18/25 07:55	08/18/25 15:48	1
4,4'-DDD	<0.097		0.097	ug/L		08/18/25 07:55	08/18/25 15:48	1
4,4'-DDE	<0.097		0.097	ug/L		08/18/25 07:55	08/18/25 15:48	1
4,4'-DDT	<0.097		0.097	ug/L		08/18/25 07:55	08/18/25 15:48	1
Acenaphthene	<0.097		0.097	ug/L		08/18/25 07:55	08/18/25 15:48	1
Acenaphthylene	<0.097		0.097	ug/L		08/18/25 07:55	08/18/25 15:48	1
Acetochlor	<0.097		0.097	ug/L		08/18/25 07:55	08/18/25 15:48	1
Alachlor	<0.049		0.049	ug/L		08/18/25 07:55	08/18/25 15:48	1
alpha-BHC	<0.097		0.097	ug/L		08/18/25 07:55	08/18/25 15:48	1
alpha-Chlordane	<0.049		0.049	ug/L		08/18/25 07:55	08/18/25 15:48	1
Anthracene	<0.019		0.019	ug/L		08/18/25 07:55	08/18/25 15:48	1
Atrazine	<0.049		0.049	ug/L		08/18/25 07:55	08/18/25 15:48	1
Benz(a)anthracene	<0.049		0.049	ug/L		08/18/25 07:55	08/18/25 15:48	1
Benzo[a]pyrene	<0.019		0.019	ug/L		08/18/25 07:55	08/18/25 15:48	1
Benzo[b]fluoranthene	<0.019		0.019	ug/L		08/18/25 07:55	08/18/25 15:48	1
Benzo[g,h,i]perylene	<0.049		0.049	ug/L		08/18/25 07:55	08/18/25 15:48	1
Benzo[k]fluoranthene	<0.019		0.019	ug/L		08/18/25 07:55	08/18/25 15:48	1
beta-BHC	<0.097		0.097	ug/L		08/18/25 07:55	08/18/25 15:48	1
Bis(2-ethylhexyl) phthalate	<0.58		0.58	ug/L		08/18/25 07:55	08/18/25 15:48	1
Bromacil	<0.097		0.097	ug/L		08/18/25 07:55	08/18/25 15:48	1
Butachlor	<0.049		0.049	ug/L		08/18/25 07:55	08/18/25 15:48	1
Butylbenzylphthalate	<0.49		0.49	ug/L		08/18/25 07:55	08/18/25 15:48	1
Chlorobenzilate	<0.097		0.097	ug/L		08/18/25 07:55	08/18/25 15:48	1
Chloroneb	<0.097		0.097	ug/L		08/18/25 07:55	08/18/25 15:48	1
Chlorothalonil (Draconil, Bravo)	<0.097		0.097	ug/L		08/18/25 07:55	08/18/25 15:48	1
Chlorpyrifos	<0.049		0.049	ug/L		08/18/25 07:55	08/18/25 15:48	1
Chrysene	<0.019		0.019	ug/L		08/18/25 07:55	08/18/25 15:48	1
delta-BHC	<0.097		0.097	ug/L		08/18/25 07:55	08/18/25 15:48	1
Di(2-ethylhexyl)adipate	<0.58		0.58	ug/L		08/18/25 07:55	08/18/25 15:48	1
Dibenz(a,h)anthracene	<0.049		0.049	ug/L		08/18/25 07:55	08/18/25 15:48	1
Diclorvos (DDVP)	<0.049		0.049	ug/L		08/18/25 07:55	08/18/25 15:48	1
Dieldrin	<0.0097		0.0097	ug/L		08/18/25 07:55	08/18/25 15:48	1
Diethylphthalate	<0.49		0.49	ug/L		08/18/25 07:55	08/18/25 15:48	1
Dimethylphthalate	<0.49		0.49	ug/L		08/18/25 07:55	08/18/25 15:48	1
Di-n-butyl phthalate	<0.97		0.97	ug/L		08/18/25 07:55	08/18/25 15:48	1
Di-n-octyl phthalate	<0.097		0.097	ug/L		08/18/25 07:55	08/18/25 15:48	1
Endosulfan I (Alpha)	<0.097		0.097	ug/L		08/18/25 07:55	08/18/25 15:48	1
Endosulfan II (Beta)	<0.097		0.097	ug/L		08/18/25 07:55	08/18/25 15:48	1
Endosulfan sulfate	<0.097		0.097	ug/L		08/18/25 07:55	08/18/25 15:48	1
Endrin	<0.0097		0.0097	ug/L		08/18/25 07:55	08/18/25 15:48	1
Endrin aldehyde	<0.097		0.097	ug/L		08/18/25 07:55	08/18/25 15:48	1

Eurofins Eaton Analytical Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-165934-1
SDG: Weekly: Halawa Wells Units 1&2 P1 (MS/MSD), Aiea
Wells Pumps 1&2 P2

Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 380-169040/19-A

Matrix: Water

Analysis Batch: 169094

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 169040

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
EPTC	<0.097		0.097	ug/L		08/18/25 07:55	08/18/25 15:48	1
Fluoranthene	<0.097		0.097	ug/L		08/18/25 07:55	08/18/25 15:48	1
Fluorene	<0.049		0.049	ug/L		08/18/25 07:55	08/18/25 15:48	1
gamma-Chlordane	<0.049		0.049	ug/L		08/18/25 07:55	08/18/25 15:48	1
Heptachlor	<0.0097		0.0097	ug/L		08/18/25 07:55	08/18/25 15:48	1
Heptachlor epoxide (isomer B)	<0.0097		0.0097	ug/L		08/18/25 07:55	08/18/25 15:48	1
Hexachlorobenzene	<0.049		0.049	ug/L		08/18/25 07:55	08/18/25 15:48	1
Hexachlorocyclopentadiene	<0.049		0.049	ug/L		08/18/25 07:55	08/18/25 15:48	1
Indeno[1,2,3-cd]pyrene	<0.049		0.049	ug/L		08/18/25 07:55	08/18/25 15:48	1
Isophorone	<0.097		0.097	ug/L		08/18/25 07:55	08/18/25 15:48	1
Lindane	<0.0097		0.0097	ug/L		08/18/25 07:55	08/18/25 15:48	1
Malathion	<0.097		0.097	ug/L		08/18/25 07:55	08/18/25 15:48	1
Methoxychlor	<0.049		0.049	ug/L		08/18/25 07:55	08/18/25 15:48	1
Metolachlor	<0.049		0.049	ug/L		08/18/25 07:55	08/18/25 15:48	1
Molinate	<0.097		0.097	ug/L		08/18/25 07:55	08/18/25 15:48	1
Naphthalene	<0.097		0.097	ug/L		08/18/25 07:55	08/18/25 15:48	1
Parathion	<0.097		0.097	ug/L		08/18/25 07:55	08/18/25 15:48	1
Pendimethalin (Penoxaline)	<0.097		0.097	ug/L		08/18/25 07:55	08/18/25 15:48	1
Phenanthrene	<0.039		0.039	ug/L		08/18/25 07:55	08/18/25 15:48	1
Propachlor	<0.049		0.049	ug/L		08/18/25 07:55	08/18/25 15:48	1
Pyrene	<0.049		0.049	ug/L		08/18/25 07:55	08/18/25 15:48	1
Simazine	<0.049		0.049	ug/L		08/18/25 07:55	08/18/25 15:48	1
Terbacil	<0.097		0.097	ug/L		08/18/25 07:55	08/18/25 15:48	1
Terbutylazine	<0.097		0.097	ug/L		08/18/25 07:55	08/18/25 15:48	1
Thiobencarb	<0.097		0.097	ug/L		08/18/25 07:55	08/18/25 15:48	1
Total Permethrin (mixed isomers)	<0.19		0.19	ug/L		08/18/25 07:55	08/18/25 15:48	1
trans-Nonachlor	<0.049		0.049	ug/L		08/18/25 07:55	08/18/25 15:48	1
Trifluralin	<0.097		0.097	ug/L		08/18/25 07:55	08/18/25 15:48	1

Tentatively Identified Compound	MB Est. Result	MB Qualifier	Unit	D	RT	CAS No.	Prepared	Analyzed	Dil Fac
Plumbane, diethyldimethyl-	0.514	T J N	ug/L		3.25	1762-27-2	08/18/25 07:55	08/18/25 15:48	1
Cyclohexasiloxane, dodecamethyl-	1.07	T J N	ug/L		3.86	540-97-6	08/18/25 07:55	08/18/25 15:48	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
2-Nitro-m-xylene	96		70 - 130	08/18/25 07:55	08/18/25 15:48	1
Perylene-d12	83		70 - 130	08/18/25 07:55	08/18/25 15:48	1
Triphenylphosphate	95		70 - 130	08/18/25 07:55	08/18/25 15:48	1

Lab Sample ID: LCS 380-169040/21-A

Matrix: Water

Analysis Batch: 169094

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 169040

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limits
1-Methylnaphthalene	1.95	1.94		ug/L		99	70 - 130
2,4'-DDD	1.95	2.03		ug/L		104	70 - 130
2,4'-DDE	1.95	2.01		ug/L		103	70 - 130
2,4'-DDT	1.95	1.91		ug/L		98	70 - 130

Eurofins Eaton Analytical Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-165934-1
SDG: Weekly: Halawa Wells Units 1&2 P1 (MS/MSD), Aiea
Wells Pumps 1&2 P2

Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 380-169040/21-A

Matrix: Water

Analysis Batch: 169094

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 169040

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
2,4-Dinitrotoluene	1.95	1.90		ug/L		98	70 - 130
2,6-Dinitrotoluene	1.95	1.87		ug/L		96	70 - 130
2-Methylnaphthalene	1.95	1.82		ug/L		94	70 - 130
4,4'-DDD	1.95	2.05		ug/L		105	70 - 130
4,4'-DDE	1.95	1.93		ug/L		99	70 - 130
4,4'-DDT	1.95	2.00		ug/L		103	70 - 130
Acenaphthene	1.95	1.86		ug/L		95	70 - 130
Acenaphthylene	1.95	1.91		ug/L		98	70 - 130
Acetochlor	1.95	2.08		ug/L		107	70 - 130
Alachlor	1.95	2.12		ug/L		109	70 - 130
alpha-BHC	1.95	1.93		ug/L		99	70 - 130
alpha-Chlordane	1.95	1.99		ug/L		102	70 - 130
Anthracene	1.95	1.90		ug/L		98	70 - 130
Atrazine	1.95	2.02		ug/L		103	70 - 130
Benz(a)anthracene	1.95	1.85		ug/L		95	70 - 130
Benzo[a]pyrene	1.95	1.88		ug/L		96	70 - 130
Benzo[b]fluoranthene	1.95	1.89		ug/L		97	70 - 130
Benzo[g,h,i]perylene	1.95	1.86		ug/L		96	70 - 130
Benzo[k]fluoranthene	1.95	1.90		ug/L		97	70 - 130
beta-BHC	1.95	2.01		ug/L		103	70 - 130
Bis(2-ethylhexyl) phthalate	1.95	1.88		ug/L		96	70 - 130
Bromacil	1.95	1.92		ug/L		99	70 - 130
Butachlor	1.95	2.25		ug/L		115	70 - 130
Butylbenzylphthalate	1.95	1.93		ug/L		99	70 - 130
Chlorobenzilate	1.95	2.07		ug/L		106	70 - 130
Chloroneb	1.95	1.95		ug/L		100	70 - 130
Chlorothalonil (Draconil, Bravo)	1.95	1.94		ug/L		99	70 - 130
Chlorpyrifos	1.95	2.12		ug/L		109	70 - 130
Chrysene	1.95	2.01		ug/L		103	70 - 130
delta-BHC	1.95	1.88		ug/L		96	70 - 130
Di(2-ethylhexyl)adipate	1.95	1.88		ug/L		96	70 - 130
Dibenz(a,h)anthracene	1.95	1.78		ug/L		91	70 - 130
Diclorvos (DDVP)	1.95	2.04		ug/L		104	70 - 130
Dieldrin	1.95	1.93		ug/L		99	70 - 130
Diethylphthalate	1.95	2.03		ug/L		104	70 - 130
Dimethylphthalate	1.95	1.97		ug/L		101	70 - 130
Di-n-butyl phthalate	3.90	4.76		ug/L		122	70 - 130
Di-n-octyl phthalate	1.95	1.88		ug/L		97	70 - 130
Endosulfan I (Alpha)	1.95	1.76		ug/L		90	70 - 130
Endosulfan II (Beta)	1.95	1.93		ug/L		99	70 - 130
Endosulfan sulfate	1.95	1.98		ug/L		101	70 - 130
Endrin	1.95	2.02		ug/L		104	70 - 130
Endrin aldehyde	1.95	1.72		ug/L		88	60 - 130
EPTC	1.95	2.03		ug/L		104	70 - 130
Fluoranthene	1.95	2.05		ug/L		105	70 - 130
Fluorene	1.95	1.98		ug/L		101	70 - 130
gamma-Chlordane	1.95	2.06		ug/L		106	70 - 130
Heptachlor	1.95	2.19		ug/L		112	70 - 130

Eurofins Eaton Analytical Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-165934-1
SDG: Weekly: Halawa Wells Units 1&2 P1 (MS/MSD), Aiea
Wells Pumps 1&2 P2

Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 380-169040/21-A

Matrix: Water

Analysis Batch: 169094

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 169040

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Heptachlor epoxide (isomer B)	1.95	2.06		ug/L		106	70 - 130
Hexachlorobenzene	1.95	1.93		ug/L		99	70 - 130
Hexachlorocyclopentadiene	1.95	1.94		ug/L		99	70 - 130
Indeno[1,2,3-cd]pyrene	1.95	1.81		ug/L		93	70 - 130
Isophorone	1.95	1.94		ug/L		99	70 - 130
Lindane	1.95	2.11		ug/L		108	70 - 130
Malathion	1.95	2.09		ug/L		107	70 - 130
Methoxychlor	1.95	2.16		ug/L		111	70 - 130
Metolachlor	1.95	2.17		ug/L		111	70 - 130
Molinate	1.95	2.04		ug/L		104	70 - 130
Naphthalene	1.95	1.80		ug/L		92	70 - 130
Parathion	1.95	2.06		ug/L		105	70 - 130
Pendimethalin (Penoxaline)	1.95	1.91		ug/L		98	70 - 130
Phenanthrene	1.95	1.85		ug/L		95	70 - 130
Propachlor	1.95	2.04		ug/L		105	70 - 130
Pyrene	1.95	2.04		ug/L		105	70 - 130
Simazine	1.95	2.10		ug/L		107	70 - 130
Terbacil	1.95	2.04		ug/L		104	70 - 130
Terbutylazine	1.95	2.16		ug/L		111	70 - 130
Thiobencarb	1.95	2.20		ug/L		113	70 - 130
trans-Nonachlor	1.95	2.01		ug/L		103	70 - 130
Trifluralin	1.95	1.93		ug/L		99	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
2-Nitro-m-xylene	95		70 - 130
Perylene-d12	94		70 - 130
Triphenylphosphate	99		70 - 130

Lab Sample ID: LCSD 380-169040/22-A

Matrix: Water

Analysis Batch: 169094

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 169040

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1-Methylnaphthalene	1.95	1.95		ug/L		100	70 - 130	1	20
2,4'-DDD	1.95	1.99		ug/L		102	70 - 130	2	20
2,4'-DDE	1.95	2.04		ug/L		105	70 - 130	1	20
2,4'-DDT	1.95	1.90		ug/L		98	70 - 130	0	20
2,4-Dinitrotoluene	1.95	1.90		ug/L		98	70 - 130	0	20
2,6-Dinitrotoluene	1.95	1.87		ug/L		96	70 - 130	0	20
2-Methylnaphthalene	1.95	1.83		ug/L		94	70 - 130	1	20
4,4'-DDD	1.95	2.04		ug/L		105	70 - 130	0	20
4,4'-DDE	1.95	1.96		ug/L		101	70 - 130	2	20
4,4'-DDT	1.95	1.97		ug/L		101	70 - 130	1	20
Acenaphthene	1.95	1.87		ug/L		96	70 - 130	0	20
Acenaphthylene	1.95	1.94		ug/L		100	70 - 130	1	20
Acetochlor	1.95	2.03		ug/L		104	70 - 130	3	20
Alachlor	1.95	2.10		ug/L		108	70 - 130	1	20

Eurofins Eaton Analytical Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-165934-1
SDG: Weekly: Halawa Wells Units 1&2 P1 (MS/MSD), Aiea
Wells Pumps 1&2 P2

Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCSD 380-169040/22-A

Matrix: Water

Analysis Batch: 169094

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 169040

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
alpha-BHC	1.95	1.89		ug/L		97	70 - 130	2	20
alpha-Chlordane	1.95	1.98		ug/L		102	70 - 130	1	20
Anthracene	1.95	1.88		ug/L		96	70 - 130	1	20
Atrazine	1.95	2.06		ug/L		106	70 - 130	2	20
Benz(a)anthracene	1.95	1.91		ug/L		98	70 - 130	3	20
Benzo[a]pyrene	1.95	1.88		ug/L		96	70 - 130	0	20
Benzo[b]fluoranthene	1.95	1.94		ug/L		100	70 - 130	2	20
Benzo[g,h,i]perylene	1.95	1.96		ug/L		101	70 - 130	5	20
Benzo[k]fluoranthene	1.95	1.91		ug/L		98	70 - 130	1	20
beta-BHC	1.95	1.96		ug/L		101	70 - 130	3	20
Bis(2-ethylhexyl) phthalate	1.95	1.85		ug/L		95	70 - 130	1	20
Bromacil	1.95	2.08		ug/L		107	70 - 130	8	20
Butachlor	1.95	2.21		ug/L		114	70 - 130	2	20
Butylbenzylphthalate	1.95	1.89		ug/L		97	70 - 130	2	20
Chlorobenzilate	1.95	2.00		ug/L		103	70 - 130	3	20
Chloroneb	1.95	1.94		ug/L		100	70 - 130	0	20
Chlorothalonil (Draconil, Bravo)	1.95	1.92		ug/L		99	70 - 130	1	20
Chlorpyrifos	1.95	2.13		ug/L		109	70 - 130	1	20
Chrysene	1.95	2.00		ug/L		103	70 - 130	0	20
delta-BHC	1.95	1.84		ug/L		95	70 - 130	2	20
Di(2-ethylhexyl)adipate	1.95	1.90		ug/L		97	70 - 130	1	20
Dibenz(a,h)anthracene	1.95	1.86		ug/L		96	70 - 130	4	20
Diclorvos (DDVP)	1.95	2.04		ug/L		105	70 - 130	0	20
Dieldrin	1.95	1.86		ug/L		95	70 - 130	4	20
Diethylphthalate	1.95	2.01		ug/L		104	70 - 130	1	20
Dimethylphthalate	1.95	1.98		ug/L		102	70 - 130	0	20
Di-n-butyl phthalate	3.89	4.67		ug/L		120	70 - 130	2	20
Di-n-octyl phthalate	1.95	1.90		ug/L		97	70 - 130	1	20
Endosulfan I (Alpha)	1.95	1.76		ug/L		91	70 - 130	0	20
Endosulfan II (Beta)	1.95	1.88		ug/L		97	70 - 130	3	20
Endosulfan sulfate	1.95	1.95		ug/L		100	70 - 130	1	20
Endrin	1.95	1.97		ug/L		101	70 - 130	3	20
Endrin aldehyde	1.95	1.70		ug/L		88	60 - 130	1	20
EPTC	1.95	2.00		ug/L		103	70 - 130	1	20
Fluoranthene	1.95	2.10		ug/L		108	70 - 130	2	20
Fluorene	1.95	1.96		ug/L		100	70 - 130	1	20
gamma-Chlordane	1.95	2.04		ug/L		105	70 - 130	1	20
Heptachlor	1.95	2.21		ug/L		114	70 - 130	1	20
Heptachlor epoxide (isomer B)	1.95	2.06		ug/L		106	70 - 130	0	20
Hexachlorobenzene	1.95	1.92		ug/L		98	70 - 130	1	20
Hexachlorocyclopentadiene	1.95	1.98		ug/L		102	70 - 130	2	20
Indeno[1,2,3-cd]pyrene	1.95	1.87		ug/L		96	70 - 130	3	20
Isophorone	1.95	1.95		ug/L		100	70 - 130	1	20
Lindane	1.95	2.04		ug/L		105	70 - 130	3	20
Malathion	1.95	2.09		ug/L		108	70 - 130	0	20
Methoxychlor	1.95	2.06		ug/L		106	70 - 130	4	20
Metolachlor	1.95	2.15		ug/L		111	70 - 130	1	20
Molinate	1.95	2.03		ug/L		104	70 - 130	0	20

Eurofins Eaton Analytical Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-165934-1
SDG: Weekly: Halawa Wells Units 1&2 P1 (MS/MSD), Aiea
Wells Pumps 1&2 P2

Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCSD 380-169040/22-A

Matrix: Water

Analysis Batch: 169094

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 169040

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Naphthalene	1.95	1.84		ug/L		95	70 - 130	2	20
Parathion	1.95	2.06		ug/L		106	70 - 130	0	20
Pendimethalin (Penoxaline)	1.95	1.86		ug/L		96	70 - 130	2	20
Phenanthrene	1.95	1.82		ug/L		93	70 - 130	2	20
Propachlor	1.95	2.04		ug/L		105	70 - 130	0	20
Pyrene	1.95	2.11		ug/L		108	70 - 130	3	20
Simazine	1.95	2.15		ug/L		111	70 - 130	3	20
Terbacil	1.95	2.12		ug/L		109	70 - 130	4	20
Terbutylazine	1.95	2.17		ug/L		111	70 - 130	1	20
Thiobencarb	1.95	2.18		ug/L		112	70 - 130	1	20
trans-Nonachlor	1.95	1.97		ug/L		101	70 - 130	2	20
Trifluralin	1.95	1.87		ug/L		96	70 - 130	3	20

Surrogate	LCSD %Recovery	LCSD Qualifier	LCSD Limits
2-Nitro-m-xylene	95		70 - 130
Perylene-d12	94		70 - 130
Triphenylphosphate	98		70 - 130

Lab Sample ID: MRL 380-169040/20-A

Matrix: Water

Analysis Batch: 169094

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 169040

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
1-Methylnaphthalene	0.0974	0.0982		ug/L		101	50 - 150
2,4'-DDD	0.0974	0.0846	J	ug/L		87	50 - 150
2,4'-DDE	0.0974	0.100		ug/L		103	50 - 150
2,4'-DDT	0.0974	0.114		ug/L		117	50 - 150
2,4-Dinitrotoluene	0.0974	0.0859	J	ug/L		88	50 - 150
2,6-Dinitrotoluene	0.0974	0.111		ug/L		114	50 - 150
2-Methylnaphthalene	0.0974	0.0993		ug/L		102	50 - 150
4,4'-DDD	0.0974	0.0987		ug/L		101	50 - 150
4,4'-DDE	0.0974	0.0914	J	ug/L		94	50 - 150
4,4'-DDT	0.0974	0.113		ug/L		116	50 - 150
Acenaphthene	0.0974	0.0939	J	ug/L		96	50 - 150
Acenaphthylene	0.0974	0.0883	J	ug/L		91	50 - 150
Acetochlor	0.0974	0.106		ug/L		109	50 - 150
Alachlor	0.0487	0.0464	J	ug/L		95	50 - 150
alpha-BHC	0.0974	0.0968	J	ug/L		99	50 - 150
alpha-Chlordane	0.0243	<0.028		ug/L		103	50 - 150
Anthracene	0.0195	0.0205		ug/L		105	50 - 150
Atrazine	0.0487	0.0553		ug/L		113	50 - 150
Benz(a)anthracene	0.0487	0.0506		ug/L		104	50 - 150
Benzo[a]pyrene	0.0195	0.0177	J	ug/L		91	50 - 150
Benzo[b]fluoranthene	0.0195	0.0226		ug/L		116	50 - 150
Benzo[g,h,i]perylene	0.0487	0.0359	J	ug/L		74	50 - 150
Benzo[k]fluoranthene	0.0195	0.0207		ug/L		107	50 - 150
beta-BHC	0.0974	0.112		ug/L		115	50 - 150

Eurofins Eaton Analytical Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-165934-1
SDG: Weekly: Halawa Wells Units 1&2 P1 (MS/MSD), Aiea
Wells Pumps 1&2 P2

Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MRL 380-169040/20-A

Matrix: Water

Analysis Batch: 169094

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 169040

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
Bis(2-ethylhexyl) phthalate	0.584	0.529	J	ug/L		91	50 - 150
Bromacil	0.0974	0.0966	J	ug/L		99	50 - 150
Butachlor	0.0487	0.0525		ug/L		108	50 - 150
Butylbenzylphthalate	0.487	0.478	J	ug/L		98	50 - 150
Chlorobenzilate	0.0974	0.0947	J	ug/L		97	50 - 150
Chloroneb	0.0974	0.105		ug/L		107	50 - 150
Chlorothalonil (Draconil, Bravo)	0.0974	0.0946	J	ug/L		97	50 - 150
Chlorpyrifos	0.0487	0.0510		ug/L		105	50 - 150
Chrysene	0.0195	0.0206		ug/L		106	50 - 150
delta-BHC	0.0974	0.0942	J	ug/L		97	50 - 150
Di(2-ethylhexyl)adipate	0.584	0.567	J	ug/L		97	50 - 150
Dibenz(a,h)anthracene	0.0487	0.0439	J	ug/L		90	50 - 150
Diclorvos (DDVP)	0.0487	0.0567		ug/L		116	50 - 150
Dieldrin	0.00974	0.0141		ug/L		145	50 - 150
Diethylphthalate	0.487	0.517		ug/L		106	50 - 150
Dimethylphthalate	0.487	0.501		ug/L		103	50 - 150
Di-n-butyl phthalate	0.487	0.653	J	ug/L		134	49 - 243
Di-n-octyl phthalate	0.0974	0.0855	J	ug/L		88	50 - 150
Endosulfan I (Alpha)	0.0974	0.0810	J	ug/L		83	50 - 150
Endosulfan II (Beta)	0.0974	0.112		ug/L		115	50 - 150
Endosulfan sulfate	0.0974	0.0922	J	ug/L		95	50 - 150
Endrin	0.00974	0.00780	J	ug/L		80	50 - 150
Endrin aldehyde	0.0974	0.0961	J	ug/L		99	50 - 150
EPTC	0.0974	0.0968	J	ug/L		99	50 - 150
Fluoranthene	0.0974	0.0954	J	ug/L		98	50 - 150
Fluorene	0.0487	0.0499		ug/L		102	50 - 150
gamma-Chlordane	0.0243	0.0251	J	ug/L		103	50 - 150
Heptachlor	0.00974	0.00981		ug/L		101	50 - 150
Heptachlor epoxide (isomer B)	0.00974	0.0103		ug/L		105	50 - 150
Hexachlorobenzene	0.0487	0.0477	J	ug/L		98	50 - 150
Hexachlorocyclopentadiene	0.0487	0.0547		ug/L		112	50 - 150
Indeno[1,2,3-cd]pyrene	0.0487	0.0413	J	ug/L		85	50 - 150
Isophorone	0.0974	0.111		ug/L		114	50 - 150
Lindane	0.00974	0.0104		ug/L		107	50 - 150
Malathion	0.0974	0.0988		ug/L		101	50 - 150
Methoxychlor	0.0487	0.0532		ug/L		109	50 - 150
Metolachlor	0.0487	0.0510		ug/L		105	50 - 150
Molinate	0.0974	0.101		ug/L		104	50 - 150
Naphthalene	0.0974	0.0909	J	ug/L		93	50 - 150
Parathion	0.0974	0.0804	J	ug/L		83	50 - 150
Pendimethalin (Penoxaline)	0.0974	0.0981		ug/L		101	50 - 150
Phenanthrene	0.0389	0.0402		ug/L		103	50 - 150
Propachlor	0.0487	0.0512		ug/L		105	50 - 150
Pyrene	0.0487	0.0489	J	ug/L		100	50 - 150
Simazine	0.0487	0.0415	J	ug/L		85	50 - 150
Terbacil	0.0974	0.0893	J	ug/L		92	50 - 150
Terbutylazine	0.0974	0.101		ug/L		103	50 - 150
Thiobencarb	0.0974	0.0990		ug/L		102	50 - 150

Eurofins Eaton Analytical Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-165934-1
SDG: Weekly: Halawa Wells Units 1&2 P1 (MS/MSD), Aiea
Wells Pumps 1&2 P2

Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MRL 380-169040/20-A

Matrix: Water

Analysis Batch: 169094

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 169040

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
trans-Nonachlor	0.0243	<0.025		ug/L		93	50 - 150
Trifluralin	0.0974	0.0982		ug/L		101	50 - 150

Surrogate	MRL %Recovery	MRL Qualifier	Limits
2-Nitro-m-xylene	95		70 - 130
Perylene-d12	81		70 - 130
Triphenylphosphate	101		70 - 130

Lab Sample ID: 380-165934-1 MS

Matrix: Drinking Water

Analysis Batch: 169094

Client Sample ID: HALAWA WELLS UNITS 1 & 2 P1 (331-206-TP065)

Prep Type: Total/NA

Prep Batch: 169040

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
1-Methylnaphthalene	<0.097		1.96	1.98		ug/L		101	70 - 130
2,4'-DDD	<0.097		1.96	2.13		ug/L		109	70 - 130
2,4'-DDE	<0.097		1.96	2.05		ug/L		104	70 - 130
2,4'-DDT	<0.097		1.96	1.90		ug/L		97	70 - 130
2,4-Dinitrotoluene	<0.097		1.96	1.90		ug/L		97	70 - 130
2,6-Dinitrotoluene	<0.097		1.96	1.85		ug/L		94	70 - 130
2-Methylnaphthalene	<0.097		1.96	1.88		ug/L		95	70 - 130
4,4'-DDD	<0.097		1.96	2.18		ug/L		111	70 - 130
4,4'-DDE	<0.097		1.96	1.98		ug/L		101	70 - 130
4,4'-DDT	<0.097		1.96	1.99		ug/L		101	70 - 130
Acenaphthene	<0.097		1.96	1.91		ug/L		97	70 - 130
Acenaphthylene	<0.097		1.96	1.97		ug/L		101	70 - 130
Acetochlor	<0.097		1.96	2.07		ug/L		105	70 - 130
Alachlor	<0.049		1.96	2.05		ug/L		104	70 - 130
alpha-BHC	<0.097		1.96	1.92		ug/L		98	70 - 130
alpha-Chlordane	<0.049		1.96	2.13		ug/L		107	70 - 130
Anthracene	<0.019		1.96	1.92		ug/L		98	70 - 130
Atrazine	<0.049		1.96	2.11		ug/L		107	70 - 130
Benz(a)anthracene	<0.049		1.96	1.93		ug/L		98	70 - 130
Benzo[a]pyrene	<0.019		1.96	1.90		ug/L		97	70 - 130
Benzo[b]fluoranthene	<0.019		1.96	1.99		ug/L		101	70 - 130
Benzo[g,h,i]perylene	<0.049		1.96	1.83		ug/L		93	70 - 130
Benzo[k]fluoranthene	<0.019		1.96	1.86		ug/L		95	70 - 130
beta-BHC	<0.097		1.96	2.05		ug/L		104	70 - 130
Bis(2-ethylhexyl) phthalate	<0.58		1.96	1.58		ug/L		81	70 - 130
Bromacil	<0.097		1.96	1.98		ug/L		99	70 - 130
Butachlor	<0.049		1.96	2.35		ug/L		120	70 - 130
Butylbenzylphthalate	<0.49		1.96	2.15		ug/L		110	70 - 130
Chlorobenzilate	<0.097		1.96	2.27		ug/L		116	70 - 130
Chloroneb	<0.097		1.96	1.95		ug/L		99	70 - 130
Chlorothalonil (Draconil, Bravo)	<0.097		1.96	2.02		ug/L		103	70 - 130
Chlorpyrifos	<0.049		1.96	2.11		ug/L		108	70 - 130
Chrysene	<0.019		1.96	2.02		ug/L		103	70 - 130
delta-BHC	<0.097		1.96	1.93		ug/L		99	70 - 130

Eurofins Eaton Analytical Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-165934-1
SDG: Weekly: Halawa Wells Units 1&2 P1 (MS/MSD), Aiea
Wells Pumps 1&2 P2

Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 380-165934-1 MS

Client Sample ID: HALAWA WELLS UNITS 1 & 2 P1 (331-206-TP065)

Matrix: Drinking Water

Prep Type: Total/NA

Analysis Batch: 169094

Prep Batch: 169040

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Di(2-ethylhexyl)adipate	<0.58		1.96	1.78		ug/L		91	70 - 130
Dibenz(a,h)anthracene	<0.049		1.96	1.71		ug/L		87	70 - 130
Diclorvos (DDVP)	<0.049		1.96	2.06		ug/L		105	70 - 130
Dieldrin	0.031		1.96	2.07		ug/L		104	70 - 130
Diethylphthalate	<0.49		1.96	2.04		ug/L		104	70 - 130
Dimethylphthalate	<0.49		1.96	1.99		ug/L		101	70 - 130
Di-n-butyl phthalate	<0.97		3.92	4.35		ug/L		111	70 - 130
Di-n-octyl phthalate	<0.097		1.96	1.58		ug/L		81	70 - 130
Endosulfan I (Alpha)	<0.097		1.96	1.90		ug/L		97	70 - 130
Endosulfan II (Beta)	<0.097		1.96	2.05		ug/L		105	70 - 130
Endosulfan sulfate	<0.097		1.96	2.11		ug/L		107	70 - 130
Endrin	<0.0097		1.96	2.19		ug/L		112	70 - 130
Endrin aldehyde	<0.097		1.96	1.79		ug/L		91	60 - 130
EPTC	<0.097		1.96	1.98		ug/L		101	70 - 130
Fluoranthene	<0.097		1.96	2.20		ug/L		112	70 - 130
Fluorene	<0.049		1.96	1.96		ug/L		100	70 - 130
gamma-Chlordane	<0.049		1.96	2.14		ug/L		109	70 - 130
Heptachlor	<0.0097		1.96	2.22		ug/L		113	70 - 130
Heptachlor epoxide (isomer B)	0.0099		1.96	2.17		ug/L		110	70 - 130
Hexachlorobenzene	<0.049		1.96	1.94		ug/L		99	70 - 130
Hexachlorocyclopentadiene	<0.049		1.96	2.02		ug/L		103	70 - 130
Indeno[1,2,3-cd]pyrene	<0.049		1.96	1.76		ug/L		90	70 - 130
Isophorone	<0.097		1.96	1.92		ug/L		98	70 - 130
Lindane	<0.0097		1.96	2.14		ug/L		109	70 - 130
Malathion	<0.097		1.96	2.07		ug/L		106	70 - 130
Methoxychlor	<0.049		1.96	2.17		ug/L		111	70 - 130
Metolachlor	<0.049		1.96	2.14		ug/L		109	70 - 130
Molinate	<0.097		1.96	2.05		ug/L		105	70 - 130
Naphthalene	<0.097		1.96	1.86		ug/L		95	70 - 130
Parathion	<0.097		1.96	2.01		ug/L		102	70 - 130
Pendimethalin (Penoxaline)	<0.097		1.96	1.94		ug/L		99	70 - 130
Phenanthrene	<0.039		1.96	1.88		ug/L		96	70 - 130
Propachlor	<0.049		1.96	2.09		ug/L		106	70 - 130
Pyrene	<0.049		1.96	2.25		ug/L		115	70 - 130
Simazine	<0.049		1.96	2.18		ug/L		111	70 - 130
Terbacil	<0.097		1.96	2.14		ug/L		109	70 - 130
Terbutylazine	<0.097		1.96	2.24		ug/L		114	70 - 130
Thiobencarb	<0.097		1.96	2.15		ug/L		110	70 - 130
trans-Nonachlor	<0.049		1.96	2.09		ug/L		106	70 - 130
Trifluralin	<0.097		1.96	1.94		ug/L		99	70 - 130

Surrogate	MS %Recovery	MS Qualifier	Limits
2-Nitro-m-xylene	95		70 - 130
Perylene-d12	92		70 - 130
Triphenylphosphate	107		70 - 130

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-165934-1
SDG: Weekly: Halawa Wells Units 1&2 P1 (MS/MSD), Aiea
Wells Pumps 1&2 P2

Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 380-166534-Q-1-A DU
Matrix: Water
Analysis Batch: 169094

Client Sample ID: Duplicate
Prep Type: Total/NA
Prep Batch: 169040

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	Limit
1-Methylnaphthalene	<0.097		<0.097		ug/L		NC	20
2,4'-DDD	<0.097		<0.097		ug/L		NC	20
2,4'-DDE	<0.097		<0.097		ug/L		NC	20
2,4'-DDT	<0.097		<0.097		ug/L		NC	20
2,4-Dinitrotoluene	<0.097		<0.097		ug/L		NC	20
2,6-Dinitrotoluene	<0.097		<0.097		ug/L		NC	20
2-Methylnaphthalene	<0.097		<0.097		ug/L		NC	20
4,4'-DDD	<0.097		<0.097		ug/L		NC	20
4,4'-DDE	<0.097		<0.097		ug/L		NC	20
4,4'-DDT	<0.097		<0.097		ug/L		NC	20
Acenaphthene	<0.097		<0.097		ug/L		NC	20
Acenaphthylene	<0.097		<0.097		ug/L		NC	20
Acetochlor	<0.097		<0.097		ug/L		NC	20
Alachlor	<0.049		<0.048		ug/L		NC	20
alpha-BHC	<0.097		<0.097		ug/L		NC	20
alpha-Chlordane	<0.049		<0.048		ug/L		NC	20
Anthracene	<0.019		<0.019		ug/L		NC	20
Atrazine	<0.049		<0.048		ug/L		NC	20
Benz(a)anthracene	<0.049		<0.048		ug/L		NC	20
Benzo[a]pyrene	<0.019		<0.019		ug/L		NC	20
Benzo[b]fluoranthene	<0.019		<0.019		ug/L		NC	20
Benzo[g,h,i]perylene	<0.049		<0.048		ug/L		NC	20
Benzo[k]fluoranthene	<0.019		<0.019		ug/L		NC	20
beta-BHC	<0.097		<0.097		ug/L		NC	20
Bis(2-ethylhexyl) phthalate	<0.58		<0.58		ug/L		NC	20
Bromacil	<0.097		<0.097		ug/L		NC	20
Butachlor	<0.049		<0.048		ug/L		NC	20
Butylbenzylphthalate	<0.49		<0.48		ug/L		NC	20
Chlorobenzilate	<0.097		<0.097		ug/L		NC	20
Chloroneb	<0.097		<0.097		ug/L		NC	20
Chlorothalonil (Draconil, Bravo)	<0.097		<0.097		ug/L		NC	20
Chlorpyrifos	<0.049		<0.048		ug/L		NC	20
Chrysene	<0.019		<0.019		ug/L		NC	20
delta-BHC	<0.097		<0.097		ug/L		NC	20
Di(2-ethylhexyl)adipate	<0.58		<0.58		ug/L		NC	20
Dibenz(a,h)anthracene	<0.049		<0.048		ug/L		NC	20
Diclorvos (DDVP)	<0.049		<0.048		ug/L		NC	20
Dieldrin	<0.0097		<0.0097		ug/L		NC	20
Diethylphthalate	<0.49		<0.48		ug/L		NC	20
Dimethylphthalate	<0.49		<0.48		ug/L		NC	20
Di-n-butyl phthalate	<0.97		<0.97		ug/L		NC	20
Di-n-octyl phthalate	<0.097		<0.097		ug/L		NC	20
Endosulfan I (Alpha)	<0.097		<0.097		ug/L		NC	20
Endosulfan II (Beta)	<0.097		<0.097		ug/L		NC	20
Endosulfan sulfate	<0.097		<0.097		ug/L		NC	20
Endrin	<0.0097		<0.0097		ug/L		NC	20
Endrin aldehyde	<0.097		<0.097		ug/L		NC	20

Eurofins Eaton Analytical Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-165934-1
SDG: Weekly: Halawa Wells Units 1&2 P1 (MS/MSD), Aiea
Wells Pumps 1&2 P2

Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 380-166534-Q-1-A DU

Matrix: Water

Analysis Batch: 169094

Client Sample ID: Duplicate

Prep Type: Total/NA

Prep Batch: 169040

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	Limit
EPTC	<0.097		<0.097		ug/L		NC	20
Fluoranthene	<0.097		<0.097		ug/L		NC	20
Fluorene	<0.049		<0.048		ug/L		NC	20
gamma-Chlordane	<0.049		<0.048		ug/L		NC	20
Heptachlor	<0.0097		<0.0097		ug/L		NC	20
Heptachlor epoxide (isomer B)	<0.0097		<0.0097		ug/L		NC	20
Hexachlorobenzene	<0.049		<0.048		ug/L		NC	20
Hexachlorocyclopentadiene	<0.049		<0.048		ug/L		NC	20
Indeno[1,2,3-cd]pyrene	<0.049		<0.048		ug/L		NC	20
Isophorone	<0.097		<0.097		ug/L		NC	20
Lindane	<0.0097		<0.0097		ug/L		NC	20
Malathion	<0.097		<0.097		ug/L		NC	20
Methoxychlor	<0.049		<0.048		ug/L		NC	20
Metolachlor	<0.049		<0.048		ug/L		NC	20
Molinate	<0.097		<0.097		ug/L		NC	20
Naphthalene	<0.097		<0.097		ug/L		NC	20
Parathion	<0.097		<0.097		ug/L		NC	20
Pendimethalin (Penoxaline)	<0.097		<0.097		ug/L		NC	20
Phenanthrene	<0.039		<0.039		ug/L		NC	20
Propachlor	<0.049		<0.048		ug/L		NC	20
Pyrene	<0.049		<0.048		ug/L		NC	20
Simazine	<0.049		<0.048		ug/L		NC	20
Terbacil	<0.097		<0.097		ug/L		NC	20
Terbutylazine	<0.097		<0.097		ug/L		NC	20
Thiobencarb	<0.097		<0.097		ug/L		NC	20
Total Permethrin (mixed isomers)	<0.19		<0.19		ug/L		NC	20
trans-Nonachlor	<0.049		<0.048		ug/L		NC	20
Trifluralin	<0.097		<0.097		ug/L		NC	20

Surrogate	%Recovery	Qualifier	Limits
2-Nitro-m-xylene	97		70 - 130
Perylene-d12	80		70 - 130
Triphenylphosphate	100		70 - 130

Method: 625.1 - Semivolatile Organic Compounds (GC/MS)

Lab Sample ID: MB 570-611589/1-A

Matrix: Water

Analysis Batch: 616861

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 611589

Tentatively Identified Compound	Est. Result	Qualifier	Unit	D	RT	CAS No.	Prepared	Analyzed	Dil Fac
Tentatively Identified Compound	None		ug/L			N/A	08/14/25 11:43	08/26/25 12:12	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2,4,6-Tribromophenol (Surr)	88		33 - 139	08/14/25 11:43	08/26/25 12:12	1
2-Fluorobiphenyl (Surr)	87		33 - 126	08/14/25 11:43	08/26/25 12:12	1
2-Fluorophenol (Surr)	52		12 - 120	08/14/25 11:43	08/26/25 12:12	1

Eurofins Eaton Analytical Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-165934-1
SDG: Weekly: Halawa Wells Units 1&2 P1 (MS/MSD), Aiea
Wells Pumps 1&2 P2

Method: 625.1 - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 570-611589/1-A

Matrix: Water

Analysis Batch: 616861

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 611589

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
Nitrobenzene-d5 (Surr)	84		36 - 120	08/14/25 11:43	08/26/25 12:12	1
Phenol-d6 (Surr)	36		10 - 120	08/14/25 11:43	08/26/25 12:12	1
p-Terphenyl-d14 (Surr)	102		47 - 131	08/14/25 11:43	08/26/25 12:12	1

Method: 625.1 SIM - Semivolatile Organic Compounds GC/MS (SIM)

Lab Sample ID: MB 570-611589/1-A

Matrix: Water

Analysis Batch: 615762

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 611589

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
1-Methylnaphthalene	<0.20		0.20	ug/L		08/14/25 11:43	08/23/25 08:48	1
2-Methylnaphthalene	<0.20		0.20	ug/L		08/14/25 11:43	08/23/25 08:48	1
Acenaphthene	<0.20		0.20	ug/L		08/14/25 11:43	08/23/25 08:48	1
Acenaphthylene	<0.20		0.20	ug/L		08/14/25 11:43	08/23/25 08:48	1
Anthracene	<0.20		0.20	ug/L		08/14/25 11:43	08/23/25 08:48	1
Benzo[a]anthracene	<0.20		0.20	ug/L		08/14/25 11:43	08/23/25 08:48	1
Benzo[a]pyrene	<0.20		0.20	ug/L		08/14/25 11:43	08/23/25 08:48	1
Benzo[b]fluoranthene	<0.20		0.20	ug/L		08/14/25 11:43	08/23/25 08:48	1
Benzo[g,h,i]perylene	<0.20		0.20	ug/L		08/14/25 11:43	08/23/25 08:48	1
Benzo[k]fluoranthene	<0.20		0.20	ug/L		08/14/25 11:43	08/23/25 08:48	1
Chrysene	<0.20		0.20	ug/L		08/14/25 11:43	08/23/25 08:48	1
Dibenz(a,h)anthracene	<0.20		0.20	ug/L		08/14/25 11:43	08/23/25 08:48	1
Fluoranthene	<0.20		0.20	ug/L		08/14/25 11:43	08/23/25 08:48	1
Fluorene	<0.20		0.20	ug/L		08/14/25 11:43	08/23/25 08:48	1
Indeno[1,2,3-cd]pyrene	<0.20		0.20	ug/L		08/14/25 11:43	08/23/25 08:48	1
Naphthalene	<0.20		0.20	ug/L		08/14/25 11:43	08/23/25 08:48	1
Phenanthrene	<0.20		0.20	ug/L		08/14/25 11:43	08/23/25 08:48	1
Pyrene	<0.20		0.20	ug/L		08/14/25 11:43	08/23/25 08:48	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
2,4,6-Tribromophenol (Surr)	111		28 - 127	08/14/25 11:43	08/23/25 08:48	1
2-Fluorobiphenyl (Surr)	87		31 - 120	08/14/25 11:43	08/23/25 08:48	1
2-Fluorophenol (Surr)	68		17 - 120	08/14/25 11:43	08/23/25 08:48	1
Nitrobenzene-d5 (Surr)	102		27 - 120	08/14/25 11:43	08/23/25 08:48	1
Phenol-d6 (Surr)	43		10 - 120	08/14/25 11:43	08/23/25 08:48	1
p-Terphenyl-d14 (Surr)	87		45 - 120	08/14/25 11:43	08/23/25 08:48	1

Lab Sample ID: LCS 570-611589/2-A

Matrix: Water

Analysis Batch: 615762

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 611589

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1-Methylnaphthalene	20.0	18.3		ug/L		91	47 - 120
2-Methylnaphthalene	20.0	17.8		ug/L		89	43 - 120
Acenaphthene	20.0	21.4		ug/L		107	60 - 132
Acenaphthylene	20.0	22.1		ug/L		110	54 - 126

Eurofins Eaton Analytical Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-165934-1
SDG: Weekly: Halawa Wells Units 1&2 P1 (MS/MSD), Aiea
Wells Pumps 1&2 P2

Method: 625.1 SIM - Semivolatile Organic Compounds GC/MS (SIM) (Continued)

Lab Sample ID: LCS 570-611589/2-A

Matrix: Water

Analysis Batch: 615762

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 611589

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Anthracene	20.0	21.3		ug/L		107	43 - 120
Benzo[a]anthracene	20.0	22.4		ug/L		112	42 - 133
Benzo[a]pyrene	20.0	22.9		ug/L		114	32 - 148
Benzo[b]fluoranthene	20.0	23.1		ug/L		116	42 - 140
Benzo[g,h,i]perylene	20.0	21.9		ug/L		110	1 - 195
Benzo[k]fluoranthene	20.0	22.2		ug/L		111	25 - 146
Chrysene	20.0	21.7		ug/L		109	44 - 140
Dibenz(a,h)anthracene	20.0	22.6		ug/L		113	1 - 200
Fluoranthene	20.0	23.5		ug/L		117	43 - 121
Fluorene	20.0	22.0		ug/L		110	70 - 120
Indeno[1,2,3-cd]pyrene	20.0	22.1		ug/L		110	1 - 151
Naphthalene	20.0	16.8		ug/L		84	36 - 120
Phenanthrene	20.0	21.4		ug/L		107	65 - 120
Pyrene	20.0	22.0		ug/L		110	70 - 120

Surrogate	LCS %Recovery	LCS Qualifier	Limits
2,4,6-Tribromophenol (Surr)	97		28 - 127
2-Fluorobiphenyl (Surr)	84		31 - 120
2-Fluorophenol (Surr)	71		17 - 120
Nitrobenzene-d5 (Surr)	78		27 - 120
Phenol-d6 (Surr)	48		10 - 120
p-Terphenyl-d14 (Surr)	87		45 - 120

Lab Sample ID: LCSD 570-611589/3-A

Matrix: Water

Analysis Batch: 615762

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 611589

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1-Methylnaphthalene	20.0	18.3		ug/L		92	47 - 120	0	20
2-Methylnaphthalene	20.0	17.7		ug/L		88	43 - 120	1	20
Acenaphthene	20.0	21.5		ug/L		107	60 - 132	0	29
Acenaphthylene	20.0	21.9		ug/L		110	54 - 126	1	45
Anthracene	20.0	21.5		ug/L		107	43 - 120	1	40
Benzo[a]anthracene	20.0	22.9		ug/L		115	42 - 133	2	32
Benzo[a]pyrene	20.0	23.3		ug/L		116	32 - 148	2	43
Benzo[b]fluoranthene	20.0	23.2		ug/L		116	42 - 140	0	43
Benzo[g,h,i]perylene	20.0	22.4		ug/L		112	1 - 195	2	61
Benzo[k]fluoranthene	20.0	22.9		ug/L		114	25 - 146	3	38
Chrysene	20.0	21.8		ug/L		109	44 - 140	0	53
Dibenz(a,h)anthracene	20.0	23.0		ug/L		115	1 - 200	2	75
Fluoranthene	20.0	23.8		ug/L		119	43 - 121	1	40
Fluorene	20.0	22.4		ug/L		112	70 - 120	2	23
Indeno[1,2,3-cd]pyrene	20.0	22.3		ug/L		111	1 - 151	1	60
Naphthalene	20.0	16.9		ug/L		84	36 - 120	1	39
Phenanthrene	20.0	21.8		ug/L		109	65 - 120	2	24
Pyrene	20.0	22.3		ug/L		112	70 - 120	1	30

Eurofins Eaton Analytical Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-165934-1
SDG: Weekly: Halawa Wells Units 1&2 P1 (MS/MSD), Aiea
Wells Pumps 1&2 P2

Method: 625.1 SIM - Semivolatile Organic Compounds GC/MS (SIM) (Continued)

Lab Sample ID: LCSD 570-611589/3-A

Matrix: Water

Analysis Batch: 615762

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 611589

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
2,4,6-Tribromophenol (Surr)	96		28 - 127
2-Fluorobiphenyl (Surr)	83		31 - 120
2-Fluorophenol (Surr)	70		17 - 120
Nitrobenzene d5 (Surr)	78		27 - 120
Phenol-d6 (Surr)	47		10 - 120
p-Terphenyl-d14 (Surr)	86		45 - 120

Lab Sample ID: 380-165934-1 MS

Matrix: Drinking Water

Analysis Batch: 615762

Client Sample ID: HALAWA WELLS UNITS 1 & 2 (331-206-TP065)

Prep Type: Total/NA

Prep Batch: 611589

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
1-Methylnaphthalene	<0.19		19.2	17.1		ug/L		89	36 - 120
2-Methylnaphthalene	<0.19		19.2	16.7		ug/L		87	32 - 124
Acenaphthene	<0.19		19.2	19.6		ug/L		102	47 - 145
Acenaphthylene	<0.19		19.2	20.0		ug/L		104	33 - 145
Anthracene	<0.19		19.2	19.6		ug/L		102	27 - 133
Benzo[a]anthracene	<0.19		19.2	20.6		ug/L		108	33 - 143
Benzo[a]pyrene	<0.19		19.2	21.0		ug/L		109	17 - 163
Benzo[b]fluoranthene	<0.19		19.2	20.6		ug/L		107	24 - 159
Benzo[g,h,i]perylene	<0.19		19.2	20.1		ug/L		105	1 - 219
Benzo[k]fluoranthene	<0.19		19.2	20.2		ug/L		105	11 - 162
Chrysene	<0.19		19.2	19.9		ug/L		104	17 - 168
Dibenz(a,h)anthracene	<0.19		19.2	20.6		ug/L		107	1 - 227
Fluoranthene	<0.19		19.2	21.8		ug/L		113	26 - 137
Fluorene	<0.19		19.2	20.2		ug/L		105	59 - 121
Indeno[1,2,3-cd]pyrene	<0.19		19.2	20.0		ug/L		104	1 - 171
Naphthalene	<0.19		19.2	16.1		ug/L		84	21 - 133
Phenanthrene	<0.19		19.2	19.7		ug/L		103	54 - 120
Pyrene	<0.19		19.2	20.3		ug/L		106	52 - 120

Surrogate	MS %Recovery	MS Qualifier	Limits
2,4,6-Tribromophenol (Surr)	90		28 - 127
2-Fluorobiphenyl (Surr)	77		31 - 120
2-Fluorophenol (Surr)	56		17 - 120
Nitrobenzene-d5 (Surr)	75		27 - 120
Phenol-d6 (Surr)	36		10 - 120
p-Terphenyl-d14 (Surr)	76		45 - 120

Lab Sample ID: 380-165934-1 MSD

Matrix: Drinking Water

Analysis Batch: 615762

Client Sample ID: HALAWA WELLS UNITS 1 & 2 (331-206-TP065)

Prep Type: Total/NA

Prep Batch: 611589

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1-Methylnaphthalene	<0.19		19.1	18.8		ug/L		99	36 - 120	9	30
2-Methylnaphthalene	<0.19		19.1	18.5		ug/L		97	32 - 124	10	30
Acenaphthene	<0.19		19.1	22.1		ug/L		116	47 - 145	12	48

Eurofins Eaton Analytical Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-165934-1
SDG: Weekly: Halawa Wells Units 1&2 P1 (MS/MSD), Aiea
Wells Pumps 1&2 P2

Method: 625.1 SIM - Semivolatile Organic Compounds GC/MS (SIM) (Continued)

Lab Sample ID: 380-165934-1 MSD

Matrix: Drinking Water

Analysis Batch: 615762

Client Sample ID: HALAWA WELLS UNITS 1 & 2 (331-206-TP065)

Prep Type: Total/NA

Prep Batch: 611589

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Acenaphthylene	<0.19		19.1	22.7		ug/L		119	33 - 145	13	74
Anthracene	<0.19		19.1	21.7		ug/L		114	27 - 133	10	66
Benzo[a]anthracene	<0.19		19.1	22.8		ug/L		120	33 - 143	10	53
Benzo[a]pyrene	<0.19		19.1	23.3		ug/L		122	17 - 163	10	72
Benzo[b]fluoranthene	<0.19		19.1	23.4		ug/L		123	24 - 159	13	71
Benzo[g,h,i]perylene	<0.19		19.1	22.2		ug/L		116	1 - 219	10	97
Benzo[k]fluoranthene	<0.19		19.1	22.1		ug/L		116	11 - 162	9	63
Chrysene	<0.19		19.1	22.0		ug/L		115	17 - 168	10	87
Dibenz(a,h)anthracene	<0.19		19.1	22.9		ug/L		120	1 - 227	11	126
Fluoranthene	<0.19		19.1	24.0		ug/L		126	26 - 137	10	66
Fluorene	<0.19		19.1	22.6		ug/L		118	59 - 121	11	38
Indeno[1,2,3-cd]pyrene	<0.19		19.1	22.2		ug/L		116	1 - 171	10	99
Naphthalene	<0.19		19.1	17.5		ug/L		92	21 - 133	8	65
Phenanthrene	<0.19		19.1	21.7		ug/L		114	54 - 120	10	39
Pyrene	<0.19		19.1	22.5		ug/L		118	52 - 120	10	49

Surrogate	MSD %Recovery	MSD Qualifier	Limits
2,4,6-Tribromophenol (Surr)	92		28 - 127
2-Fluorobiphenyl (Surr)	81		31 - 120
2-Fluorophenol (Surr)	58		17 - 120
Nitrobenzene-d5 (Surr)	74		27 - 120
Phenol-d6 (Surr)	37		10 - 120
p-Terphenyl-d14 (Surr)	77		45 - 120

Method: 8015B GRO LL - Gasoline Range Organics - (GC)

Lab Sample ID: MB 570-615990/10

Matrix: Water

Analysis Batch: 615990

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
GRO (C6-C10)	<10		10	ug/L			08/24/25 15:17	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	84		38 - 134		08/24/25 15:17	1

Lab Sample ID: LCS 570-615990/1008

Matrix: Water

Analysis Batch: 615990

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Gasoline Range Organics (C4-C13)	400	371		ug/L		93	78 - 120

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene (Surr)	98		38 - 134

Eurofins Eaton Analytical Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-165934-1
SDG: Weekly: Halawa Wells Units 1&2 P1 (MS/MSD), Aiea
Wells Pumps 1&2 P2

Method: 8015B GRO LL - Gasoline Range Organics - (GC) (Continued)

Lab Sample ID: LCSD 570-615990/9

Matrix: Water

Analysis Batch: 615990

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte			Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Gasoline Range Organics (C4-C13)			400	393		ug/L		98	78 - 120	6	10
Surrogate	LCSD %Recovery	LCSD Qualifier	Limits								
4-Bromofluorobenzene (Surr)	97		38 - 134								

Lab Sample ID: MRL 570-615990/1003

Matrix: Water

Analysis Batch: 615990

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte			Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits		
Gasoline Range Organics (C4-C13)			10.0	8.61	J	ug/L		86	50 - 150		
Surrogate	MRL %Recovery	MRL Qualifier	Limits								
4-Bromofluorobenzene (Surr)	88		38 - 134								

Lab Sample ID: 380-165934-1 MS

Matrix: Drinking Water

Analysis Batch: 615990

Client Sample ID: HALAWA WELLS UNITS 1 & 2 P1 (331-206-TP065)

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits		
Gasoline Range Organics (C4-C13)	<10		400	375		ug/L		94	68 - 122		
Surrogate	MS %Recovery	MS Qualifier	Limits								
4-Bromofluorobenzene (Surr)	98		38 - 134								

Lab Sample ID: 380-165934-1 MSD

Matrix: Drinking Water

Analysis Batch: 615990

Client Sample ID: HALAWA WELLS UNITS 1 & 2 (331-206-TP065)

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Gasoline Range Organics (C4-C13)	<10		400	370		ug/L		92	68 - 122	2	18
Surrogate	MSD %Recovery	MSD Qualifier	Limits								
4-Bromofluorobenzene (Surr)	96		38 - 134								

Method: 8015B - Diesel Range Organics (DRO) (GC) Low Level

Lab Sample ID: MB 570-612680/1-A

Matrix: Water

Analysis Batch: 614435

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 612680

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics (C10-C24)	<25		25	ug/L		08/16/25 15:51	08/20/25 23:33	1
Motor Oil Range Organics [C24-C36]	<25		25	ug/L		08/16/25 15:51	08/20/25 23:33	1

Eurofins Eaton Analytical Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-165934-1
SDG: Weekly: Halawa Wells Units 1&2 P1 (MS/MSD), Aiea
Wells Pumps 1&2 P2

Method: 8015B - Diesel Range Organics (DRO) (GC) Low Level (Continued)

Lab Sample ID: MB 570-612680/1-A

Matrix: Water

Analysis Batch: 614435

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 612680

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
C8-C18	<25		25	ug/L		08/16/25 15:51	08/20/25 23:33	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
n-Octacosane (Surr)	85		60 - 130	08/16/25 15:51	08/20/25 23:33	1

Lab Sample ID: LCS 570-612680/2-A

Matrix: Water

Analysis Batch: 614435

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 612680

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
C10-C28	1600	1540	^3+	ug/L		96	56 - 127

Surrogate	LCS %Recovery	LCS Qualifier	Limits
n-Octacosane (Surr)	96		60 - 130

Lab Sample ID: LCSD 570-612680/3-A

Matrix: Water

Analysis Batch: 614435

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 612680

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	Limit
C10-C28	1600	1440	^3+	ug/L		90	56 - 127	7	23

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
n-Octacosane (Surr)	90		60 - 130

Lab Sample ID: MRL 570-612680/4-A

Matrix: Water

Analysis Batch: 614435

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 612680

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
C10-C28	0.0200	0.0213	J	mg/L		106	50 - 150

Surrogate	MRL %Recovery	MRL Qualifier	Limits
n-Octacosane (Surr)	87		60 - 130

Lab Sample ID: MRL 570-612680/4-A

Matrix: Water

Analysis Batch: 616108

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 612680

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
C10-C28	0.0200	0.337	^3+	mg/L		1683	50 - 150

Surrogate	MRL %Recovery	MRL Qualifier	Limits
n-Octacosane (Surr)	91		60 - 130

Eurofins Eaton Analytical Pomona

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16

Job ID: 380-165934-1
SDG: Weekly: Halawa Wells Units 1&2 P1 (MS/MSD), Aiea
Wells Pumps 1&2 P2

Lab Sample ID: 380-165934-1 MS				Client Sample ID: HALAWA WELLS UNITS 1 & 2 (331-206-TP065)							
Matrix: Drinking Water				Prep Type: Total/NA							
Analysis Batch: 614435				Prep Batch: 612680							
Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits		
C10-C28	<26		1610	1570		ug/L	-	97	70 - 130		
Surrogate	MS %Recovery	MS Qualifier	Limits								
n-Octacosane (Surr)	93		60 - 130								

Lab Sample ID: 380-165934-1 MSD				Client Sample ID: HALAWA WELLS UNITS 1 & 2 (331-206-TP065)							
Matrix: Drinking Water				Prep Type: Total/NA							
Analysis Batch: 614435				Prep Batch: 612680							
Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
C10-C28	<26		1620	1620		ug/L	-	100	70 - 130	3	20
Surrogate	MSD %Recovery	MSD Qualifier	Limits								
n-Octacosane (Surr)	96		60 - 130								

QC Association Summary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-165934-1
SDG: Weekly: Halawa Wells Units 1&2 P1 (MS/MSD), Aiea
Wells Pumps 1&2 P2

GC/MS Semi VOA

Prep Batch: 169040

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-165934-1	HALAWA WELLS UNITS 1 & 2 P1 (331-206-TP01)	Total/NA	Drinking Water	525.2	
380-165934-3	AIEA WELLS PUMPS 1&2 P2 (260) (331-203-TP01)	Total/NA	Water	525.2	
MB 380-169040/19-A	Method Blank	Total/NA	Water	525.2	
LCS 380-169040/21-A	Lab Control Sample	Total/NA	Water	525.2	
LCSD 380-169040/22-A	Lab Control Sample Dup	Total/NA	Water	525.2	
MRL 380-169040/20-A	Lab Control Sample	Total/NA	Water	525.2	
380-165934-1 MS	HALAWA WELLS UNITS 1 & 2 P1 (331-206-TP01)	Total/NA	Drinking Water	525.2	
380-166534-Q-1-A DU	Duplicate	Total/NA	Water	525.2	

Analysis Batch: 169094

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-165934-1	HALAWA WELLS UNITS 1 & 2 P1 (331-206-TP01)	Total/NA	Drinking Water	525.2	169040
380-165934-3	AIEA WELLS PUMPS 1&2 P2 (260) (331-203-TP01)	Total/NA	Water	525.2	169040
MB 380-169040/19-A	Method Blank	Total/NA	Water	525.2	169040
LCS 380-169040/21-A	Lab Control Sample	Total/NA	Water	525.2	169040
LCSD 380-169040/22-A	Lab Control Sample Dup	Total/NA	Water	525.2	169040
MRL 380-169040/20-A	Lab Control Sample	Total/NA	Water	525.2	169040
380-165934-1 MS	HALAWA WELLS UNITS 1 & 2 P1 (331-206-TP01)	Total/NA	Drinking Water	525.2	169040
380-166534-Q-1-A DU	Duplicate	Total/NA	Water	525.2	169040

Prep Batch: 611589

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-165934-1	HALAWA WELLS UNITS 1 & 2 P1 (331-206-TP01)	Total/NA	Drinking Water	625.1	
380-165934-3	AIEA WELLS PUMPS 1&2 P2 (260) (331-203-TP01)	Total/NA	Water	625.1	
MB 570-611589/1-A	Method Blank	Total/NA	Water	625.1	
LCS 570-611589/2-A	Lab Control Sample	Total/NA	Water	625.1	
LCSD 570-611589/3-A	Lab Control Sample Dup	Total/NA	Water	625.1	
380-165934-1 MS	HALAWA WELLS UNITS 1 & 2 (331-206-TP065)	Total/NA	Drinking Water	625.1	
380-165934-1 MSD	HALAWA WELLS UNITS 1 & 2 (331-206-TP065)	Total/NA	Drinking Water	625.1	

Analysis Batch: 615762

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-165934-1	HALAWA WELLS UNITS 1 & 2 P1 (331-206-TP01)	Total/NA	Drinking Water	625.1 SIM	611589
380-165934-3	AIEA WELLS PUMPS 1&2 P2 (260) (331-203-TP01)	Total/NA	Water	625.1 SIM	611589
MB 570-611589/1-A	Method Blank	Total/NA	Water	625.1 SIM	611589
LCS 570-611589/2-A	Lab Control Sample	Total/NA	Water	625.1 SIM	611589
LCSD 570-611589/3-A	Lab Control Sample Dup	Total/NA	Water	625.1 SIM	611589
380-165934-1 MS	HALAWA WELLS UNITS 1 & 2 (331-206-TP065)	Total/NA	Drinking Water	625.1 SIM	611589
380-165934-1 MSD	HALAWA WELLS UNITS 1 & 2 (331-206-TP065)	Total/NA	Drinking Water	625.1 SIM	611589

Analysis Batch: 616861

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-165934-1	HALAWA WELLS UNITS 1 & 2 P1 (331-206-TP01)	Total/NA	Drinking Water	625.1	611589
380-165934-3	AIEA WELLS PUMPS 1&2 P2 (260) (331-203-TP01)	Total/NA	Water	625.1	611589
MB 570-611589/1-A	Method Blank	Total/NA	Water	625.1	611589

QC Association Summary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-165934-1
SDG: Weekly: Halawa Wells Units 1&2 P1 (MS/MSD), Aiea
Wells Pumps 1&2 P2

GC VOA

Analysis Batch: 615990

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-165934-1	HALAWA WELLS UNITS 1 & 2 P1 (331-206-TP01)	Total/NA	Drinking Water	8015B GRO LL	
380-165934-2	TB: HALAWA WELLS UNITS 1 & 2 (331-206-TPC)	Total/NA	Drinking Water	8015B GRO LL	
380-165934-3	AIEA WELLS PUMPS 1&2 P2 (260) (331-203-TP)	Total/NA	Water	8015B GRO LL	
380-165934-4	TB: AIEA WELLS PUMPS 1&2 (260) (331-203-TF)	Total/NA	Water	8015B GRO LL	
MB 570-615990/10	Method Blank	Total/NA	Water	8015B GRO LL	
LCS 570-615990/1008	Lab Control Sample	Total/NA	Water	8015B GRO LL	
LCSD 570-615990/9	Lab Control Sample Dup	Total/NA	Water	8015B GRO LL	
MRL 570-615990/1003	Lab Control Sample	Total/NA	Water	8015B GRO LL	
380-165934-1 MS	HALAWA WELLS UNITS 1 & 2 P1 (331-206-TP01)	Total/NA	Drinking Water	8015B GRO LL	
380-165934-1 MSD	HALAWA WELLS UNITS 1 & 2 (331-206-TP065)	Total/NA	Drinking Water	8015B GRO LL	

GC Semi VOA

Prep Batch: 612680

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-165934-1	HALAWA WELLS UNITS 1 & 2 P1 (331-206-TP01)	Total/NA	Drinking Water	3510C	
380-165934-3	AIEA WELLS PUMPS 1&2 P2 (260) (331-203-TP)	Total/NA	Water	3510C	
MB 570-612680/1-A	Method Blank	Total/NA	Water	3510C	
LCS 570-612680/2-A	Lab Control Sample	Total/NA	Water	3510C	
LCSD 570-612680/3-A	Lab Control Sample Dup	Total/NA	Water	3510C	
MRL 570-612680/4-A	Lab Control Sample	Total/NA	Water	3510C	
380-165934-1 MS	HALAWA WELLS UNITS 1 & 2 (331-206-TP065)	Total/NA	Drinking Water	3510C	
380-165934-1 MSD	HALAWA WELLS UNITS 1 & 2 (331-206-TP065)	Total/NA	Drinking Water	3510C	

Analysis Batch: 614435

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-165934-1	HALAWA WELLS UNITS 1 & 2 P1 (331-206-TP01)	Total/NA	Drinking Water	8015B	612680
MB 570-612680/1-A	Method Blank	Total/NA	Water	8015B	612680
LCS 570-612680/2-A	Lab Control Sample	Total/NA	Water	8015B	612680
LCSD 570-612680/3-A	Lab Control Sample Dup	Total/NA	Water	8015B	612680
MRL 570-612680/4-A	Lab Control Sample	Total/NA	Water	8015B	612680
380-165934-1 MS	HALAWA WELLS UNITS 1 & 2 (331-206-TP065)	Total/NA	Drinking Water	8015B	612680
380-165934-1 MSD	HALAWA WELLS UNITS 1 & 2 (331-206-TP065)	Total/NA	Drinking Water	8015B	612680

Analysis Batch: 616108

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-165934-3	AIEA WELLS PUMPS 1&2 P2 (260) (331-203-TP)	Total/NA	Water	8015B	612680
MRL 570-612680/4-A	Lab Control Sample	Total/NA	Water	8015B	612680

Lab Chronicle

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-165934-1
SDG: Weekly: Halawa Wells Units 1&2 P1 (MS/MSD), Aiea
Wells Pumps 1&2 P2

**Client Sample ID: HALAWA WELLS UNITS 1 & 2 P1
(331-206-TP065)**

Lab Sample ID: 380-165934-1

**Date Collected: 08/11/25 10:28
Date Received: 08/13/25 10:20**

Matrix: Drinking Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	525.2			169040	KRD3	EA POM	08/18/25 07:55
Total/NA	Analysis	525.2		1	169094	Q8LA	EA POM	08/18/25 16:08
Total/NA	Prep	625.1			611589	S4EA	EET CAL 4	08/15/25 09:51
Total/NA	Analysis	625.1		1	616861	CG	EET CAL 4	08/26/25 14:37
Total/NA	Prep	625.1			611589	S4EA	EET CAL 4	08/15/25 09:51
Total/NA	Analysis	625.1 SIM		1	615762	PQS1	EET CAL 4	08/23/25 14:15
Total/NA	Analysis	8015B GRO LL		1	615990	W4LC	EET CAL 4	08/24/25 16:13
Total/NA	Prep	3510C			612680	H6FE	EET CAL 4	08/17/25 14:45
Total/NA	Analysis	8015B		1	614435	NR	EET CAL 4	08/21/25 02:04

**Client Sample ID: TB: HALAWA WELLS UNITS 1 & 2
(331-206-TP065)**

Lab Sample ID: 380-165934-2

**Date Collected: 08/11/25 10:28
Date Received: 08/13/25 10:20**

Matrix: Drinking Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8015B GRO LL		1	615990	W4LC	EET CAL 4	08/25/25 00:39

**Client Sample ID: AIEA WELLS PUMPS 1&2 P2 (260)
(331-203-TP400)**

Lab Sample ID: 380-165934-3

**Date Collected: 08/11/25 11:39
Date Received: 08/13/25 10:20**

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	525.2			169040	KRD3	EA POM	08/18/25 07:55
Total/NA	Analysis	525.2		1	169094	Q8LA	EA POM	08/18/25 17:30
Total/NA	Prep	625.1			611589	S4EA	EET CAL 4	08/15/25 09:51
Total/NA	Analysis	625.1		1	616861	CG	EET CAL 4	08/26/25 15:01
Total/NA	Prep	625.1			611589	S4EA	EET CAL 4	08/15/25 09:51
Total/NA	Analysis	625.1 SIM		1	615762	PQS1	EET CAL 4	08/23/25 13:10
Total/NA	Analysis	8015B GRO LL		1	615990	W4LC	EET CAL 4	08/24/25 16:37
Total/NA	Prep	3510C			612680	H6FE	EET CAL 4	08/17/25 14:45
Total/NA	Analysis	8015B		1	616108	H6FE	EET CAL 4	08/25/25 05:11

**Client Sample ID: TB: AIEA WELLS PUMPS 1&2 (260)
(331-203-TP400)**

Lab Sample ID: 380-165934-4

**Date Collected: 08/11/25 11:39
Date Received: 08/13/25 10:20**

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8015B GRO LL		1	615990	W4LC	EET CAL 4	08/25/25 01:03

Eurofins Eaton Analytical Pomona

Lab Chronicle

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-165934-1
SDG: Weekly: Halawa Wells Units 1&2 P1 (MS/MSD), Aiea
Wells Pumps 1&2 P2

Laboratory References:

EA POM = Eurofins Eaton Analytical Pomona, 941 Corporate Center Drive, Pomona, CA 91768-2642, TEL (626)386-1100
EET CAL 4 = Eurofins Calscience Tustin, 2841 Dow Avenue, Tustin, CA 92780, TEL (714)895-5494

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16

Accreditation/Certification Summary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-165934-1
SDG: Weekly: Halawa Wells Units 1&2 P1 (MS/MSD), Aiea
Wells Pumps 1&2 P2

Laboratory: Eurofins Eaton Analytical Pomona

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
Hawaii	State	CA00006	01-31-26

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
525.2	525.2	Drinking Water	1-Methylnaphthalene
525.2	525.2	Drinking Water	2,4'-DDD
525.2	525.2	Drinking Water	2,4'-DDE
525.2	525.2	Drinking Water	2,4'-DDT
525.2	525.2	Drinking Water	2,4-Dinitrotoluene
525.2	525.2	Drinking Water	2,6-Dinitrotoluene
525.2	525.2	Drinking Water	2-Methylnaphthalene
525.2	525.2	Drinking Water	4,4'-DDD
525.2	525.2	Drinking Water	4,4' DDE
525.2	525.2	Drinking Water	4,4'-DDT
525.2	525.2	Drinking Water	Acetochlor
525.2	525.2	Drinking Water	alpha-BHC
525.2	525.2	Drinking Water	alpha-Chlordane
525.2	525.2	Drinking Water	beta-BHC
525.2	525.2	Drinking Water	Chlorobenzilate
525.2	525.2	Drinking Water	Chloroneb
525.2	525.2	Drinking Water	Chlorothalonil (Draconil, Bravo)
525.2	525.2	Drinking Water	Chlorpyrifos
525.2	525.2	Drinking Water	delta-BHC
525.2	525.2	Drinking Water	Diclorvos (DDVP)
525.2	525.2	Drinking Water	Endosulfan I (Alpha)
525.2	525.2	Drinking Water	Endosulfan II (Beta)
525.2	525.2	Drinking Water	Endosulfan sulfate
525.2	525.2	Drinking Water	Endrin aldehyde
525.2	525.2	Drinking Water	EPTC
525.2	525.2	Drinking Water	gamma-Chlordane
525.2	525.2	Drinking Water	Isophorone
525.2	525.2	Drinking Water	Malathion
525.2	525.2	Drinking Water	Parathion
525.2	525.2	Drinking Water	Pendimethalin (Penoxaline)
525.2	525.2	Drinking Water	Terbacil
525.2	525.2	Drinking Water	Terbutylazine
525.2	525.2	Drinking Water	Total Permethrin (mixed isomers)
525.2	525.2	Drinking Water	trans Nonachlor
525.2	525.2	Water	1-Methylnaphthalene
525.2	525.2	Water	2,4'-DDD
525.2	525.2	Water	2,4'-DDE
525.2	525.2	Water	2,4'-DDT
525.2	525.2	Water	2,4-Dinitrotoluene
525.2	525.2	Water	2,6-Dinitrotoluene
525.2	525.2	Water	2-Methylnaphthalene
525.2	525.2	Water	4,4'-DDD
525.2	525.2	Water	4,4'-DDE
525.2	525.2	Water	4,4'-DDT

Accreditation/Certification Summary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-165934-1
SDG: Weekly: Halawa Wells Units 1&2 P1 (MS/MSD), Aiea
Wells Pumps 1&2 P2

Laboratory: Eurofins Eaton Analytical Pomona (Continued)

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.			
Analysis Method	Prep Method	Matrix	Analyte
525.2	525.2	Water	Acetochlor
525.2	525.2	Water	alpha-BHC
525.2	525.2	Water	alpha-Chlordane
525.2	525.2	Water	beta-BHC
525.2	525.2	Water	Chlorobenzilate
525.2	525.2	Water	Chloroneb
525.2	525.2	Water	Chlorothalonil (Draconil, Bravo)
525.2	525.2	Water	Chlorpyrifos
525.2	525.2	Water	delta-BHC
525.2	525.2	Water	Diclorvos (DDVP)
525.2	525.2	Water	Endosulfan I (Alpha)
525.2	525.2	Water	Endosulfan II (Beta)
525.2	525.2	Water	Endosulfan sulfate
525.2	525.2	Water	Endrin aldehyde
525.2	525.2	Water	EPTC
525.2	525.2	Water	gamma-Chlordane
525.2	525.2	Water	Isophorone
525.2	525.2	Water	Malathion
525.2	525.2	Water	Parathion
525.2	525.2	Water	Pendimethalin (Penoxaline)
525.2	525.2	Water	Terbacil
525.2	525.2	Water	Terbutylazine
525.2	525.2	Water	Total Permethrin (mixed isomers)
525.2	525.2	Water	trans-Nonachlor

Laboratory: Eurofins Calscience

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
A2LA	Dept. of Defense ELAP	7296.01	11-30-26
A2LA	ISO/IEC 17025	7296.01	11-30-26
Alaska (UST)	State	25-005	03-02-26
Arizona	State	AZ0830	11-16-25
California	Los Angeles County Sanitation	9257304	07-31-26
	Districts		
California	SCAQMD LAP	17LA0919	11-30-25
California	State	3082	07-31-26
Kansas	NELAP	E-10420	07-31-26
Nevada	State	CA00111	07-31-26
Oregon	NELAP	4175	02-02-26
USDA	US Federal Programs	525-23-159-97150	06-08-26
Utah	NELAP	CA00111	02-28-26
Washington	State	C916	10-11-25

Method Summary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-165934-1
SDG: Weekly: Halawa Wells Units 1&2 P1 (MS/MSD), Aiea
Wells Pumps 1&2 P2

Method	Method Description	Protocol	Laboratory
525.2	Semivolatile Organic Compounds (GC/MS)	EPA	EA POM
625.1	Semivolatile Organic Compounds (GC/MS)	EPA	EET CAL 4
625.1 SIM	Semivolatile Organic Compounds GC/MS (SIM)	EPA	EET CAL 4
8015B GRO LL	Gasoline Range Organics - (GC)	SW846	EET CAL 4
8015B	Diesel Range Organics (DRO) (GC) Low Level	SW846	EET CAL 4
3510C	Liquid-Liquid Extraction (Separatory Funnel)	SW846	EET CAL 4
5030C	Purge and Trap	SW846	EET CAL 4
525.2	Extraction of Semivolatile Compounds	EPA	EA POM
625.1	Liquid-Liquid Extraction	40CFR136A	EET CAL 4

Protocol References:

40CFR136A = "Methods for Organic Chemical Analysis of Municipal Industrial Wastewater", 40CFR, Part 136, Appendix A, October 26, 1984 and subsequent revisions.

EPA = US Environmental Protection Agency

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

EA POM = Eurofins Eaton Analytical Pomona, 941 Corporate Center Drive, Pomona, CA 91768-2642, TEL (626)386-1100

EET CAL 4 = Eurofins Calscience Tustin, 2841 Dow Avenue, Tustin, CA 92780, TEL (714)895-5494

Sample Summary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-165934-1
SDG: Weekly: Halawa Wells Units 1&2 P1 (MS/MSD), Aiea
Wells Pumps 1&2 P2

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	PWSID Number
380-165934-1	HALAWA WELLS UNITS 1 & 2 P1 (331-206-TP065)	Drinking Water	08/11/25 10:28	08/13/25 10:20	HI0000331
380-165934-2	TB: HALAWA WELLS UNITS 1 & 2 (331-206-TP065)	Drinking Water	08/11/25 10:28	08/13/25 10:20	HI0000331
380-165934-3	AIEA WELLS PUMPS 1&2 P2 (260) (331-203-TP400)	Water	08/11/25 11:39	08/13/25 10:20	HI0000331
380-165934-4	TB: AIEA WELLS PUMPS 1&2 (260) (331-203-TP400)	Water	08/11/25 11:39	08/13/25 10:20	HI0000331

[illegible]

Chain of Custody Record



Client Information (Sub Contract Lab)		Sampler: N/A		Lab PM: Lopez, Maria		Carrier Tracking No(s): N/A		COC No: 380-240383.1			
Client Contact: Shipping/Receiving		Phone: N/A		E-Mail: Maria.Lopez@et.eurofinsus.com		State of Origin: Hawaii		Page: Page 1 of 1			
Company: Eurofins Environment Testing Southwest				Accreditations Required (See note): State - Hawaii				Job #: 380-165934-1			
Address: 2841 Dow Avenue, Suite 100,		Due Date Requested: 8/26/2025		Analysis Requested				Preservation Codes:			
City: Tustin		TAT Requested (days): N/A									
State, Zip: CA, 92760		PO #: N/A		Field Filtered Sample (Yes or No) ☒ Perform MS/MSD (Yes or No) ☒ 8015B_DRO_LL_CS3510C_LLHL Range: C10-C24/C24-C36/C36-C18 625-1_SIM/525_Prep(MOD) Extended PAH List 625-1/625_Prep(MOD) Tentatively Identified Compounds (Hold) 8015B_GRO_LL/5030C(MOD) GRO		Total Number of Containers		 380-165934 Chain of Custody			
Email: N/A		WO #: N/A									
Project Name: RED-HILL		Project #: 38001111									
Site: Honolulu BWS Sites		SSOW#: N/A									
Sample Identification - Client ID (Lab ID)		Sample Date	Sample Time	Sample Type (C=comp, G=grab)	Matrix (W=water, S=solid, O=soils/soli)	ST/TISSUE ANALY		Special Instructions/Note:			
				Preservation Code:							
HALAWA WELLS UNITS 1 & 2 (331-206-TP065) (380-165934-1)		8/11/25	10:28 Hawaiian	G	Water		X	X	X	7	MRLs are needed. Confirm any hits >RL.
HALAWA WELLS UNITS 1 & 2 (331-206-TP065) (380-165934-1M)		8/11/25	10:28 Hawaiian	G	Water		X	X	X	2	MRLs are needed. Confirm any hits >RL.
HALAWA WELLS UNITS 1 & 2 (331-206-TP065) (380-165934-1M)		8/11/25	10:28 Hawaiian	G	Water		X	X	X	3	MRLs are needed. Confirm any hits >RL.
TB: HALAWA WELLS UNITS 1 & 2 (331-206-TP065) (380-165934-1M)		8/11/25	10:28 Hawaiian	G	Water				X	2	MRLs are needed.
AIEA WELLS PUMPS 1&2 (260) (331-203-TP400) (380-165934-3)		8/11/25	11:39 Hawaiian	G	Water		X	X	X	7	MRLs are needed. Confirm any hits >RL.
TB: AIEA WELLS PUMPS 1&2 (260) (331-203-TP400) (380-165934-3)		8/11/25	11:39 Hawaiian	G	Water				X	2	MRLs are needed.
Note: Since laboratory accreditations are subject to change, Eurofins Eaton Analytical, LLC places the ownership of method, analyte & accreditation compliance upon our subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analysis/test/matrix being analyzed, the samples must be shipped back to the Eurofins Eaton Analytical, LLC laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins Eaton Analytical, LLC attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to Eurofins Eaton Analytical, LLC.											
Possible Hazard Identification						Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)					
Unconfirmed						☐ Return To Client ☐ Disposal By Lab ☐ Archive For _____ Months					
Deliverable Requested: I, II, III, IV, Other (specify)						Special Instructions/QC Requirements:					
Empty Kit Relinquished by:				Date:		Time:		Method of Shipment:			
Relinquished by: <i>Xz</i>		Date/Time: <i>8/14/25 1350</i>		Company: <i>BPA</i>		Received by: <i>AL</i>		Date/Time: <i>8/14/25 1350</i>		Company: <i>EE</i>	
Relinquished by:		Date/Time:		Company:		Received by:		Date/Time:		Company:	
Relinquished by:		Date/Time:		Company:		Received by:		Date/Time:		Company:	
Custody Seals Intact: ☐ Yes ☐ No		Custody Seal No.:		Cooler Temperature(s) °C and Other Remarks: <i>25/28 1.8/21 3.1/3.4 SC</i>							

Login Sample Receipt Checklist

Client: City & County of Honolulu

Job Number: 380-165934-1

SDG Number: Weekly: Halawa Wells Units 1&2 P1 (MS/MSD), Aiea Wells Pumps 1&2 P2

Login Number: 165934

List Source: Eurofins Eaton Analytical Pomona

List Number: 1

Creator: Segura, Ryan

Question	Answer	Comment
The coolers custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
Samples were received on ice.	True	
Cooler(s) Temperature is acceptable.	True	
Cooler(s) Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and is legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	False	
Sample collection date/times are provided.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
CIO4 headspace requirement met (>50% for CA, >30% for other states).	True	
Samples do not require splitting or compositing.	True	
Container provided by EEA	True	

Login Sample Receipt Checklist

Client: City & County of Honolulu

Job Number: 380-165934-1

SDG Number: Weekly: Halawa Wells Units 1&2 P1 (MS/MSD), Aiea Wells Pumps 1&2 P2

Login Number: 165934

List Number: 2

Creator: Mills, Mary

List Source: Eurofins Calscience

List Creation: 08/14/25 04:56 PM

Question	Answer	Comment
Radioactivity wasn't checked or is $\leq$ background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	2.8, 2.1, 3.4
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	N/A	Received project as a subcontract.
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is $<6\text{mm}$ (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	