

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17

# ANALYTICAL REPORT

## PREPARED FOR

Attn: Mr. Erwin Kawata  
City & County of Honolulu  
630 South Beretania Street  
Public Service Bldg. Room 310  
Honolulu, Hawaii 96843

Generated 11/12/2025 5:28:47 PM

## JOB DESCRIPTION

RED-HILL  
PFAS: Halawa Shaft Viewing Pool

## JOB NUMBER

380-181547-1

# Eurofins Eaton Analytical Pomona

## Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Eaton Analytical, LLC Project Manager.

## Compliance Statement

1. Laboratory is accredited in accordance with TNI 2016 Standards and ISO/IEC 17025:2017.
2. Laboratory certifies that the test results meet all TNI 2016 and ISO/IEC 17025:2017 requirements unless noted under the individual analysis
3. Test results relate only to the sample(s) tested.
4. This report shall not be reproduced except in full, without the written approval of the laboratory.
5. Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below. (DW, Water matrices)

## Authorization



Authorized for release by  
Maria Lopez, Project Manager  
[Maria.Lopez@et.eurofinsus.com](mailto:Maria.Lopez@et.eurofinsus.com)  
(626)386-1100

Generated  
11/12/2025 5:28:47 PM



# Table of Contents

Cover Page . . . . .	1
Table of Contents . . . . .	3
Definitions/Glossary . . . . .	4
Case Narrative . . . . .	5
Detection Summary . . . . .	6
Client Sample Results . . . . .	7
Action Limit Summary . . . . .	11
Surrogate Summary . . . . .	12
Isotope Dilution Summary . . . . .	13
QC Sample Results . . . . .	14
QC Association Summary . . . . .	25
Lab Chronicle . . . . .	26
Certification Summary . . . . .	27
Method Summary . . . . .	28
Sample Summary . . . . .	29
Chain of Custody . . . . .	30
Receipt Checklists . . . . .	32

# Definitions/Glossary

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-181547-1  
SDG: PFAS: Halawa Shaft Viewing Pool

## Qualifiers

### LCMS

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

## Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

# Case Narrative

Client: City & County of Honolulu  
Project: RED-HILL

Job ID: 380-181547-1

**Job ID: 380-181547-1**

**Eurofins Eaton Analytical Pomona**

## **Job Narrative 380-181547-1**

The analytical test results presented in this report meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page, unless otherwise noted. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable. Regulated compliance samples (e.g. SDWA, NPDES) must comply with associated agency requirements/permits.

- Matrix-specific batch QC (e.g., MS, MSD, SD) may not be reported when insufficient sample volume is available or when site-specific QC samples are not submitted. In such cases, a Laboratory Control Sample Duplicate (LCSD) may be analyzed to provide precision data for the batch.
- For samples analyzed using surrogate and/or isotope dilution analytes, any recoveries falling outside of established acceptance criteria are re-prepared and/or re-analyzed to confirm results, unless the deviation is due to sample dilution or otherwise explained in the case narrative.

### **Receipt**

The samples were received on 11/6/2025 9:45 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 1.9°C.

### **PFAS**

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

# Detection Summary

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-181547-1  
SDG: PFAS: Halawa Shaft Viewing Pool

## Client Sample ID: HALAWA SHAFT VIEWING POOL

Lab Sample ID: 380-181547-1

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Perfluorohexanesulfonic acid (PFHxS)	3.4		2.0	ng/L	1		533	Total/NA
Perfluorooctanesulfonic acid (PFOS)	3.3		2.0	ng/L	1		533	Total/NA
Perfluorooctanesulfonic acid (PFOS)	3.6		2.0	ng/L	1		537.1	Total/NA
Perfluorohexanesulfonic acid (PFHxS)	3.8		2.0	ng/L	1		537.1	Total/NA

## Client Sample ID: HALAWA SHAFT VIEWING POOL BLANK

Lab Sample ID: 380-181547-2

No Detections.

This Detection Summary does not include radiochemical test results.

Eurofins Eaton Analytical Pomona



# Client Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-181547-1  
SDG: PFAS: Halawa Shaft Viewing Pool

**Client Sample ID: HALAWA SHAFT VIEWING POOL**

**Lab Sample ID: 380-181547-1**

Date Collected: 11/04/25 09:45

Matrix: Water

Date Received: 11/06/25 09:45

**Method: EPA 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	<2.0		2.0	ng/L		11/11/25 11:10	11/12/25 09:20	1
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid(9Cl-PF3ONS)	<2.0		2.0	ng/L		11/11/25 11:10	11/12/25 09:20	1
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	<2.0		2.0	ng/L		11/11/25 11:10	11/12/25 09:20	1
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		2.0	ng/L		11/11/25 11:10	11/12/25 09:20	1
Perfluorobutanesulfonic acid (PFBS)	<2.0		2.0	ng/L		11/11/25 11:10	11/12/25 09:20	1
Perfluorodecanoic acid (PFDA)	<2.0		2.0	ng/L		11/11/25 11:10	11/12/25 09:20	1
Perfluorododecanoic acid (PFDoA)	<2.0		2.0	ng/L		11/11/25 11:10	11/12/25 09:20	1
Perfluoroheptanoic acid (PFHpA)	<2.0		2.0	ng/L		11/11/25 11:10	11/12/25 09:20	1
<b>Perfluorohexanesulfonic acid (PFHxS)</b>	<b>3.4</b>		2.0	ng/L		11/11/25 11:10	11/12/25 09:20	1
Perfluorohexanoic acid (PFHxA)	<2.0		2.0	ng/L		11/11/25 11:10	11/12/25 09:20	1
Perfluorononanoic acid (PFNA)	<2.0		2.0	ng/L		11/11/25 11:10	11/12/25 09:20	1
<b>Perfluorooctanesulfonic acid (PFOS)</b>	<b>3.3</b>		2.0	ng/L		11/11/25 11:10	11/12/25 09:20	1
Perfluorooctanoic acid (PFOA)	<2.0		2.0	ng/L		11/11/25 11:10	11/12/25 09:20	1
Perfluoroundecanoic acid (PFUnA)	<2.0		2.0	ng/L		11/11/25 11:10	11/12/25 09:20	1
Perfluorobutanoic acid (PFBA)	<2.0		2.0	ng/L		11/11/25 11:10	11/12/25 09:20	1
1H,1H,2H,2H-Perfluorodecane sulfonic acid (8:2 FTS)	<2.0		2.0	ng/L		11/11/25 11:10	11/12/25 09:20	1
1H,1H,2H,2H-Perfluorohexane sulfonic acid (4:2 FTS)	<2.0		2.0	ng/L		11/11/25 11:10	11/12/25 09:20	1
1H,1H,2H,2H-Perfluorooctane sulfonic acid (6:2 FTS)	<2.0		2.0	ng/L		11/11/25 11:10	11/12/25 09:20	1
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)	<2.0		2.0	ng/L		11/11/25 11:10	11/12/25 09:20	1
Perfluoro (2-ethoxyethane) sulfonic acid (PFEEESA)	<2.0		2.0	ng/L		11/11/25 11:10	11/12/25 09:20	1
Perfluoro-3-methoxypropanoic acid (PFMPA)	<2.0		2.0	ng/L		11/11/25 11:10	11/12/25 09:20	1
Perfluoro-4-methoxybutanoic acid (PFMBA)	<2.0		2.0	ng/L		11/11/25 11:10	11/12/25 09:20	1
Perfluoropentanoic acid (PFPeA)	<2.0		2.0	ng/L		11/11/25 11:10	11/12/25 09:20	1
Perfluoroheptanesulfonic acid (PFHpS)	<2.0		2.0	ng/L		11/11/25 11:10	11/12/25 09:20	1
Perfluoropentanesulfonic acid (PFPeS)	<2.0		2.0	ng/L		11/11/25 11:10	11/12/25 09:20	1

Isotope Dilution	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
13C3 HFPO-DA	78		50 - 200	11/11/25 11:10	11/12/25 09:20	1
13C6 PFDA	75		50 - 200	11/11/25 11:10	11/12/25 09:20	1
13C5 PFHxA	88		50 - 200	11/11/25 11:10	11/12/25 09:20	1
13C4 PFHpA	85		50 - 200	11/11/25 11:10	11/12/25 09:20	1
13C8 PFOA	82		50 - 200	11/11/25 11:10	11/12/25 09:20	1
13C9 PFNA	81		50 - 200	11/11/25 11:10	11/12/25 09:20	1
13C7 PFUnA	76		50 - 200	11/11/25 11:10	11/12/25 09:20	1
13C2 PFDoA	82		50 - 200	11/11/25 11:10	11/12/25 09:20	1
13C4 PFBA	89		50 - 200	11/11/25 11:10	11/12/25 09:20	1
13C5 PFPeA	89		50 - 200	11/11/25 11:10	11/12/25 09:20	1
13C3 PFBS	103		50 - 200	11/11/25 11:10	11/12/25 09:20	1
13C3 PFHxS	106		50 - 200	11/11/25 11:10	11/12/25 09:20	1

Eurofins Eaton Analytical Pomona

# Client Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-181547-1  
SDG: PFAS: Halawa Shaft Viewing Pool

**Client Sample ID: HALAWA SHAFT VIEWING POOL**

**Lab Sample ID: 380-181547-1**

Date Collected: 11/04/25 09:45

Matrix: Water

Date Received: 11/06/25 09:45

**Method: EPA 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water (Continued)**

Isotope Dilution	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
13C8 PFOS	111		50 - 200	11/11/25 11:10	11/12/25 09:20	1
13C2-4:2-FTS	117		50 - 200	11/11/25 11:10	11/12/25 09:20	1
13C2-6:2-FTS	97		50 - 200	11/11/25 11:10	11/12/25 09:20	1
13C2-8:2-FTS	86		50 - 200	11/11/25 11:10	11/12/25 09:20	1

**Method: EPA 537.1 - Perfluorinated Alkyl Acids (LC/MS)**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		2.0	ng/L		11/10/25 02:40	11/11/25 13:16	1
<b>Perfluorooctanesulfonic acid (PFOS)</b>	<b>3.6</b>		2.0	ng/L		11/10/25 02:40	11/11/25 13:16	1
Perfluoroundecanoic acid (PFUnA)	<2.0		2.0	ng/L		11/10/25 02:40	11/11/25 13:16	1
N-methylperfluorooctanesulfonamide cetic acid (NMeFOSAA)	<2.0		2.0	ng/L		11/10/25 02:40	11/11/25 13:16	1
N-ethylperfluorooctanesulfonamide cetic acid (NEtFOSAA)	<2.0		2.0	ng/L		11/10/25 02:40	11/11/25 13:16	1
Perfluorohexanoic acid (PFHxA)	<2.0		2.0	ng/L		11/10/25 02:40	11/11/25 13:16	1
Perfluorododecanoic acid (PFDoA)	<2.0		2.0	ng/L		11/10/25 02:40	11/11/25 13:16	1
Perfluorooctanoic acid (PFOA)	<2.0		2.0	ng/L		11/10/25 02:40	11/11/25 13:16	1
Perfluorodecanoic acid (PFDA)	<2.0		2.0	ng/L		11/10/25 02:40	11/11/25 13:16	1
<b>Perfluorohexanesulfonic acid (PFHxS)</b>	<b>3.8</b>		2.0	ng/L		11/10/25 02:40	11/11/25 13:16	1
Perfluorobutanesulfonic acid (PFBS)	<2.0		2.0	ng/L		11/10/25 02:40	11/11/25 13:16	1
Perfluoroheptanoic acid (PFHpA)	<2.0		2.0	ng/L		11/10/25 02:40	11/11/25 13:16	1
Perfluorononanoic acid (PFNA)	<2.0		2.0	ng/L		11/10/25 02:40	11/11/25 13:16	1
Perfluorotetradecanoic acid (PFTA)	<2.0		2.0	ng/L		11/10/25 02:40	11/11/25 13:16	1
Perfluorotridecanoic acid (PFTTrDA)	<2.0		2.0	ng/L		11/10/25 02:40	11/11/25 13:16	1
9-Chlorohexadecafluoro-3-oxanonan e-1-sulfonic acid(9Cl-PF3ONS)	<2.0		2.0	ng/L		11/10/25 02:40	11/11/25 13:16	1
11-Chloroeicosafluoro-3-oxaundecan e-1-sulfonic acid (11Cl-PF3OUdS)	<2.0		2.0	ng/L		11/10/25 02:40	11/11/25 13:16	1
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	<2.0		2.0	ng/L		11/10/25 02:40	11/11/25 13:16	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>			<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
d5-NEtFOSAA	110		70 - 130			11/10/25 02:40	11/11/25 13:16	1
13C2 PFHxA	121		70 - 130			11/10/25 02:40	11/11/25 13:16	1
13C2 PFDA	106		70 - 130			11/10/25 02:40	11/11/25 13:16	1
13C3-GenX	99		70 - 130			11/10/25 02:40	11/11/25 13:16	1

**Client Sample ID: HALAWA SHAFT VIEWING POOL BLANK**

**Lab Sample ID: 380-181547-2**

Date Collected: 11/04/25 09:45

Matrix: Water

Date Received: 11/06/25 09:45

**Method: EPA 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
11-Chloroeicosafluoro-3-oxaundecan e-1-sulfonic acid (11Cl-PF3OUdS)	<2.0		2.0	ng/L		11/11/25 11:10	11/12/25 09:29	1
9-Chlorohexadecafluoro-3-oxanonan e-1-sulfonic acid(9Cl-PF3ONS)	<2.0		2.0	ng/L		11/11/25 11:10	11/12/25 09:29	1
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	<2.0		2.0	ng/L		11/11/25 11:10	11/12/25 09:29	1

Eurofins Eaton Analytical Pomona

# Client Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-181547-1  
SDG: PFAS: Halawa Shaft Viewing Pool

**Client Sample ID: HALAWA SHAFT VIEWING POOL BLANK**

**Lab Sample ID: 380-181547-2**

Date Collected: 11/04/25 09:45

Matrix: Water

Date Received: 11/06/25 09:45

**Method: EPA 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water (Continued)**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		2.0	ng/L		11/11/25 11:10	11/12/25 09:29	1
Perfluorobutanesulfonic acid (PFBS)	<2.0		2.0	ng/L		11/11/25 11:10	11/12/25 09:29	1
Perfluorodecanoic acid (PFDA)	<2.0		2.0	ng/L		11/11/25 11:10	11/12/25 09:29	1
Perfluorododecanoic acid (PFDoA)	<2.0		2.0	ng/L		11/11/25 11:10	11/12/25 09:29	1
Perfluoroheptanoic acid (PFHpA)	<2.0		2.0	ng/L		11/11/25 11:10	11/12/25 09:29	1
Perfluorohexanesulfonic acid (PFHxS)	<2.0		2.0	ng/L		11/11/25 11:10	11/12/25 09:29	1
Perfluorohexanoic acid (PFHxA)	<2.0		2.0	ng/L		11/11/25 11:10	11/12/25 09:29	1
Perfluorononanoic acid (PFNA)	<2.0		2.0	ng/L		11/11/25 11:10	11/12/25 09:29	1
Perfluorooctanesulfonic acid (PFOS)	<2.0		2.0	ng/L		11/11/25 11:10	11/12/25 09:29	1
Perfluorooctanoic acid (PFOA)	<2.0		2.0	ng/L		11/11/25 11:10	11/12/25 09:29	1
Perfluoroundecanoic acid (PFUnA)	<2.0		2.0	ng/L		11/11/25 11:10	11/12/25 09:29	1
Perfluorobutanoic acid (PFBA)	<2.0		2.0	ng/L		11/11/25 11:10	11/12/25 09:29	1
1H,1H,2H,2H-Perfluorodecane sulfonic acid (8:2 FTS)	<2.0		2.0	ng/L		11/11/25 11:10	11/12/25 09:29	1
1H,1H,2H,2H-Perfluorohexane sulfonic acid (4:2 FTS)	<2.0		2.0	ng/L		11/11/25 11:10	11/12/25 09:29	1
1H,1H,2H,2H-Perfluorooctane sulfonic acid (6:2 FTS)	<2.0		2.0	ng/L		11/11/25 11:10	11/12/25 09:29	1
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)	<2.0		2.0	ng/L		11/11/25 11:10	11/12/25 09:29	1
Perfluoro (2-ethoxyethane) sulfonic acid (PFEESA)	<2.0		2.0	ng/L		11/11/25 11:10	11/12/25 09:29	1
Perfluoro-3-methoxypropanoic acid (PFMPA)	<2.0		2.0	ng/L		11/11/25 11:10	11/12/25 09:29	1
Perfluoro-4-methoxybutanoic acid (PFMBA)	<2.0		2.0	ng/L		11/11/25 11:10	11/12/25 09:29	1
Perfluoropentanoic acid (PFPeA)	<2.0		2.0	ng/L		11/11/25 11:10	11/12/25 09:29	1
Perfluoroheptanesulfonic acid (PFHpS)	<2.0		2.0	ng/L		11/11/25 11:10	11/12/25 09:29	1
Perfluoropentanesulfonic acid (PFPeS)	<2.0		2.0	ng/L		11/11/25 11:10	11/12/25 09:29	1
<b>Isotope Dilution</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>			<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
13C3 HFPO-DA	103		50 - 200			11/11/25 11:10	11/12/25 09:29	1
13C6 PFDA	106		50 - 200			11/11/25 11:10	11/12/25 09:29	1
13C5 PFHxA	112		50 - 200			11/11/25 11:10	11/12/25 09:29	1
13C4 PFHpA	106		50 - 200			11/11/25 11:10	11/12/25 09:29	1
13C8 PFOA	102		50 - 200			11/11/25 11:10	11/12/25 09:29	1
13C9 PFNA	102		50 - 200			11/11/25 11:10	11/12/25 09:29	1
13C7 PFUnA	96		50 - 200			11/11/25 11:10	11/12/25 09:29	1
13C2 PFDoA	97		50 - 200			11/11/25 11:10	11/12/25 09:29	1
13C4 PFBA	102		50 - 200			11/11/25 11:10	11/12/25 09:29	1
13C5 PFPeA	102		50 - 200			11/11/25 11:10	11/12/25 09:29	1
13C3 PFBS	101		50 - 200			11/11/25 11:10	11/12/25 09:29	1
13C3 PFHxS	99		50 - 200			11/11/25 11:10	11/12/25 09:29	1
13C8 PFOS	108		50 - 200			11/11/25 11:10	11/12/25 09:29	1
13C2-4:2-FTS	103		50 - 200			11/11/25 11:10	11/12/25 09:29	1
13C2-6:2-FTS	91		50 - 200			11/11/25 11:10	11/12/25 09:29	1
13C2-8:2-FTS	88		50 - 200			11/11/25 11:10	11/12/25 09:29	1

# Client Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-181547-1  
SDG: PFAS: Halawa Shaft Viewing Pool

**Client Sample ID: HALAWA SHAFT VIEWING POOL BLANK**

**Lab Sample ID: 380-181547-2**

Date Collected: 11/04/25 09:45

Matrix: Water

Date Received: 11/06/25 09:45

**Method: EPA 537.1 - Perfluorinated Alkyl Acids (LC/MS)**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		2.0	ng/L		11/10/25 02:40	11/11/25 13:26	1
Perfluorooctanesulfonic acid (PFOS)	<2.0		2.0	ng/L		11/10/25 02:40	11/11/25 13:26	1
Perfluoroundecanoic acid (PFUnA)	<2.0		2.0	ng/L		11/10/25 02:40	11/11/25 13:26	1
N-methylperfluorooctanesulfonamide acetic acid (NMeFOSAA)	<2.0		2.0	ng/L		11/10/25 02:40	11/11/25 13:26	1
N-ethylperfluorooctanesulfonamide acetic acid (NEtFOSAA)	<2.0		2.0	ng/L		11/10/25 02:40	11/11/25 13:26	1
Perfluorohexanoic acid (PFHxA)	<2.0		2.0	ng/L		11/10/25 02:40	11/11/25 13:26	1
Perfluorododecanoic acid (PFDoA)	<2.0		2.0	ng/L		11/10/25 02:40	11/11/25 13:26	1
Perfluorooctanoic acid (PFOA)	<2.0		2.0	ng/L		11/10/25 02:40	11/11/25 13:26	1
Perfluorodecanoic acid (PFDA)	<2.0		2.0	ng/L		11/10/25 02:40	11/11/25 13:26	1
Perfluorohexanesulfonic acid (PFHxS)	<2.0		2.0	ng/L		11/10/25 02:40	11/11/25 13:26	1
Perfluorobutanesulfonic acid (PFBS)	<2.0		2.0	ng/L		11/10/25 02:40	11/11/25 13:26	1
Perfluoroheptanoic acid (PFHpA)	<2.0		2.0	ng/L		11/10/25 02:40	11/11/25 13:26	1
Perfluorononanoic acid (PFNA)	<2.0		2.0	ng/L		11/10/25 02:40	11/11/25 13:26	1
Perfluorotetradecanoic acid (PFTA)	<2.0		2.0	ng/L		11/10/25 02:40	11/11/25 13:26	1
Perfluorotridecanoic acid (PFTrDA)	<2.0		2.0	ng/L		11/10/25 02:40	11/11/25 13:26	1
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid (9Cl-PF3ONS)	<2.0		2.0	ng/L		11/10/25 02:40	11/11/25 13:26	1
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	<2.0		2.0	ng/L		11/10/25 02:40	11/11/25 13:26	1
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	<2.0		2.0	ng/L		11/10/25 02:40	11/11/25 13:26	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>			<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
d5-NEtFOSAA	110		70 - 130			11/10/25 02:40	11/11/25 13:26	1
13C2 PFHxA	115		70 - 130			11/10/25 02:40	11/11/25 13:26	1
13C2 PFDA	104		70 - 130			11/10/25 02:40	11/11/25 13:26	1
13C3-GenX	92		70 - 130			11/10/25 02:40	11/11/25 13:26	1

## Action Limit Summary

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-181547-1  
SDG: PFAS: Halawa Shaft Viewing Pool

**Client Sample ID: HALAWA SHAFT VIEWING POOL**

**Lab Sample ID: 380-181547-1**

### Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL		RL	Method	Prep Type
				Limit				
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		ng/L	10		2.0	533	Total/NA
Perfluorohexanesulfonic acid (PFHxS)	3.4		ng/L	10		2.0	533	Total/NA
Perfluorononanoic acid (PFNA)	<2.0		ng/L	10		2.0	533	Total/NA
Perfluorooctanesulfonic acid (PFOS)	3.3		ng/L	4		2.0	533	Total/NA
Perfluorooctanoic acid (PFOA)	<2.0		ng/L	4		2.0	533	Total/NA
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		ng/L	10		2.0	537.1	Total/NA
Perfluorooctanesulfonic acid (PFOS)	3.6		ng/L	4		2.0	537.1	Total/NA
Perfluorooctanoic acid (PFOA)	<2.0		ng/L	4		2.0	537.1	Total/NA
Perfluorohexanesulfonic acid (PFHxS)	3.8		ng/L	10		2.0	537.1	Total/NA
Perfluorononanoic acid (PFNA)	<2.0		ng/L	10		2.0	537.1	Total/NA

**Client Sample ID: HALAWA SHAFT VIEWING POOL BLANK**

**Lab Sample ID: 380-181547-2**

### Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL		RL	Method	Prep Type
				Limit				
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		ng/L	10		2.0	533	Total/NA
Perfluorohexanesulfonic acid (PFHxS)	<2.0		ng/L	10		2.0	533	Total/NA
Perfluorononanoic acid (PFNA)	<2.0		ng/L	10		2.0	533	Total/NA
Perfluorooctanesulfonic acid (PFOS)	<2.0		ng/L	4		2.0	533	Total/NA
Perfluorooctanoic acid (PFOA)	<2.0		ng/L	4		2.0	533	Total/NA
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		ng/L	10		2.0	537.1	Total/NA
Perfluorooctanesulfonic acid (PFOS)	<2.0		ng/L	4		2.0	537.1	Total/NA
Perfluorooctanoic acid (PFOA)	<2.0		ng/L	4		2.0	537.1	Total/NA
Perfluorohexanesulfonic acid (PFHxS)	<2.0		ng/L	10		2.0	537.1	Total/NA
Perfluorononanoic acid (PFNA)	<2.0		ng/L	10		2.0	537.1	Total/NA

# Surrogate Summary

Client: City & County of Honolulu  
 Project/Site: RED-HILL

Job ID: 380-181547-1  
 SDG: PFAS: Halawa Shaft Viewing Pool

## Method: 537.1 - Perfluorinated Alkyl Acids (LC/MS)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		d5NEFOS (70-130)	PFHxA (70-130)	PFDA (70-130)	GenX (70-130)
380-181547-1	HALAWA SHAFT VIEWING POOL	110	121	106	99
380-181547-2	HALAWA SHAFT VIEWING POOL BLANK	110	115	104	92
380-181548-A-1-B MS	Matrix Spike	104	114	109	88
380-181548-A-1-C MSD	Matrix Spike Duplicate	107	123	107	98
LCS 380-185398/22-A	Lab Control Sample	111	124	119	99
MBL 380-185398/20-A	Method Blank	111	128	121	107
MRL 380-185398/21-A	Lab Control Sample	109	104	106	83

### Surrogate Legend

d5NEFOS = d5-NEtFOSAA  
 PFHxA = 13C2 PFHxA  
 PFDA = 13C2 PFDA  
 GenX = 13C3-GenX



# Isotope Dilution Summary

Client: City & County of Honolulu  
 Project/Site: RED-HILL

Job ID: 380-181547-1  
 SDG: PFAS: Halawa Shaft Viewing Pool

## Method: 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water

**Matrix: Water**

**Prep Type: Total/NA**

		Percent Isotope Dilution Recovery (Acceptance Limits)							
Lab Sample ID	Client Sample ID	HFPODA (50-200)	C6PFDA (50-200)	13C5PHA (50-200)	C4PFHA (50-200)	C8PFOA (50-200)	C9PFNA (50-200)	13C7PUA (50-200)	PFDoA (50-200)
380-181547-1	HALAWA SHAFT VIEWING POOL	78	75	88	85	82	81	76	82
380-181547-2	HALAWA SHAFT VIEWING POOL BLANK	103	106	112	106	102	102	96	97
380-181548-B-1-A MS	Matrix Spike	66	74	77	75	72	76	81	85
380-181548-B-1-B MSD	Matrix Spike Duplicate	105	95	104	101	97	100	99	96
LCS 380-185660/22-A	Lab Control Sample	103	104	107	106	100	102	96	104
MBL 380-185660/20-A	Method Blank	91	100	108	111	104	106	99	99
MRL 380-185660/21-A	Lab Control Sample	92	99	105	103	95	101	97	96

		Percent Isotope Dilution Recovery (Acceptance Limits)							
Lab Sample ID	Client Sample ID	PFBA (50-200)	PFPeA (50-200)	C3PFBS (50-200)	C3PFHS (50-200)	C8PFOS (50-200)	42FTS (50-200)	62FTS (50-200)	82FTS (50-200)
380-181547-1	HALAWA SHAFT VIEWING POOL	89	89	103	106	111	117	97	86
380-181547-2	HALAWA SHAFT VIEWING POOL BLANK	102	102	101	99	108	103	91	88
380-181548-B-1-A MS	Matrix Spike	75	75	97	104	107	104	95	95
380-181548-B-1-B MSD	Matrix Spike Duplicate	104	104	105	102	109	103	100	91
LCS 380-185660/22-A	Lab Control Sample	109	106	106	102	106	115	114	109
MBL 380-185660/20-A	Method Blank	107	108	113	108	111	129	124	102
MRL 380-185660/21-A	Lab Control Sample	109	110	107	106	107	112	105	99

### Surrogate Legend

- HFPODA = 13C3 HFPO-DA
- C6PFDA = 13C6 PFDA
- 13C5PHA = 13C5 PFHxA
- C4PFHA = 13C4 PFHpA
- C8PFOA = 13C8 PFOA
- C9PFNA = 13C9 PFNA
- 13C7PUA = 13C7 PFUnA
- PFDoA = 13C2 PFDoA
- PFBA = 13C4 PFBA
- PFPeA = 13C5 PFPeA
- C3PFBS = 13C3 PFBS
- C3PFHS = 13C3 PFHxS
- C8PFOS = 13C8 PFOS
- 42FTS = 13C2-4:2-FTS
- 62FTS = 13C2-6:2-FTS
- 82FTS = 13C2-8:2-FTS

# QC Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-181547-1  
SDG: PFAS: Halawa Shaft Viewing Pool

## Method: 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water

**Lab Sample ID: MBL 380-185660/20-A**  
**Matrix: Water**  
**Analysis Batch: 185886**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**  
**Prep Batch: 185660**

Analyte	MBL Result	MBL Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	<0.30		2.0	ng/L		11/11/25 11:10	11/12/25 08:22	1
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid(9Cl-PF3ONS)	<0.30		2.0	ng/L		11/11/25 11:10	11/12/25 08:22	1
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	<0.60		2.0	ng/L		11/11/25 11:10	11/12/25 08:22	1
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<1.0		2.0	ng/L		11/11/25 11:10	11/12/25 08:22	1
Perfluorobutanesulfonic acid (PFBS)	<0.37		2.0	ng/L		11/11/25 11:10	11/12/25 08:22	1
Perfluorodecanoic acid (PFDA)	<0.31		2.0	ng/L		11/11/25 11:10	11/12/25 08:22	1
Perfluorododecanoic acid (PFDoA)	<0.54		2.0	ng/L		11/11/25 11:10	11/12/25 08:22	1
Perfluoroheptanoic acid (PFHpA)	<0.39		2.0	ng/L		11/11/25 11:10	11/12/25 08:22	1
Perfluorohexanesulfonic acid (PFHxS)	<0.32		2.0	ng/L		11/11/25 11:10	11/12/25 08:22	1
Perfluorohexanoic acid (PFHxA)	<0.46		2.0	ng/L		11/11/25 11:10	11/12/25 08:22	1
Perfluorononanoic acid (PFNA)	<0.40		2.0	ng/L		11/11/25 11:10	11/12/25 08:22	1
Perfluorooctanesulfonic acid (PFOS)	<0.43		2.0	ng/L		11/11/25 11:10	11/12/25 08:22	1
Perfluorooctanoic acid (PFOA)	<0.38		2.0	ng/L		11/11/25 11:10	11/12/25 08:22	1
Perfluoroundecanoic acid (PFUnA)	<0.42		2.0	ng/L		11/11/25 11:10	11/12/25 08:22	1
Perfluorobutanoic acid (PFBA)	<0.69		2.0	ng/L		11/11/25 11:10	11/12/25 08:22	1
1H,1H,2H,2H-Perfluorodecane sulfonic acid (8:2 FTS)	<0.38		2.0	ng/L		11/11/25 11:10	11/12/25 08:22	1
1H,1H,2H,2H-Perfluorohexane sulfonic acid (4:2 FTS)	<0.37		2.0	ng/L		11/11/25 11:10	11/12/25 08:22	1
1H,1H,2H,2H-Perfluorooctane sulfonic acid (6:2 FTS)	<0.48		2.0	ng/L		11/11/25 11:10	11/12/25 08:22	1
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)	<0.47		2.0	ng/L		11/11/25 11:10	11/12/25 08:22	1
Perfluoro (2-ethoxyethane) sulfonic acid (PFEESA)	<0.25		2.0	ng/L		11/11/25 11:10	11/12/25 08:22	1
Perfluoro-3-methoxypropanoic acid (PFMPA)	<0.46		2.0	ng/L		11/11/25 11:10	11/12/25 08:22	1
Perfluoro-4-methoxybutanoic acid (PFMBA)	<0.15		2.0	ng/L		11/11/25 11:10	11/12/25 08:22	1
Perfluoropentanoic acid (PFPeA)	<0.38		2.0	ng/L		11/11/25 11:10	11/12/25 08:22	1
Perfluoroheptanesulfonic acid (PFHpS)	<0.36		2.0	ng/L		11/11/25 11:10	11/12/25 08:22	1
Perfluoropentanesulfonic acid (PFPeS)	<0.39		2.0	ng/L		11/11/25 11:10	11/12/25 08:22	1

Isotope Dilution	MBL %Recovery	MBL Qualifier	Limits	Prepared	Analyzed	Dil Fac
13C3 HFPO-DA	91		50 - 200	11/11/25 11:10	11/12/25 08:22	1
13C6 PFDA	100		50 - 200	11/11/25 11:10	11/12/25 08:22	1
13C5 PFHxA	108		50 - 200	11/11/25 11:10	11/12/25 08:22	1
13C4 PFHpA	111		50 - 200	11/11/25 11:10	11/12/25 08:22	1
13C8 PFOA	104		50 - 200	11/11/25 11:10	11/12/25 08:22	1
13C9 PFNA	106		50 - 200	11/11/25 11:10	11/12/25 08:22	1
13C7 PFUnA	99		50 - 200	11/11/25 11:10	11/12/25 08:22	1
13C2 PFDoA	99		50 - 200	11/11/25 11:10	11/12/25 08:22	1
13C4 PFBA	107		50 - 200	11/11/25 11:10	11/12/25 08:22	1
13C5 PFPeA	108		50 - 200	11/11/25 11:10	11/12/25 08:22	1
13C3 PFBS	113		50 - 200	11/11/25 11:10	11/12/25 08:22	1
13C3 PFHxS	108		50 - 200	11/11/25 11:10	11/12/25 08:22	1

Eurofins Eaton Analytical Pomona

# QC Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-181547-1  
SDG: PFAS: Halawa Shaft Viewing Pool

## Method: 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water (Continued)

**Lab Sample ID: MBL 380-185660/20-A**  
**Matrix: Water**  
**Analysis Batch: 185886**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**  
**Prep Batch: 185660**

<i>Isotope Dilution</i>	<i>MBL</i>	<i>MBL</i>	<i>Limits</i>	<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
	<i>%Recovery</i>	<i>Qualifier</i>				
13C8 PFOS	111		50 - 200	11/11/25 11:10	11/12/25 08:22	1
13C2-4:2-FTS	129		50 - 200	11/11/25 11:10	11/12/25 08:22	1
13C2-6:2-FTS	124		50 - 200	11/11/25 11:10	11/12/25 08:22	1
13C2-8:2-FTS	102		50 - 200	11/11/25 11:10	11/12/25 08:22	1

**Lab Sample ID: LCS 380-185660/22-A**  
**Matrix: Water**  
**Analysis Batch: 185886**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 185660**

<i>Analyte</i>	<i>Spike</i>	<i>LCS</i>	<i>LCS</i>	<i>Unit</i>	<i>D</i>	<i>%Rec</i>	<i>%Rec</i>
	<i>Added</i>	<i>Result</i>	<i>Qualifier</i>				<i>Limits</i>
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	120	116		ng/L		97	70 - 130
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid(9Cl-PF3ONS)	120	117		ng/L		97	70 - 130
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	120	122		ng/L		101	70 - 130
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	120	117		ng/L		97	70 - 130
Perfluorobutanesulfonic acid (PFBS)	120	127		ng/L		105	70 - 130
Perfluorodecanoic acid (PFDA)	120	121		ng/L		100	70 - 130
Perfluorododecanoic acid (PFDoA)	120	117		ng/L		97	70 - 130
Perfluoroheptanoic acid (PFHpA)	120	114		ng/L		95	70 - 130
Perfluorohexanesulfonic acid (PFHxS)	120	125		ng/L		104	70 - 130
Perfluorohexanoic acid (PFHxA)	120	114		ng/L		95	70 - 130
Perfluorononanoic acid (PFNA)	120	122		ng/L		102	70 - 130
Perfluorooctanesulfonic acid (PFOS)	120	119		ng/L		98	70 - 130
Perfluorooctanoic acid (PFOA)	120	121		ng/L		100	70 - 130
Perfluoroundecanoic acid (PFUnA)	120	121		ng/L		101	70 - 130
Perfluorobutanoic acid (PFBA)	120	111		ng/L		92	70 - 130
1H,1H,2H,2H-Perfluorodecane sulfonic acid (8:2 FTS)	120	114		ng/L		95	70 - 130
1H,1H,2H,2H-Perfluorohexane sulfonic acid (4:2 FTS)	120	115		ng/L		95	70 - 130
1H,1H,2H,2H-Perfluorooctane sulfonic acid (6:2 FTS)	120	111		ng/L		92	70 - 130
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)	120	116		ng/L		96	70 - 130
Perfluoro (2-ethoxyethane) sulfonic acid (PFEEESA)	120	128		ng/L		106	70 - 130
Perfluoro-3-methoxypropanoic acid (PFMPA)	120	110		ng/L		91	70 - 130
Perfluoro-4-methoxybutanoic acid (PFMBA)	120	115		ng/L		95	70 - 130
Perfluoropentanoic acid (PFPeA)	120	109		ng/L		91	70 - 130
Perfluoroheptanesulfonic acid (PFHpS)	120	117		ng/L		97	70 - 130

# QC Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-181547-1  
SDG: PFAS: Halawa Shaft Viewing Pool

## Method: 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water (Continued)

**Lab Sample ID: LCS 380-185660/22-A**

**Matrix: Water**

**Analysis Batch: 185886**

**Client Sample ID: Lab Control Sample**

**Prep Type: Total/NA**

**Prep Batch: 185660**

Analyte	Spike Added	LCS	LCS	Unit	D	%Rec	%Rec Limits
		Result	Qualifier				
Perfluoropentanesulfonic acid (PFPeS)	120	120		ng/L		100	70 - 130
<b>LCS LCS</b>							
<b>Isotope Dilution</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				
13C3 HFPO-DA	103		50 - 200				
13C6 PFDA	104		50 - 200				
13C5 PFHxA	107		50 - 200				
13C4 PFHpA	106		50 - 200				
13C8 PFOA	100		50 - 200				
13C9 PFNA	102		50 - 200				
13C7 PFUnA	96		50 - 200				
13C2 PFDoA	104		50 - 200				
13C4 PFBA	109		50 - 200				
13C5 PFPeA	106		50 - 200				
13C3 PFBS	106		50 - 200				
13C3 PFHxS	102		50 - 200				
13C8 PFOS	106		50 - 200				
13C2-4:2-FTS	115		50 - 200				
13C2-6:2-FTS	114		50 - 200				
13C2-8:2-FTS	109		50 - 200				

**Lab Sample ID: MRL 380-185660/21-A**

**Matrix: Water**

**Analysis Batch: 185886**

**Client Sample ID: Lab Control Sample**

**Prep Type: Total/NA**

**Prep Batch: 185660**

Analyte	Spike Added	MRL	MRL	Unit	D	%Rec	%Rec Limits
		Result	Qualifier				
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	2.00	2.02	J	ng/L		101	50 - 150
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid(9Cl-PF3ONS)	2.00	2.06	J	ng/L		103	50 - 150
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	2.00	2.06	J	ng/L		103	50 - 150
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	2.00	2.21	J	ng/L		110	50 - 150
Perfluorobutanesulfonic acid (PFBS)	2.00	2.11	J	ng/L		105	50 - 150
Perfluorodecanoic acid (PFDA)	2.00	2.04	J	ng/L		102	50 - 150
Perfluorododecanoic acid (PFDoA)	2.00	2.09	J	ng/L		104	50 - 150
Perfluoroheptanoic acid (PFHpA)	2.00	2.05	J	ng/L		102	50 - 150
Perfluorohexanesulfonic acid (PFHxS)	2.00	2.19	J	ng/L		109	50 - 150
Perfluorohexanoic acid (PFHxA)	2.00	2.03	J	ng/L		101	50 - 150
Perfluorononanoic acid (PFNA)	2.00	2.08	J	ng/L		104	50 - 150
Perfluorooctanesulfonic acid (PFOS)	2.00	2.23	J	ng/L		111	50 - 150
Perfluorooctanoic acid (PFOA)	2.00	2.30	J	ng/L		115	50 - 150
Perfluoroundecanoic acid (PFUnA)	2.00	2.25	J	ng/L		112	50 - 150
Perfluorobutanoic acid (PFBA)	2.00	2.12	J	ng/L		106	50 - 150

Eurofins Eaton Analytical Pomona

# QC Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-181547-1  
SDG: PFAS: Halawa Shaft Viewing Pool

## Method: 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water (Continued)

**Lab Sample ID: MRL 380-185660/21-A**  
**Matrix: Water**  
**Analysis Batch: 185886**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 185660**

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
1H,1H,2H,2H-Perfluorodecane sulfonic acid (8:2 FTS)	2.00	2.27	J	ng/L		113	50 - 150
1H,1H,2H,2H-Perfluorohexane sulfonic acid (4:2 FTS)	2.00	2.12	J	ng/L		106	50 - 150
1H,1H,2H,2H-Perfluorooctane sulfonic acid (6:2 FTS)	2.00	2.40	J	ng/L		120	50 - 150
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)	2.00	2.05	J	ng/L		102	50 - 150
Perfluoro (2-ethoxyethane) sulfonic acid (PFEEESA)	2.00	2.28	J	ng/L		114	50 - 150
Perfluoro-3-methoxypropanoic acid (PFMPA)	2.00	2.20	J	ng/L		110	50 - 150
Perfluoro-4-methoxybutanoic acid (PFMBA)	2.00	1.98	J	ng/L		99	50 - 150
Perfluoropentanoic acid (PFPeA)	2.00	1.88	J	ng/L		94	50 - 150
Perfluoroheptanesulfonic acid (PFHpS)	2.00	1.98	J	ng/L		99	50 - 150
Perfluoropentanesulfonic acid (PFPeS)	2.00	2.06	J	ng/L		103	50 - 150

Isotope Dilution	MRL %Recovery	MRL Qualifier	MRL Limits
13C3 HFPO-DA	92		50 - 200
13C6 PFDA	99		50 - 200
13C5 PFHxA	105		50 - 200
13C4 PFHpA	103		50 - 200
13C8 PFOA	95		50 - 200
13C9 PFNA	101		50 - 200
13C7 PFUnA	97		50 - 200
13C2 PFDoA	96		50 - 200
13C4 PFBA	109		50 - 200
13C5 PFPeA	110		50 - 200
13C3 PFBS	107		50 - 200
13C3 PFHxS	106		50 - 200
13C8 PFOS	107		50 - 200
13C2-4:2-FTS	112		50 - 200
13C2-6:2-FTS	105		50 - 200
13C2-8:2-FTS	99		50 - 200

**Lab Sample ID: 380-181548-B-1-A MS**  
**Matrix: Water**  
**Analysis Batch: 185886**

**Client Sample ID: Matrix Spike**  
**Prep Type: Total/NA**  
**Prep Batch: 185660**

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	<2.0		121	108		ng/L		90	70 - 130
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid(9Cl-PF3ONS)	<2.0		121	114		ng/L		95	70 - 130
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	<2.0		121	110		ng/L		91	70 - 130

# QC Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-181547-1  
SDG: PFAS: Halawa Shaft Viewing Pool

## Method: 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water (Continued)

**Lab Sample ID: 380-181548-B-1-A MS**

**Client Sample ID: Matrix Spike**

**Matrix: Water**

**Prep Type: Total/NA**

**Analysis Batch: 185886**

**Prep Batch: 185660**

Analyte	Sample	Sample	Spike	MS	MS	Unit	D	%Rec	%Rec Limits
	Result	Qualifier	Added	Result	Qualifier				
Hexafluoropropylene Oxide	<2.0		121	121		ng/L		100	70 - 130
Dimer Acid (HFPO-DA/GenX)									
Perfluorobutanesulfonic acid (PFBS)	<2.0		121	124		ng/L		103	70 - 130
Perfluorodecanoic acid (PFDA)	<2.0		121	127		ng/L		105	70 - 130
Perfluorododecanoic acid (PFDoA)	<2.0		121	122		ng/L		101	70 - 130
Perfluoroheptanoic acid (PFHpA)	<2.0		121	115		ng/L		95	70 - 130
Perfluorohexanesulfonic acid (PFHxS)	<2.0		121	114		ng/L		94	70 - 130
Perfluorohexanoic acid (PFHxA)	<2.0		121	118		ng/L		98	70 - 130
Perfluorononanoic acid (PFNA)	<2.0		121	120		ng/L		99	70 - 130
Perfluorooctanesulfonic acid (PFOS)	<2.0		121	114		ng/L		95	70 - 130
Perfluorooctanoic acid (PFOA)	<2.0		121	123		ng/L		102	70 - 130
Perfluoroundecanoic acid (PFUnA)	<2.0		121	119		ng/L		99	70 - 130
Perfluorobutanoic acid (PFBA)	<2.0		121	122		ng/L		101	70 - 130
1H,1H,2H,2H-Perfluorodecane sulfonic acid (8:2 FTS)	<2.0		121	114		ng/L		95	70 - 130
1H,1H,2H,2H-Perfluorohexane sulfonic acid (4:2 FTS)	<2.0		121	119		ng/L		99	70 - 130
1H,1H,2H,2H-Perfluorooctane sulfonic acid (6:2 FTS)	<2.0		121	120		ng/L		100	70 - 130
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)	<2.0		121	110		ng/L		91	70 - 130
Perfluoro (2-ethoxyethane) sulfonic acid (PFEEESA)	<2.0		121	134		ng/L		111	70 - 130
Perfluoro-3-methoxypropanoic acid (PFMPA)	<2.0		121	113		ng/L		93	70 - 130
Perfluoro-4-methoxybutanoic acid (PFMBA)	<2.0		121	119		ng/L		99	70 - 130
Perfluoropentanoic acid (PFPeA)	<2.0		121	111		ng/L		92	70 - 130
Perfluoroheptanesulfonic acid (PFHpS)	<2.0		121	114		ng/L		94	70 - 130
Perfluoropentanesulfonic acid (PFPeS)	<2.0		121	115		ng/L		95	70 - 130

Isotope Dilution	MS MS		Limits
	%Recovery	Qualifier	
13C3 HFPO-DA	66		50 - 200
13C6 PFDA	74		50 - 200
13C5 PFHxA	77		50 - 200
13C4 PFHpA	75		50 - 200
13C8 PFOA	72		50 - 200
13C9 PFNA	76		50 - 200
13C7 PFUnA	81		50 - 200
13C2 PFDoA	85		50 - 200
13C4 PFBA	75		50 - 200
13C5 PFPeA	75		50 - 200
13C3 PFBS	97		50 - 200
13C3 PFHxS	104		50 - 200
13C8 PFOS	107		50 - 200

# QC Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-181547-1  
SDG: PFAS: Halawa Shaft Viewing Pool

## Method: 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water (Continued)

**Lab Sample ID: 380-181548-B-1-A MS**  
**Matrix: Water**  
**Analysis Batch: 185886**

**Client Sample ID: Matrix Spike**  
**Prep Type: Total/NA**  
**Prep Batch: 185660**

<i>Isotope Dilution</i>	<i>%Recovery</i>	<i>MS MS Qualifier</i>	<i>Limits</i>
13C2-4:2-FTS	104		50 - 200
13C2-6:2-FTS	95		50 - 200
13C2-8:2-FTS	95		50 - 200

**Lab Sample ID: 380-181548-B-1-B MSD**  
**Matrix: Water**  
**Analysis Batch: 185886**

**Client Sample ID: Matrix Spike Duplicate**  
**Prep Type: Total/NA**  
**Prep Batch: 185660**

<i>Analyte</i>	<i>Sample Result</i>	<i>Sample Qualifier</i>	<i>Spike Added</i>	<i>MSD Result</i>	<i>MSD Qualifier</i>	<i>Unit</i>	<i>D</i>	<i>%Rec</i>	<i>%Rec Limits</i>	<i>RPD</i>	<i>RPD Limit</i>
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	<2.0		121	108		ng/L		89	70 - 130	0	30
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid(9Cl-PF3ONS)	<2.0		121	114		ng/L		94	70 - 130	0	30
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	<2.0		121	119		ng/L		99	70 - 130	8	30
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		121	122		ng/L		101	70 - 130	1	30
Perfluorobutanesulfonic acid (PFBS)	<2.0		121	116		ng/L		96	70 - 130	6	30
Perfluorodecanoic acid (PFDA)	<2.0		121	122		ng/L		101	70 - 130	4	30
Perfluorododecanoic acid (PFDoA)	<2.0		121	123		ng/L		102	70 - 130	1	30
Perfluoroheptanoic acid (PFHpA)	<2.0		121	113		ng/L		94	70 - 130	1	30
Perfluorohexanesulfonic acid (PFHxS)	<2.0		121	123		ng/L		102	70 - 130	8	30
Perfluorohexanoic acid (PFHxA)	<2.0		121	125		ng/L		103	70 - 130	5	30
Perfluorononanoic acid (PFNA)	<2.0		121	123		ng/L		102	70 - 130	2	30
Perfluorooctanesulfonic acid (PFOS)	<2.0		121	114		ng/L		95	70 - 130	0	30
Perfluorooctanoic acid (PFOA)	<2.0		121	131		ng/L		109	70 - 130	6	30
Perfluoroundecanoic acid (PFUnA)	<2.0		121	122		ng/L		101	70 - 130	2	30
Perfluorobutanoic acid (PFBA)	<2.0		121	120		ng/L		99	70 - 130	2	30
1H,1H,2H,2H-Perfluorodecane sulfonic acid (8:2 FTS)	<2.0		121	119		ng/L		99	70 - 130	4	30
1H,1H,2H,2H-Perfluorohexane sulfonic acid (4:2 FTS)	<2.0		121	120		ng/L		99	70 - 130	1	30
1H,1H,2H,2H-Perfluorooctane sulfonic acid (6:2 FTS)	<2.0		121	121		ng/L		100	70 - 130	1	30
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)	<2.0		121	122		ng/L		101	70 - 130	11	30
Perfluoro (2-ethoxyethane) sulfonic acid (PFEEESA)	<2.0		121	125		ng/L		104	70 - 130	7	30
Perfluoro-3-methoxypropanoic acid (PFMPA)	<2.0		121	118		ng/L		98	70 - 130	5	30
Perfluoro-4-methoxybutanoic acid (PFMBA)	<2.0		121	126		ng/L		104	70 - 130	5	30
Perfluoropentanoic acid (PFPeA)	<2.0		121	108		ng/L		89	70 - 130	3	30
Perfluoroheptanesulfonic acid (PFHpS)	<2.0		121	113		ng/L		94	70 - 130	1	30
Perfluoropentanesulfonic acid (PFPeS)	<2.0		121	123		ng/L		102	70 - 130	7	30

Eurofins Eaton Analytical Pomona

# QC Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-181547-1  
SDG: PFAS: Halawa Shaft Viewing Pool

## Method: 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water (Continued)

Isotope Dilution	MSD MSD		Limits
	%Recovery	Qualifier	
13C3 HFPO-DA	105		50 - 200
13C6 PFDA	95		50 - 200
13C5 PFHxA	104		50 - 200
13C4 PFHpA	101		50 - 200
13C8 PFOA	97		50 - 200
13C9 PFNA	100		50 - 200
13C7 PFUnA	99		50 - 200
13C2 PFDoA	96		50 - 200
13C4 PFBA	104		50 - 200
13C5 PFPeA	104		50 - 200
13C3 PFBS	105		50 - 200
13C3 PFHxS	102		50 - 200
13C8 PFOS	109		50 - 200
13C2-4:2-FTS	103		50 - 200
13C2-6:2-FTS	100		50 - 200
13C2-8:2-FTS	91		50 - 200

## Method: 537.1 - Perfluorinated Alkyl Acids (LC/MS)

Lab Sample ID: MBL 380-185398/20-A  
Matrix: Water  
Analysis Batch: 185621

Client Sample ID: Method Blank  
Prep Type: Total/NA  
Prep Batch: 185398

Analyte	MBL MBL		RL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier						
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<1.0		2.0	ng/L		11/10/25 02:40	11/11/25 11:31	1
Perfluorooctanesulfonic acid (PFOS)	<0.43		2.0	ng/L		11/10/25 02:40	11/11/25 11:31	1
Perfluoroundecanoic acid (PFUnA)	<0.42		2.0	ng/L		11/10/25 02:40	11/11/25 11:31	1
N-methylperfluorooctanesulfonamidoacetic acid (NMeFOSAA)	<0.58		2.0	ng/L		11/10/25 02:40	11/11/25 11:31	1
N-ethylperfluorooctanesulfonamidoacetic acid (NEtFOSAA)	<0.42		2.0	ng/L		11/10/25 02:40	11/11/25 11:31	1
Perfluorohexanoic acid (PFHxA)	<0.46		2.0	ng/L		11/10/25 02:40	11/11/25 11:31	1
Perfluorododecanoic acid (PFDoA)	<0.54		2.0	ng/L		11/10/25 02:40	11/11/25 11:31	1
Perfluorooctanoic acid (PFOA)	<0.38		2.0	ng/L		11/10/25 02:40	11/11/25 11:31	1
Perfluorodecanoic acid (PFDA)	<0.31		2.0	ng/L		11/10/25 02:40	11/11/25 11:31	1
Perfluorohexanesulfonic acid (PFHxS)	<0.32		2.0	ng/L		11/10/25 02:40	11/11/25 11:31	1
Perfluorobutanesulfonic acid (PFBS)	<0.37		2.0	ng/L		11/10/25 02:40	11/11/25 11:31	1
Perfluoroheptanoic acid (PFHpA)	<0.39		2.0	ng/L		11/10/25 02:40	11/11/25 11:31	1
Perfluorononanoic acid (PFNA)	<0.40		2.0	ng/L		11/10/25 02:40	11/11/25 11:31	1
Perfluorotetradecanoic acid (PFTA)	<0.54		2.0	ng/L		11/10/25 02:40	11/11/25 11:31	1
Perfluorotridecanoic acid (PFTTrDA)	<0.36		2.0	ng/L		11/10/25 02:40	11/11/25 11:31	1
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid(9Cl-PF3ONS)	<0.30		2.0	ng/L		11/10/25 02:40	11/11/25 11:31	1
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	<0.30		2.0	ng/L		11/10/25 02:40	11/11/25 11:31	1
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	<0.60		2.0	ng/L		11/10/25 02:40	11/11/25 11:31	1

  

Surrogate	MBL MBL		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
d5-NEtFOSAA	111		70 - 130	11/10/25 02:40	11/11/25 11:31	1
13C2 PFHxA	128		70 - 130	11/10/25 02:40	11/11/25 11:31	1
13C2 PFDA	121		70 - 130	11/10/25 02:40	11/11/25 11:31	1

Eurofins Eaton Analytical Pomona

# QC Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-181547-1  
SDG: PFAS: Halawa Shaft Viewing Pool

## Method: 537.1 - Perfluorinated Alkyl Acids (LC/MS) (Continued)

**Lab Sample ID: MBL 380-185398/20-A**  
**Matrix: Water**  
**Analysis Batch: 185621**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**  
**Prep Batch: 185398**

Surrogate	MBL %Recovery	MBL Qualifier	Limits	Prepared	Analyzed	Dil Fac
13C3-GenX	107		70 - 130	11/10/25 02:40	11/11/25 11:31	1

**Lab Sample ID: LCS 380-185398/22-A**  
**Matrix: Water**  
**Analysis Batch: 185621**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 185398**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Hexafluoropropylene Oxide	50.2	44.8		ng/L		89	70 - 130
Dimer Acid (HFPO-DA/GenX)							
Perfluorooctanesulfonic acid (PFOS)	50.2	49.9		ng/L		99	70 - 130
Perfluoroundecanoic acid (PFUnA)	50.2	55.5		ng/L		111	70 - 130
N-methylperfluorooctanesulfonamidoacetic acid (NMeFOSAA)	50.2	48.2		ng/L		96	70 - 130
N-ethylperfluorooctanesulfonamidoacetic acid (NEtFOSAA)	50.2	51.9		ng/L		103	70 - 130
Perfluorohexanoic acid (PFHxA)	50.2	50.5		ng/L		101	70 - 130
Perfluorododecanoic acid (PFDoA)	50.2	51.7		ng/L		103	70 - 130
Perfluorooctanoic acid (PFOA)	50.2	52.0		ng/L		104	70 - 130
Perfluorodecanoic acid (PFDA)	50.2	52.0		ng/L		104	70 - 130
Perfluorohexanesulfonic acid (PFHxS)	50.2	51.6		ng/L		103	70 - 130
Perfluorobutanesulfonic acid (PFBS)	50.2	55.1		ng/L		110	70 - 130
Perfluoroheptanoic acid (PFHpA)	50.2	58.3		ng/L		116	70 - 130
Perfluorononanoic acid (PFNA)	50.2	50.8		ng/L		101	70 - 130
Perfluorotetradecanoic acid (PFTA)	50.2	42.8		ng/L		85	70 - 130
Perfluorotridecanoic acid (PFTrDA)	50.2	57.3		ng/L		114	70 - 130
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid(9Cl-PF3ONS)	50.2	51.1		ng/L		102	70 - 130
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	50.2	49.0		ng/L		98	70 - 130
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	50.2	48.1		ng/L		96	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
d5-NEtFOSAA	111		70 - 130
13C2 PFHxA	124		70 - 130
13C2 PFDA	119		70 - 130
13C3-GenX	99		70 - 130

# QC Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-181547-1  
SDG: PFAS: Halawa Shaft Viewing Pool

## Method: 537.1 - Perfluorinated Alkyl Acids (LC/MS) (Continued)

**Lab Sample ID: MRL 380-185398/21-A**  
**Matrix: Water**  
**Analysis Batch: 185621**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 185398**

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	2.00	1.68	J	ng/L		84	50 - 150
Perfluorooctanesulfonic acid (PFOS)	2.00	2.35	J	ng/L		117	50 - 150
Perfluoroundecanoic acid (PFUnA)	2.00	2.41	J	ng/L		120	50 - 150
N-methylperfluorooctanesulfonamidoacetic acid (NMeFOSAA)	2.00	1.96	J	ng/L		98	50 - 150
N-ethylperfluorooctanesulfonamidoacetic acid (NEtFOSAA)	2.00	2.33	J	ng/L		116	50 - 150
Perfluorohexanoic acid (PFHxA)	2.00	2.12	J	ng/L		106	50 - 150
Perfluorododecanoic acid (PFDoA)	2.00	2.35	J	ng/L		117	50 - 150
Perfluorooctanoic acid (PFOA)	2.00	2.24	J	ng/L		112	50 - 150
Perfluorodecanoic acid (PFDA)	2.00	2.36	J	ng/L		118	50 - 150
Perfluorohexanesulfonic acid (PFHxS)	2.00	2.17	J	ng/L		108	50 - 150
Perfluorobutanesulfonic acid (PFBS)	2.00	2.35	J	ng/L		117	50 - 150
Perfluoroheptanoic acid (PFHpA)	2.00	2.40	J	ng/L		120	50 - 150
Perfluorononanoic acid (PFNA)	2.00	2.26	J	ng/L		113	50 - 150
Perfluorotetradecanoic acid (PFTA)	2.00	2.06	J	ng/L		103	50 - 150
Perfluorotridecanoic acid (PFTrDA)	2.00	2.43	J	ng/L		121	50 - 150
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid(9Cl-PF3ONS)	2.00	2.11	J	ng/L		105	50 - 150
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	2.00	2.18	J	ng/L		109	50 - 150
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	2.00	1.97	J	ng/L		98	50 - 150

Surrogate	MRL %Recovery	MRL Qualifier	Limits
d5-NEtFOSAA	109		70 - 130
13C2 PFHxA	104		70 - 130
13C2 PFDA	106		70 - 130
13C3-GenX	83		70 - 130

**Lab Sample ID: 380-181548-A-1-B MS**  
**Matrix: Water**  
**Analysis Batch: 185621**

**Client Sample ID: Matrix Spike**  
**Prep Type: Total/NA**  
**Prep Batch: 185398**

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		25.2	23.0		ng/L		91	70 - 130
Perfluorooctanesulfonic acid (PFOS)	<2.0		25.2	27.8		ng/L		110	70 - 130
Perfluoroundecanoic acid (PFUnA)	<2.0		25.2	28.9		ng/L		115	70 - 130
N-methylperfluorooctanesulfonamidoacetic acid (NMeFOSAA)	<2.0		25.2	25.4		ng/L		101	70 - 130

Eurofins Eaton Analytical Pomona





# QC Association Summary

Client: City & County of Honolulu  
 Project/Site: RED-HILL

Job ID: 380-181547-1  
 SDG: PFAS: Halawa Shaft Viewing Pool

## LCMS

### Prep Batch: 185398

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-181547-1	HALAWA SHAFT VIEWING POOL	Total/NA	Water	537.1 DW	
380-181547-2	HALAWA SHAFT VIEWING POOL BLANK	Total/NA	Water	537.1 DW	
MBL 380-185398/20-A	Method Blank	Total/NA	Water	537.1 DW	
LCS 380-185398/22-A	Lab Control Sample	Total/NA	Water	537.1 DW	
MRL 380-185398/21-A	Lab Control Sample	Total/NA	Water	537.1 DW	
380-181548-A-1-B MS	Matrix Spike	Total/NA	Water	537.1 DW	
380-181548-A-1-C MSD	Matrix Spike Duplicate	Total/NA	Water	537.1 DW	

### Analysis Batch: 185621

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-181547-1	HALAWA SHAFT VIEWING POOL	Total/NA	Water	537.1	185398
380-181547-2	HALAWA SHAFT VIEWING POOL BLANK	Total/NA	Water	537.1	185398
MBL 380-185398/20-A	Method Blank	Total/NA	Water	537.1	185398
LCS 380-185398/22-A	Lab Control Sample	Total/NA	Water	537.1	185398
MRL 380-185398/21-A	Lab Control Sample	Total/NA	Water	537.1	185398
380-181548-A-1-B MS	Matrix Spike	Total/NA	Water	537.1	185398
380-181548-A-1-C MSD	Matrix Spike Duplicate	Total/NA	Water	537.1	185398

### Prep Batch: 185660

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-181547-1	HALAWA SHAFT VIEWING POOL	Total/NA	Water	533	
380-181547-2	HALAWA SHAFT VIEWING POOL BLANK	Total/NA	Water	533	
MBL 380-185660/20-A	Method Blank	Total/NA	Water	533	
LCS 380-185660/22-A	Lab Control Sample	Total/NA	Water	533	
MRL 380-185660/21-A	Lab Control Sample	Total/NA	Water	533	
380-181548-B-1-A MS	Matrix Spike	Total/NA	Water	533	
380-181548-B-1-B MSD	Matrix Spike Duplicate	Total/NA	Water	533	

### Analysis Batch: 185886

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-181547-1	HALAWA SHAFT VIEWING POOL	Total/NA	Water	533	185660
380-181547-2	HALAWA SHAFT VIEWING POOL BLANK	Total/NA	Water	533	185660
MBL 380-185660/20-A	Method Blank	Total/NA	Water	533	185660
LCS 380-185660/22-A	Lab Control Sample	Total/NA	Water	533	185660
MRL 380-185660/21-A	Lab Control Sample	Total/NA	Water	533	185660
380-181548-B-1-A MS	Matrix Spike	Total/NA	Water	533	185660
380-181548-B-1-B MSD	Matrix Spike Duplicate	Total/NA	Water	533	185660

# Lab Chronicle

Client: City & County of Honolulu  
 Project/Site: RED-HILL

Job ID: 380-181547-1  
 SDG: PFAS: Halawa Shaft Viewing Pool

**Client Sample ID: HALAWA SHAFT VIEWING POOL**

**Lab Sample ID: 380-181547-1**

Date Collected: 11/04/25 09:45

Matrix: Water

Date Received: 11/06/25 09:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	533			185660	X5FS	EA POM	11/11/25 11:10
Total/NA	Analysis	533		1	185886	SZ9R	EA POM	11/12/25 09:20
Total/NA	Prep	537.1 DW			185398	G9MN	EA POM	11/10/25 02:40
Total/NA	Analysis	537.1		1	185621	Y5FM	EA POM	11/11/25 13:16

**Client Sample ID: HALAWA SHAFT VIEWING POOL BLANK**

**Lab Sample ID: 380-181547-2**

Date Collected: 11/04/25 09:45

Matrix: Water

Date Received: 11/06/25 09:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	533			185660	X5FS	EA POM	11/11/25 11:10
Total/NA	Analysis	533		1	185886	SZ9R	EA POM	11/12/25 09:29
Total/NA	Prep	537.1 DW			185398	G9MN	EA POM	11/10/25 02:40
Total/NA	Analysis	537.1		1	185621	Y5FM	EA POM	11/11/25 13:26

**Laboratory References:**

EA POM = Eurofins Eaton Analytical Pomona, 941 Corporate Center Drive, Pomona, CA 91768-2642, TEL (626)386-1100



# Accreditation/Certification Summary

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-181547-1  
SDG: PFAS: Halawa Shaft Viewing Pool

## Laboratory: Eurofins Eaton Analytical Pomona

The accreditations/certifications listed below are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Hawaii	State	CA00006	01-31-26

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17

# Method Summary

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-181547-1  
SDG: PFAS: Halawa Shaft Viewing Pool

Method	Method Description	Protocol	Laboratory
533	Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water	EPA	EA POM
537.1	Perfluorinated Alkyl Acids (LC/MS)	EPA	EA POM
533	Extraction of Perfluorinated and Polyfluorinated Alkyl Acids	EPA	EA POM
537.1 DW	Extraction of Perfluorinated Alkyl Acids	EPA	EA POM

**Protocol References:**

EPA = US Environmental Protection Agency

**Laboratory References:**

EA POM = Eurofins Eaton Analytical Pomona, 941 Corporate Center Drive, Pomona, CA 91768-2642, TEL (626)386-1100



# Sample Summary

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-181547-1  
SDG: PFAS: Halawa Shaft Viewing Pool

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Sample Origin
380-181547-1	HALAWA SHAFT VIEWING POOL	Water	11/04/25 09:45	11/06/25 09:45	Hawaii
380-181547-2	HALAWA SHAFT VIEWING POOL BLANK	Water	11/04/25 09:45	11/06/25 09:45	Hawaii

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17

**Monrovia, CA (Suite 100)**  
 750 Royal Oaks Drive Suite 100  
 Monrovia, CA 91016  
 Phone (626) 386-1100

# Chain of Custody Record

**eurofins**  
 Environment Testing  
 America

<b>Client Information</b>		Lab PM: Arada, Rachelle		Carrier Tracking No(s):		COC No: 380-27941-2757.2	
Client Contact: Jason Rakofsky		E-Mail: Rachelle.Arada@et.eurofins.com		State of Origin:		Page: Page 2 of 2	
Phone: +1 808 748 5840		PWSID:		Job #:			
Company: Kirik Iwamoto		City & County of Honolulu		<b>Analysis Requested</b>			
Address: 630 South Beretania Street, Chemistry Lab		Due Date Requested:		Total Number of Containers: <input checked="" type="checkbox"/>			
City: Honolulu		TAT Requested (days): RUSH		Preservation Codes: M - Hexane N - None O - AsNaO2 P - Na2O4S Q - Na2SO3 R - Na2SO3 S - H2SO4 T - TSP Dodecaldehyde U - Acetone V - MCAA W - pH 4-5 X - Trizma Y - EDTA Z - other (specify) Other:			
State, Zip: HI, 96843		Compliance Project: <input type="checkbox"/> No		Special Instructions/Note:			
Phone: 808-748-5840 (tel)		PO #: C20525101 exp 05312023		<input type="checkbox"/> 633 - All Analytes <input type="checkbox"/> 637.1, DW, PREC - 637 1 Full List <input type="checkbox"/> 626.2, PREC - (MOD) 626plus PLUS TICs <input type="checkbox"/> C18 <input type="checkbox"/> 80158_ORO_LL_CS - HNL Ranges, C10-C24/C24-C36/C8 <input type="checkbox"/> 80158_ORO_LL - (MOD) GRO <input type="checkbox"/> SUBCONTRACT - 626 PAH Phyle LL (EAL) + TICs <input checked="" type="checkbox"/> Perform MS/MSD (Yes or No) <input checked="" type="checkbox"/> Field Filtered Sample (Yes or No)			
Email: kiwamoto@hbws.org		Project #: 38001111		<input type="checkbox"/> R <input type="checkbox"/> A <input type="checkbox"/> Q <input type="checkbox"/> O <input type="checkbox"/> A <input type="checkbox"/> I <input type="checkbox"/> Y <input type="checkbox"/> I <input type="checkbox"/> 3 <input type="checkbox"/> 3 <input type="checkbox"/> 1 <input type="checkbox"/> 1			
Project Name: RED-HILL/HBWS sites Event Desc: RUSH Weekly Red Hill		SSOW#:		<input type="checkbox"/> R <input type="checkbox"/> A <input type="checkbox"/> Q <input type="checkbox"/> O <input type="checkbox"/> A <input type="checkbox"/> I <input type="checkbox"/> Y <input type="checkbox"/> I <input type="checkbox"/> 3 <input type="checkbox"/> 3 <input type="checkbox"/> 1 <input type="checkbox"/> 1			
Site:		Sample Date		<input type="checkbox"/> R <input type="checkbox"/> A <input type="checkbox"/> Q <input type="checkbox"/> O <input type="checkbox"/> A <input type="checkbox"/> I <input type="checkbox"/> Y <input type="checkbox"/> I <input type="checkbox"/> 3 <input type="checkbox"/> 3 <input type="checkbox"/> 1 <input type="checkbox"/> 1			
Sample Identification		Sample Time		<input type="checkbox"/> R <input type="checkbox"/> A <input type="checkbox"/> Q <input type="checkbox"/> O <input type="checkbox"/> A <input type="checkbox"/> I <input type="checkbox"/> Y <input type="checkbox"/> I <input type="checkbox"/> 3 <input type="checkbox"/> 3 <input type="checkbox"/> 1 <input type="checkbox"/> 1			
Halawa Shaft Viewing Pool		4-Nov-2025		<input type="checkbox"/> R <input type="checkbox"/> A <input type="checkbox"/> Q <input type="checkbox"/> O <input type="checkbox"/> A <input type="checkbox"/> I <input type="checkbox"/> Y <input type="checkbox"/> I <input type="checkbox"/> 3 <input type="checkbox"/> 3 <input type="checkbox"/> 1 <input type="checkbox"/> 1			
Halawa Shaft Viewing Pool Blank		4-Nov-2025		<input type="checkbox"/> R <input type="checkbox"/> A <input type="checkbox"/> Q <input type="checkbox"/> O <input type="checkbox"/> A <input type="checkbox"/> I <input type="checkbox"/> Y <input type="checkbox"/> I <input type="checkbox"/> 3 <input type="checkbox"/> 3 <input type="checkbox"/> 1 <input type="checkbox"/> 1			
Possible Hazard Identification		Sample Date		<input type="checkbox"/> R <input type="checkbox"/> A <input type="checkbox"/> Q <input type="checkbox"/> O <input type="checkbox"/> A <input type="checkbox"/> I <input type="checkbox"/> Y <input type="checkbox"/> I <input type="checkbox"/> 3 <input type="checkbox"/> 3 <input type="checkbox"/> 1 <input type="checkbox"/> 1			
<input type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown <input type="checkbox"/> Radiological		Sample Time		<input type="checkbox"/> R <input type="checkbox"/> A <input type="checkbox"/> Q <input type="checkbox"/> O <input type="checkbox"/> A <input type="checkbox"/> I <input type="checkbox"/> Y <input type="checkbox"/> I <input type="checkbox"/> 3 <input type="checkbox"/> 3 <input type="checkbox"/> 1 <input type="checkbox"/> 1			
Deliverable Requested: I, II, III, IV, Other (specify)		Sample Date		<input type="checkbox"/> R <input type="checkbox"/> A <input type="checkbox"/> Q <input type="checkbox"/> O <input type="checkbox"/> A <input type="checkbox"/> I <input type="checkbox"/> Y <input type="checkbox"/> I <input type="checkbox"/> 3 <input type="checkbox"/> 3 <input type="checkbox"/> 1 <input type="checkbox"/> 1			
Empty Kit Reinquished by		Sample Time		<input type="checkbox"/> R <input type="checkbox"/> A <input type="checkbox"/> Q <input type="checkbox"/> O <input type="checkbox"/> A <input type="checkbox"/> I <input type="checkbox"/> Y <input type="checkbox"/> I <input type="checkbox"/> 3 <input type="checkbox"/> 3 <input type="checkbox"/> 1 <input type="checkbox"/> 1			
Date/Time: 11/15/25 11:00		Sample Date		<input type="checkbox"/> R <input type="checkbox"/> A <input type="checkbox"/> Q <input type="checkbox"/> O <input type="checkbox"/> A <input type="checkbox"/> I <input type="checkbox"/> Y <input type="checkbox"/> I <input type="checkbox"/> 3 <input type="checkbox"/> 3 <input type="checkbox"/> 1 <input type="checkbox"/> 1			
Date/Time: 11/15/25 9:45		Sample Time		<input type="checkbox"/> R <input type="checkbox"/> A <input type="checkbox"/> Q <input type="checkbox"/> O <input type="checkbox"/> A <input type="checkbox"/> I <input type="checkbox"/> Y <input type="checkbox"/> I <input type="checkbox"/> 3 <input type="checkbox"/> 3 <input type="checkbox"/> 1 <input type="checkbox"/> 1			
Date/Time: 11/15/25 9:45		Sample Date		<input type="checkbox"/> R <input type="checkbox"/> A <input type="checkbox"/> Q <input type="checkbox"/> O <input type="checkbox"/> A <input type="checkbox"/> I <input type="checkbox"/> Y <input type="checkbox"/> I <input type="checkbox"/> 3 <input type="checkbox"/> 3 <input type="checkbox"/> 1 <input type="checkbox"/> 1			
Date/Time: 11/15/25 9:45		Sample Time		<input type="checkbox"/> R <input type="checkbox"/> A <input type="checkbox"/> Q <input type="checkbox"/> O <input type="checkbox"/> A <input type="checkbox"/> I <input type="checkbox"/> Y <input type="checkbox"/> I <input type="checkbox"/> 3 <input type="checkbox"/> 3 <input type="checkbox"/> 1 <input type="checkbox"/> 1			
Date/Time: 11/15/25 9:45		Sample Date		<input type="checkbox"/> R <input type="checkbox"/> A <input type="checkbox"/> Q <input type="checkbox"/> O <input type="checkbox"/> A <input type="checkbox"/> I <input type="checkbox"/> Y <input type="checkbox"/> I <input type="checkbox"/> 3 <input type="checkbox"/> 3 <input type="checkbox"/> 1 <input type="checkbox"/> 1			
Date/Time: 11/15/25 9:45		Sample Time		<input type="checkbox"/> R <input type="checkbox"/> A <input type="checkbox"/> Q <input type="checkbox"/> O <input type="checkbox"/> A <input type="checkbox"/> I <input type="checkbox"/> Y <input type="checkbox"/> I <input type="checkbox"/> 3 <input type="checkbox"/> 3 <input type="checkbox"/> 1 <input type="checkbox"/> 1			
Date/Time: 11/15/25 9:45		Sample Date		<input type="checkbox"/> R <input type="checkbox"/> A <input type="checkbox"/> Q <input type="checkbox"/> O <input type="checkbox"/> A <input type="checkbox"/> I <input type="checkbox"/> Y <input type="checkbox"/> I <input type="checkbox"/> 3 <input type="checkbox"/> 3 <input type="checkbox"/> 1 <input type="checkbox"/> 1			
Date/Time: 11/15/25 9:45		Sample Time		<input type="checkbox"/> R <input type="checkbox"/> A <input type="checkbox"/> Q <input type="checkbox"/> O <input type="checkbox"/> A <input type="checkbox"/> I <input type="checkbox"/> Y <input type="checkbox"/> I <input type="checkbox"/> 3 <input type="checkbox"/> 3 <input type="checkbox"/> 1 <input type="checkbox"/> 1			
Date/Time: 11/15/25 9:45		Sample Date		<input type="checkbox"/> R <input type="checkbox"/> A <input type="checkbox"/> Q <input type="checkbox"/> O <input type="checkbox"/> A <input type="checkbox"/> I <input type="checkbox"/> Y <input type="checkbox"/> I <input type="checkbox"/> 3 <input type="checkbox"/> 3 <input type="checkbox"/> 1 <input type="checkbox"/> 1			
Date/Time: 11/15/25 9:45		Sample Time		<input type="checkbox"/> R <input type="checkbox"/> A <input type="checkbox"/> Q <input type="checkbox"/> O <input type="checkbox"/> A <input type="checkbox"/> I <input type="checkbox"/> Y <input type="checkbox"/> I <input type="checkbox"/> 3 <input type="checkbox"/> 3 <input type="checkbox"/> 1 <input type="checkbox"/> 1			
Date/Time: 11/15/25 9:45		Sample Date		<input type="checkbox"/> R <input type="checkbox"/> A <input type="checkbox"/> Q <input type="checkbox"/> O <input type="checkbox"/> A <input type="checkbox"/> I <input type="checkbox"/> Y <input type="checkbox"/> I <input type="checkbox"/> 3 <input type="checkbox"/> 3 <input type="checkbox"/> 1 <input type="checkbox"/> 1			
Date/Time: 11/15/25 9:45		Sample Time		<input type="checkbox"/> R <input type="checkbox"/> A <input type="checkbox"/> Q <input type="checkbox"/> O <input type="checkbox"/> A <input type="checkbox"/> I <input type="checkbox"/> Y <input type="checkbox"/> I <input type="checkbox"/> 3 <input type="checkbox"/> 3 <input type="checkbox"/> 1 <input type="checkbox"/> 1			
Date/Time: 11/15/25 9:45		Sample Date		<input type="checkbox"/> R <input type="checkbox"/> A <input type="checkbox"/> Q <input type="checkbox"/> O <input type="checkbox"/> A <input type="checkbox"/> I <input type="checkbox"/> Y <input type="checkbox"/> I <input type="checkbox"/> 3 <input type="checkbox"/> 3 <input type="checkbox"/> 1 <input type="checkbox"/> 1			
Date/Time: 11/15/25 9:45		Sample Time		<input type="checkbox"/> R <input type="checkbox"/> A <input type="checkbox"/> Q <input type="checkbox"/> O <input type="checkbox"/> A <input type="checkbox"/> I <input type="checkbox"/> Y <input type="checkbox"/> I <input type="checkbox"/> 3 <input type="checkbox"/> 3 <input type="checkbox"/> 1 <input type="checkbox"/> 1			
Date/Time: 11/15/25 9:45		Sample Date		<input type="checkbox"/> R <input type="checkbox"/> A <input type="checkbox"/> Q <input type="checkbox"/> O <input type="checkbox"/> A <input type="checkbox"/> I <input type="checkbox"/> Y <input type="checkbox"/> I <input type="checkbox"/> 3 <input type="checkbox"/> 3 <input type="checkbox"/> 1 <input type="checkbox"/> 1			
Date/Time: 11/15/25 9:45		Sample Time		<input type="checkbox"/> R <input type="checkbox"/> A <input type="checkbox"/> Q <input type="checkbox"/> O <input type="checkbox"/> A <input type="checkbox"/> I <input type="checkbox"/> Y <input type="checkbox"/> I <input type="checkbox"/> 3 <input type="checkbox"/> 3 <input type="checkbox"/> 1 <input type="checkbox"/> 1			
Date/Time: 11/15/25 9:45		Sample Date		<input type="checkbox"/> R <input type="checkbox"/> A <input type="checkbox"/> Q <input type="checkbox"/> O <input type="checkbox"/> A <input type="checkbox"/> I <input type="checkbox"/> Y <input type="checkbox"/> I <input type="checkbox"/> 3 <input type="checkbox"/> 3 <input type="checkbox"/> 1 <input type="checkbox"/> 1			
Date/Time: 11/15/25 9:45		Sample Time		<input type="checkbox"/> R <input type="checkbox"/> A <input type="checkbox"/> Q <input type="checkbox"/> O <input type="checkbox"/> A <input type="checkbox"/> I <input type="checkbox"/> Y <input type="checkbox"/> I <input type="checkbox"/> 3 <input type="checkbox"/> 3 <input type="checkbox"/> 1 <input type="checkbox"/> 1			
Date/Time: 11/15/25 9:45		Sample Date		<input type="checkbox"/> R <input type="checkbox"/> A <input type="checkbox"/> Q <input type="checkbox"/> O <input type="checkbox"/> A <input type="checkbox"/> I <input type="checkbox"/> Y <input type="checkbox"/> I <input type="checkbox"/> 3 <input type="checkbox"/> 3 <input type="checkbox"/> 1 <input type="checkbox"/> 1			
Date/Time: 11/15/25 9:45		Sample Time		<input type="checkbox"/> R <input type="checkbox"/> A <input type="checkbox"/> Q <input type="checkbox"/> O <input type="checkbox"/> A <input type="checkbox"/> I <input type="checkbox"/> Y <input type="checkbox"/> I <input type="checkbox"/> 3 <input type="checkbox"/> 3 <input type="checkbox"/> 1 <input type="checkbox"/> 1			
Date/Time: 11/15/25 9:45		Sample Date		<input type="checkbox"/> R <input type="checkbox"/> A <input type="checkbox"/> Q <input type="checkbox"/> O <input type="checkbox"/> A <input type="checkbox"/> I <input type="checkbox"/> Y <input type="checkbox"/> I <input type="checkbox"/> 3 <input type="checkbox"/> 3 <input type="checkbox"/> 1 <input type="checkbox"/> 1			
Date/Time: 11/15/25 9:45		Sample Time		<input type="checkbox"/> R <input type="checkbox"/> A <input type="checkbox"/> Q <input type="checkbox"/> O <input type="checkbox"/> A <input type="checkbox"/> I <input type="checkbox"/> Y <input type="checkbox"/> I <input type="checkbox"/> 3 <input type="checkbox"/> 3 <input type="checkbox"/> 1 <input type="checkbox"/> 1			
Date/Time: 11/15/25 9:45		Sample Date		<input type="checkbox"/> R <input type="checkbox"/> A <input type="checkbox"/> Q <input type="checkbox"/> O <input type="checkbox"/> A <input type="checkbox"/> I <input type="checkbox"/> Y <input type="checkbox"/> I <input type="checkbox"/> 3 <input type="checkbox"/> 3 <input type="checkbox"/> 1 <input type="checkbox"/> 1			
Date/Time: 11/15/25 9:45		Sample Time		<input type="checkbox"/> R <input type="checkbox"/> A <input type="checkbox"/> Q <input type="checkbox"/> O <input type="checkbox"/> A <input type="checkbox"/> I <input type="checkbox"/> Y <input type="checkbox"/> I <input type="checkbox"/> 3 <input type="checkbox"/> 3 <input type="checkbox"/> 1 <input type="checkbox"/> 1			
Date/Time: 11/15/25 9:45		Sample Date		<input type="checkbox"/> R <input type="checkbox"/> A <input type="checkbox"/> Q <input type="checkbox"/> O <input type="checkbox"/> A <input type="checkbox"/> I <input type="checkbox"/> Y <input type="checkbox"/> I <input type="checkbox"/> 3 <input type="checkbox"/> 3 <input type="checkbox"/> 1 <input type="checkbox"/> 1			
Date/Time: 11/15/25 9:45		Sample Time		<input type="checkbox"/> R <input type="checkbox"/> A <input type="checkbox"/> Q <input type="checkbox"/> O <input type="checkbox"/> A <input type="checkbox"/> I <input type="checkbox"/> Y <input type="checkbox"/> I <input type="checkbox"/> 3 <input type="checkbox"/> 3 <input type="checkbox"/> 1 <input type="checkbox"/> 1			
Date/Time: 11/15/25 9:45		Sample Date		<input type="checkbox"/> R <input type="checkbox"/> A <input type="checkbox"/> Q <input type="checkbox"/> O <input type="checkbox"/> A <input type="checkbox"/> I <input type="checkbox"/> Y <input type="checkbox"/> I <input type="checkbox"/> 3 <input type="checkbox"/> 3 <input type="checkbox"/> 1 <input type="checkbox"/> 1			
Date/Time: 11/15/25 9:45		Sample Time		<input type="checkbox"/> R <input type="checkbox"/> A <input type="checkbox"/> Q <input type="checkbox"/> O <input type="checkbox"/> A <input type="checkbox"/> I <input type="checkbox"/> Y <input type="checkbox"/> I <input type="checkbox"/> 3 <input type="checkbox"/> 3 <input type="checkbox"/> 1 <input type="checkbox"/> 1			
Date/Time: 11/15/25 9:45		Sample Date		<input type="checkbox"/> R <input type="checkbox"/> A <input type="checkbox"/> Q <input type="checkbox"/> O <input type="checkbox"/> A <input type="checkbox"/> I <input type="checkbox"/> Y <input type="checkbox"/> I <input type="checkbox"/> 3 <input type="checkbox"/> 3 <input type="checkbox"/> 1 <input type="checkbox"/> 1			
Date/Time: 11/15/25 9:45		Sample Time		<input type="checkbox"/> R <input type="checkbox"/> A <input type="checkbox"/> Q <input type="checkbox"/> O <input type="checkbox"/> A <input type="checkbox"/> I <input type="checkbox"/> Y <input type="checkbox"/> I <input type="checkbox"/> 3 <input type="checkbox"/> 3 <input type="checkbox"/> 1 <input type="checkbox"/> 1			
Date/Time: 11/15/25 9:45		Sample Date		<input type="checkbox"/> R <input type="checkbox"/> A <input type="checkbox"/> Q <input type="checkbox"/> O <input type="checkbox"/> A <input type="checkbox"/> I <input type="checkbox"/> Y <input type="checkbox"/> I <input type="checkbox"/> 3 <input type="checkbox"/> 3 <input type="checkbox"/> 1 <input type="checkbox"/> 1			
Date/Time: 11/15/25 9:45		Sample Time		<input type="checkbox"/> R <input type="checkbox"/> A <input type="checkbox"/> Q <input type="checkbox"/> O <input type="checkbox"/> A <input type="checkbox"/> I <input type="checkbox"/> Y <input type="checkbox"/> I <input type="checkbox"/> 3 <input type="checkbox"/> 3 <input type="checkbox"/> 1 <input type="checkbox"/> 1			
Date/Time: 11/15/25 9:45		Sample Date		<input type="checkbox"/> R <input type="checkbox"/> A <input type="checkbox"/> Q <input type="checkbox"/> O <input type="checkbox"/> A <input type="checkbox"/> I <input type="checkbox"/> Y <input type="checkbox"/> I <input type="checkbox"/> 3 <input type="checkbox"/> 3 <input type="checkbox"/> 1 <input type="checkbox"/> 1			
Date/Time: 11/15/25 9:45		Sample Time		<input type="checkbox"/> R <input type="checkbox"/> A <input type="checkbox"/> Q <input type="checkbox"/> O <input type="checkbox"/> A <input type="checkbox"/> I <input type="checkbox"/> Y <input type="checkbox"/> I <input type="checkbox"/> 3 <input type="checkbox"/> 3 <input type="checkbox"/> 1 <input type="checkbox"/> 1			
Date/Time: 11/15/25 9:45		Sample Date		<input type="checkbox"/> R <input type="checkbox"/> A <input type="checkbox"/> Q <input type="checkbox"/> O <input type="checkbox"/> A <input type="checkbox"/> I <input type="checkbox"/> Y <input type="checkbox"/> I <input type="checkbox"/> 3 <input type="checkbox"/> 3 <input type="checkbox"/> 1 <input type="checkbox"/> 1			
Date/Time: 11/15/25 9:45		Sample Time		<input type="checkbox"/> R <input type="checkbox"/> A <input type="checkbox"/> Q <input type="checkbox"/> O <input type="checkbox"/> A <input type="checkbox"/> I <input type="checkbox"/> Y <input type="checkbox"/> I <input type="checkbox"/> 3 <input type="checkbox"/> 3 <input type="checkbox"/> 1 <input type="checkbox"/> 1			
Date/Time: 11/15/25 9:45		Sample Date		<input type="checkbox"/> R <input type="checkbox"/> A <input type="checkbox"/> Q <input type="checkbox"/> O <input type="checkbox"/> A <input type="checkbox"/> I <input type="checkbox"/> Y <input type="checkbox"/> I <input type="checkbox"/> 3 <input type="checkbox"/> 3 <input type="checkbox"/> 1 <input type="checkbox"/> 1			
Date/Time: 11/15/25 9:45		Sample Time		<input type="checkbox"/> R <input type="checkbox"/> A <input type="checkbox"/> Q <input type="checkbox"/> O <input type="checkbox"/> A <input type="checkbox"/> I <input type="checkbox"/> Y <input type="checkbox"/> I <input type="checkbox"/> 3 <input type="checkbox"/> 3 <input type="checkbox"/> 1 <input type="checkbox"/> 1			
Date/Time: 11/15/25 9:45		Sample Date		<input type="checkbox"/> R <input type="checkbox"/> A <input type="checkbox"/> Q <input type="checkbox"/> O <input type="checkbox"/> A <input type="checkbox"/> I <input type="checkbox"/> Y <input type="checkbox"/> I <input type="checkbox"/> 3 <input type="checkbox"/> 3 <input type="checkbox"/> 1 <input type="checkbox"/> 1			
Date/Time: 11/15/25 9:45		Sample Time		<input type="checkbox"/> R <input type="checkbox"/> A <input type="checkbox"/> Q <input type="checkbox"/> O <input type="checkbox"/> A <input type="checkbox"/> I <input type="checkbox"/> Y <input type="checkbox"/> I <input type="checkbox"/> 3 <input type="checkbox"/> 3 <input type="checkbox"/> 1 <input type="checkbox"/> 1			
Date/Time: 11/15/25 9:45		Sample Date		<input type="checkbox"/> R <input type="checkbox"/> A <input type="checkbox"/> Q <input type="checkbox"/> O <input type="checkbox"/> A <input type="checkbox"/> I <input type="checkbox"/> Y <input type="checkbox"/> I <input type="checkbox"/> 3 <input type="checkbox"/> 3 <input type="checkbox"/> 1 <input type="checkbox"/> 1			
Date/Time: 11/15/25 9:45		Sample Time		<input type="checkbox"/> R <input type="checkbox"/> A <input type="checkbox"/> Q <input type="checkbox"/> O <input type="checkbox"/> A <input type="checkbox"/> I <input type="checkbox"/> Y <input type="checkbox"/> I <input type="checkbox"/> 3 <input type="checkbox"/> 3 <input type="checkbox"/> 1 <input type="checkbox"/> 1			
Date/Time: 11/15/25 9:45		Sample Date		<input type="checkbox"/> R <input type="checkbox"/> A <input type="checkbox"/> Q <input type="checkbox"/> O <input type="checkbox"/> A <input type="checkbox"/> I <input type="checkbox"/> Y <input type="checkbox"/> I <input type="checkbox"/> 3 <input type="checkbox"/> 3 <input type="checkbox"/> 1 <input type="checkbox"/> 1			
Date/Time: 11/15/25 9:45		Sample Time		<input type="checkbox"/> R <input type="checkbox"/> A <input type="checkbox"/> Q <input type="checkbox"/> O <input type="checkbox"/> A <input type="checkbox"/> I <input type="checkbox"/> Y <input type="checkbox"/> I <input type="checkbox"/> 3 <input type="checkbox"/> 3 <input type="checkbox"/> 1 <input type="checkbox"/> 1			
Date/Time: 11/15/25 9:45		Sample Date		<input type="checkbox"/> R <input type="checkbox"/> A <input type="checkbox"/> Q <input type="checkbox"/> O <input type="checkbox"/> A <input type="checkbox"/> I <input type="checkbox"/> Y <input type="checkbox"/> I <input type="checkbox"/> 3 <input type="checkbox"/> 3 <input type="checkbox"/> 1 <input type="checkbox"/> 1			
Date/Time: 11/15/25 9:45		Sample Time		<input type="checkbox"/> R <input type="checkbox"/> A <input type="checkbox"/> Q <input type="checkbox"/> O <input type="checkbox"/> A <input type="checkbox"/> I <input type="checkbox"/> Y <input type="checkbox"/> I <input type="checkbox"/> 3 <input type="checkbox"/> 3 <input type="checkbox"/> 1 <input type="checkbox"/> 1			
Date/Time: 11/15/25 9:45		Sample Date		<input type="checkbox"/> R <input type="checkbox"/> A <input type="checkbox"/> Q <input type="checkbox"/> O <input type="checkbox"/> A <input type="checkbox"/> I <input type="checkbox"/> Y <input type="checkbox"/> I <input type="checkbox"/> 3 <input type="checkbox"/> 3 <input type="checkbox"/> 1 <input type="checkbox"/> 1			
Date/Time: 11/15/25 9:45		Sample Time		<input type="checkbox"/> R <input type="checkbox"/> A <input type="checkbox"/> Q <input type="checkbox"/> O <input type="checkbox"/> A <input type="checkbox"/> I <input type="checkbox"/> Y <input type="checkbox"/> I <input type="checkbox"/> 3 <input type="checkbox"/> 3 <input type="checkbox"/> 1 <input type="checkbox"/> 1			
Date/Time: 11/15/25 9:45		Sample Date		<input type="checkbox"/> R <input type="checkbox"/> A <input type="checkbox"/> Q <input type="checkbox"/> O <input type="checkbox"/> A <input type="checkbox"/> I <input type="checkbox"/> Y <input type="checkbox"/> I <input type="checkbox"/> 3 <input type="checkbox"/> 3 <input type="checkbox"/> 1 <input type="checkbox"/> 1			
Date/Time: 11/15/25 9:45		Sample Time		<input type="checkbox"/> R <input type="checkbox"/> A <input type="checkbox"/> Q <input type="checkbox"/> O <input type="checkbox"/> A <input type="checkbox"/> I <input type="checkbox"/> Y <input type="checkbox"/> I <input type="checkbox"/> 3 <input type="checkbox"/> 3 <input type="checkbox"/> 1 <input type="checkbox"/> 1			
Date/Time: 11/15/25 9:45		Sample Date		<input type="checkbox"/> R <input type="checkbox"/> A <input type="checkbox"/> Q <input type="checkbox"/> O <input type="checkbox"/> A <input type="checkbox"/> I <input type="checkbox"/> Y <input type="checkbox"/> I <input type="checkbox"/> 3 <input type="checkbox"/> 3 <input type="checkbox"/> 1 <input type="checkbox"/> 1			
Date/Time: 11/15/25 9:45		Sample Time		<input type="checkbox"/> R <input type="checkbox"/> A <input type="checkbox"/> Q <input type="checkbox"/> O <input type="checkbox"/> A <input type="checkbox"/> I <input type="checkbox"/> Y <input type="checkbox"/> I <input type="checkbox"/> 3 <input type="checkbox"/> 3 <input type="checkbox"/> 1 <input type="checkbox"/> 1			
Date/Time: 11/15/25 9:45		Sample Date		<input type="checkbox"/> R <input type="checkbox"/> A <input type="checkbox"/> Q <input type="checkbox"/> O <input type="checkbox"/> A <input type="checkbox"/> I <input type="checkbox"/> Y <input type="checkbox"/> I <input type="checkbox"/> 3 <input type="checkbox"/> 3 <input type="checkbox"/> 1 <input type="checkbox"/> 1			
Date/Time: 11/15/25 9:45		Sample Time		<input type="checkbox"/> R <input type="checkbox"/> A <input type="checkbox"/> Q <input type="checkbox"/> O <input type="checkbox"/> A <input type="checkbox"/> I <input type="checkbox"/> Y <input type="checkbox"/> I <input type="checkbox"/> 3 <input type="checkbox"/> 3 <input type="checkbox"/> 1 <input type="checkbox"/> 1			
Date/Time: 11/15/25 9:45		Sample Date		<input type="checkbox"/> R <input type="checkbox"/> A <input type="checkbox"/> Q <input type="checkbox"/> O <input type="checkbox"/> A <input type="checkbox"/> I <input type="checkbox"/> Y <input type="checkbox"/> I <input type="checkbox"/> 3 <input type="checkbox"/> 3 <input type="checkbox"/> 1 <input type="checkbox"/> 1			
Date/Time: 11/15/25 9:45		Sample Time		<input type="checkbox"/> R <input type="checkbox"/> A <input type="checkbox"/> Q <input type="checkbox"/> O <input type="checkbox"/> A <input type="checkbox"/> I <input type="checkbox"/> Y <input type="checkbox"/> I <input type="checkbox"/> 3 <input type="checkbox"/> 3 <input type="checkbox"/> 1 <input type="checkbox"/> 1			
Date/Time: 11/15/25 9:45		Sample Date		<input type="checkbox"/> R <input type="checkbox"/> A <input type="checkbox"/> Q <input type="checkbox"/> O <input type="checkbox"/> A <input type="checkbox"/> I <input type="checkbox"/> Y <input type="checkbox"/> I <input type="checkbox"/> 3 <input type="checkbox"/> 3 <input type="checkbox"/> 1 <input type="checkbox"/> 1			
Date/Time: 11/15/25 9:45		Sample Time		<input type="checkbox"/> R <input type="checkbox"/> A <input type="checkbox"/> Q <input type="checkbox"/> O <input type="checkbox"/> A <input type="checkbox"/> I <input type="checkbox"/> Y <input type="checkbox"/> I <input type="checkbox"/> 3 <input type="checkbox"/> 3 <input type="checkbox"/> 1 <input type="checkbox"/> 1			
Date/Time: 11/							

ORIGIN ID HIKA (808) 748-5840  
BWS CHEMLAB  
HONOLULU BOARD OF WATER SUPPLY  
630 S. BRETANIA ST  
CHEMICAL LABORATORY  
HONOLULU, HI 96843  
UNITED STATES US

SHIP DATE: 06NOV25  
ACTWGT 52.00 LB  
CAD 258005052/INET4535  
BILL RECIPIENT

TO **EUROFINS RECEIVING DEPARTMENT**  
**EUROFINS DRINKING WATER TESTING**  
**941 CORPORATE CENTER DR**

**POMONA CA 91768**

(626) 386-1100 REF.  
INV.  
PC: DEPT.



THU - 06 NOV 10:30A  
PRIORITY OVERNIGHT  
2 of 2  
MPS# 8857 9198 1540  
Mstr# 8857 9198 1530  
WM ONTA 91768  
CA-US ONT



(631A) 20+00 20 961- frozen  
Mantel Macer Ventur 11/6/25 945

After printing this label  
CONSIGNEE COPY - PLEASE PLACE IN FRONT OF POUCH  
1 Fold the printed page along the horizontal line  
2 Place label in shipping pouch and affix it to your shipment

68HJ2/501C/59F2

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17

## Login Sample Receipt Checklist

Client: City & County of Honolulu

Job Number: 380-181547-1

SDG Number: PFAS: Halawa Shaft Viewing Pool

**Login Number: 181547**

**List Number: 1**

**Creator: Ngo, Theodore**

**List Source: Eurofins Eaton Analytical Pomona**

Question	Answer	Comment
The coolers custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
Samples were received on ice.	True	
Cooler(s) Temperature is acceptable.	True	
Cooler(s) Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and is legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
CIO4 headspace requirement met (>50% for CA, >30% for other states).	N/A	
Samples do not require splitting or compositing.	True	
Container provided by EEA	True	

